Deepdots | Popup SDK Release Validation Report

SDK: Deepdots native popup SDK **0.7.9** (Android `com.deepdots.sdk:shared-android:0.7.9` · iOS `DeepdotsSDK-SPM` 0.7.9)
Validation date: 2026-11-04
Platforms: iOS / Android
Overall status: FAILED
Report type: Automated release validation, generated from the CI test results (no manual edits)

---

1. Executive Summary

SDK 0.7.9 was validated as published (Maven Central and Swift Package Manager) inside dedicated native test applications that integrate the SDK the same way a customer app does.

Results (CI run):

- **352** automated test executions on **16** configurations (7 iOS, 9 Android)
- **311** passed (5 on the automatic retry)
- **20** failed
- **21** not applicable on that platform
- Manual pass on real devices: **pending** (section 7)

iOS: FAILED · **Android:** FAILED

Validation status: FAILED

Failures

Platform	Configuration	Test	Detail
iOS	iOS 16.4 iPhone SE (3rd generation) Debug	lang-da-shows	xcuitest.installer.LocalXCTestInstaller$IOSDriverTimeoutException: iOS driver not ready in time, consider increasing timeout by configuring MAESTRO_DRIVER_STARTUP_TIMEOUT env variable
iOS	iOS 16.4 iPhone SE (3rd generation) Debug	lang-en-hidden	xcuitest.installer.LocalXCTestInstaller$IOSDriverTimeoutException: iOS driver not ready in time, consider increasing timeout by configuring MAESTRO_DRIVER_STARTUP_TIMEOUT env variable
iOS	iOS 16.4 iPhone SE (3rd generation) Debug	rate-product-close	
iOS	iOS 17.5 iPhone 15 Debug	rate-product-close	
iOS	iOS 18 iPad (A16) Debug	rate-product-close	
iOS	iOS 18 iPhone 16 Pro Debug no-frame-key	rate-product-close	
iOS	iOS 18 iPhone 16 Pro Max Debug	rate-product-close	
iOS	iOS 18 iPhone 16 Release	rate-product-close	
iOS	iOS 26 iPhone 17 Debug	rate-product-close	
Android	A26 phone debug	rate-product-close	
Android	A26 phone debug	slow-survey	Assertion is false: "Can we help?" is visible
Android	A26 phone release	rate-product-close	
Android	A26 phone release	slow-survey	Assertion is false: "Can we help?" is visible
Android	A30 phone debug	rate-product-close	
Android	A30 phone release	rate-product-close	
Android	A34 phone debug	rate-product-close	

Platform	Configuration	Test	Detail
Android	A34 phone release	rate-product-close	
Android	A34 tablet debug	rate-product-close	
Android	A36 phone debug	rate-product-close	
Android	A36 phone release	rate-product-close	

2. Test Results

Test category	iOS	Android
SDK initialization and version check	PASS	PASS
Path-based triggers and excluded screens	PASS	PASS
Time-based triggers	PASS	PASS
Event and click triggers	PASS	PASS
Exit triggers	PASS	PASS
Re-display rules (cooldown)	PASS	PASS
Audience segmentation by language	**FAIL**	PASS
Popup opening and closing	**FAIL**	**FAIL**
Survey rendering, interactions and submission	PASS	PASS
Navigation and app lifecycle (background / foreground, rotation)	PASS	PASS
Network failures and recovery	PASS	**FAIL**
Detection check: a missing navigation event is caught	PASS	PASS
Visual regression	NOT YET AUTOMATED	NOT YET AUTOMATED

`–` = not part of that platform's suite.

3. Tested Environments

Platform	OS version	Device	Build	SDK resolved	Engine	Result
Android	API 26	pixel_6 (emulator)	debug	0.7.9	WebView 69.0.3497.100	**FAIL**
Android	API 26	pixel_6 (emulator)	release (R8)	0.7.9	WebView 69.0.3497.100	**FAIL**
Android	API 30	pixel_6 (emulator)	debug	0.7.9	WebView 83.0.4103.106	**FAIL**
Android	API 30	pixel_6 (emulator)	release (R8)	0.7.9	WebView 83.0.4103.106	**FAIL**
Android	API 34	pixel_6 (emulator)	debug	0.7.9	WebView 113.0.5672.136	**FAIL**
Android	API 34	pixel_6 (emulator)	release (R8)	0.7.9	WebView 113.0.5672.136	**FAIL**
Android	API 34	pixel_tablet (emulator)	debug	0.7.9	WebView 113.0.5672.136	**FAIL**
Android	API 36	pixel_6 (emulator)	debug	0.7.9	WebView 133.0.6943.137	**FAIL**
Android	API 36	pixel_6 (emulator)	release (R8)	0.7.9	WebView 133.0.6943.137	**FAIL**
iOS	iOS-16-4	iPhone SE (3rd generation) (simulator)	Debug · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-17-5	iPhone 15 (simulator)	Debug · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-18-6	iPad (A16) (simulator)	Debug · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-18-6	iPhone 16 Pro (simulator)	Debug · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-18-6	iPhone 16 Pro Max (simulator)	Debug · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-18-6	iPhone 16 (simulator)	Release · Xcode_16.4	0.7.9	—	**FAIL**
iOS	iOS-26-2	iPhone 17 (simulator)	Debug · Xcode_26.2	0.7.9	—	**FAIL**

All automated tests ran against the Deepdots development environment with test companies only. No customer data was used, and each configuration fails if any request reaches the production API.

4. Critical Safety Validation

Scenario	iOS	Android
Survey that cannot load: the popup can be closed and the app stays usable	PASS	PASS
Popup configuration that cannot load: no popup, the app stays usable	PASS	PASS
No network: no popup, the app stays usable	n/a	PASS
Network lost right after a popup is triggered	n/a	PASS
Slow network while the survey loads	n/a	**FAIL**
Crash, freeze (ANR) or threading errors in the device log, and no request to production (every configuration)	None detected	None detected

5. Detection Controls and Backward Compatibility

The test system has to prove it catches real problems. These controls run in every validation:

Control	Result
Negative control: the bug customers saw on the control version is detected (control 0.7.0)	PASS
R8 control: the control version fails a minified release build, the tested one builds (control 0.7.0)	PASS
Expected failure detected: missing-navigation	iOS PASS · Android PASS

6. Known Issues & Limitations

Known blocking issues: see Failures in section 1.

Known non-blocking issues:

- None.

Test limitations:

- Emulators and simulators cover the OS versions, not every manufacturer; real devices are checked by hand (section 7).
- Visual regression (screenshot comparison) is not yet automated for the native SDK.
- Tests marked as known issues are expected to fail until their fix ships; if one passes, the run fails so the mark is removed.

7. Real Devices (manual)

Status: PENDING. Filled in by hand after this report is generated: release build of the test app with this exact version on one Android phone, one iPhone and one iPad.

Check	Android phone	iPhone	iPad
Popup appears complete, once	pending	pending	pending
Survey answered and sent to the end	pending	pending	pending
Not shown again within its cooldown	pending	pending	pending
Taps outside the popup do not reach the app; X closes it	pending	pending	pending
Background / foreground with the popup open	pending	pending	pending
Rotation with the popup open	pending	pending	pending
Keyboard does not cover Send	pending	pending	pending
No network: notice, can be closed, app usable	pending	pending	pending

8. Release Information

- **SDK version:** 0.7.9
- **Release:** GitHub release v0.7.9
- **Changelog:** CHANGELOG
- **Test execution:** CI run (logs, screenshots and per-configuration artifacts)
- **Validation date:** 2026-11-04
- **Results file SHA-256:** `8443f107b4d321e028f7c59cf04a1430d9ae97549db7384f4c5db7e1da5f6a81`

Release notes 0.7.9

Fixed

- **iOS: a survey taller than its box can be scrolled again.** The survey's WebView sat inside the popup's scrollable middle with the default (cooperative) touch handling: the middle took every vertical drag, could not move because its content already fitted, and the WebView never scrolled. On a small iPhone (SE) the 0–10 scale, shown as a vertical list there, could not be scrolled past 3, so 4–10 could not be chosen. The survey now gets its touches directly and scrolls its own content; its content stays available to VoiceOver. The console bridge of the iOS WebView also drops optional chaining (iOS 13.0–13.3).
- **iOS: the keyboard no longer covers the popup's Back and Send.** The SDK relied on the Compose view controller to move the focused field above the keyboard, but the survey's text field lives in a WKWebView, which Compose does not see as focused: nothing moved, and on a free-text page (focused on its own after Next) the keyboard covered the footer until it was dismissed. Seen on every iPhone in the device matrix (iPhone SE to iPhone 17). The popup now keeps itself above the keyboard with the IME inset, as on Android, and the view controller no longer shifts the view on focus, so it is not moved twice.
- **The close button (X) stays visible when the survey does not fit.** With a tall survey page, the whole card scrolled, and after a "required" message it scrolled to the bottom on its own: the title and the X went out of view, so the popup could not be closed without scrolling back up. The title row and the buttons now stay fixed and only the content in between scrolls. Found by the end-to-end tests on iOS.

- **The popup's Send, Back, close and Start work on older WebViews.** The native buttons ran `window.DeepdotsActions?.send()` in the survey; a WebView older than Chrome 80 (Android 8–10 phones whose WebView was never updated) and iOS 13.0–13.3 reject optional chaining with a `SyntaxError`, so the button did nothing and pages that need Send never moved on (the rating page worked because it advances by itself). The calls are now plain ES5, and a test fails if the survey's scripts use `?.` or `??` again. Found by the local device matrix on Android 8.
- **Android 8–10: the keyboard no longer covers the popup's Back and Send.** The popup is mounted on the window's decor view, outside the content the Activity resizes, and before Android 11 the keyboard was not reported to it as an inset, so `imePadding()` was 0 and the footer stayed under the keyboard. On those versions the popup now measures the keyboard from the window's visible frame and moves above it; Android 11+ keeps using the IME inset.
- **iOS: a popup at the top no longer goes under the status bar.** With a top position and a tall survey, the card was laid out from the very top of the screen: the title sat on the clock and the close button (X) under the battery icon, where it could not be tapped. The card now stays inside the safe area (status bar, Dynamic Island / notch, home indicator); the dimmed backdrop still covers the whole screen. Found by the new end-to-end tests.