Deepdots | Popup SDK Release Validation Report

SDK: Deepdots web popup SDK **1.19.0** (npm `@magicfeedback/popup-sdk@1.19.0`)
Validation date: 2026-11-06
Platforms: Desktop web / Mobile web
Overall status: FAILED
Report type: Automated release validation, generated from the CI test results (no manual edits)

---

1. Executive Summary

SDK 1.19.0 was validated as published on npm, loaded from the CDN by a test store that integrates it the same way a customer site does, on desktop and mobile Chromium.

Results (CI run):

- **86** automated test executions on **2** configurations (1 Desktop web, 1 Mobile web)
- **83** passed (1 on the automatic retry)
- **2** failed
- **1** not applicable on that platform
- Manual pass on real devices: **pending** (section 7)

Desktop web: FAILED · **Mobile web:** PASSED

Validation status: FAILED

Failures

Platform	Configuration	Test	Detail
Desktop web	Desktop web	triggers › evento + Delay 60 s (MOM): no sale al momento ni a los 59 s, sí a los 60 s, una vez	
Desktop web	Desktop web	triggers › evento + Delay 60 s: cambiar de página durante la espera lo cancela	

2. Test Results

Test category	Desktop web	Mobile web
SDK initialization and version check	PASS	—
Path-based triggers and excluded screens	PASS	—
Time-based triggers	PASS	—
Scroll triggers	PASS	—
Event and click triggers	**FAIL**	—
Exit triggers	PASS	—
Re-display rules (cooldown)	PASS	—
Audience segmentation by language	PASS	—
Popup layout, opening and closing	PASS	PASS
Survey interactions and submission	PASS	n/a
SPA navigation with a popup open	PASS	—
Network failures and recovery	PASS	PASS
Host page safety	PASS	PASS
Detection check: a missing navigation event is caught	PASS	—
Survey SDK versions assigned in the Admin (DD-70)	PASS	—
Visual regression	NOT YET AUTOMATED	NOT YET AUTOMATED

`–` = not part of that platform's suite.

3. Tested Environments

Platform	OS version	Device	Build	SDK resolved	Engine	Result
Desktop web	Linux (CI)	Desktop 1280×860	Chromium	1.19.0	Playwright 1.60.0	**FAIL**
Mobile web	Linux (CI)	Pixel 7 emulation (412×915)	Chromium	1.19.0	Playwright 1.60.0	PASS

All automated tests ran against the Deepdots development environment with test companies only. No customer data was used, and the test store blocks and fails on any request to the production API.

4. Critical Safety Validation

Scenario	Desktop web	Mobile web
Clicks outside a corner popup reach the page	PASS	PASS
No invisible layer left after closing a popup	PASS	PASS
Slow survey: the page responds while it loads	PASS	PASS
No network: notice, the popup can be closed, the page stays usable	PASS	PASS
Survey that cannot load (406): notice, can be closed, page usable	PASS	—
SDK script not reachable (CDN down): the page stays usable	PASS	—
Popups API that never answers: no popup, nothing blocked	PASS	PASS
Server errors on popups, events and answers	PASS	PASS
Broken survey response: the popup can be closed	PASS	PASS
Host CSS conflicts and overlays	PASS	—
Rapid navigation with popups	PASS	PASS
SDK initialised twice (React StrictMode): one popup	PASS	—
The same host event 5 times: one popup	PASS	—

5. Detection Controls and Backward Compatibility

The test system has to prove it catches real problems. These controls run in every validation:

Control	Result
Expected failure detected: missing navigation event › sin evento de navegación, el exit trigger no salta y el test lo detecta	Desktop web PASS

6. Known Issues & Limitations

Known blocking issues: see Failures in section 1.

Known non-blocking issues:

- None.

Test limitations:

- Automated on Chromium (desktop, and mobile with Pixel 7 emulation). Safari and Firefox are checked by hand (section 7).
- On mobile the host-safety and popup layout suites run; triggers and navigation run on desktop and use the same code path.
- Visual regression (screenshot comparison) is not yet automated for the web SDK.
- Tests marked as known issues are expected to fail until their fix ships; if one passes, the run fails so the mark is removed.

7. Real Devices (manual)

Status: PENDING. Filled in by hand after this report is generated: the test store with this exact version in the browsers the automated suite does not run.

Check	Safari (macOS)	Safari (iPhone)	Firefox
Popup appears complete, once	pending	pending	pending
Survey answered and sent to the end	pending	pending	pending
Not shown again within its cooldown	pending	pending	pending
Clicks outside the popup reach the page; X closes it	pending	pending	pending
Exit popup on leaving /checkout	pending	pending	pending
No network: notice, can be closed, page usable	pending	pending	pending

8. Release Information

- **SDK version:** 1.19.0
- **Release:** GitHub release v1.19.0
- **Changelog:** CHANGELOG
- **Test execution:** CI run (logs, screenshots and per-configuration artifacts)
- **Validation date:** 2026-11-06
- **Results file SHA-256:** `9bce63e8a1d930c69b7ac96f45203ffc6a988ca9bb00d801bcc8a3ba66b23b10`

Release notes 1.19.0

Survey SDK supported: 2.2.38–2.2.39 (survey frontend 3.4.1); bundled: 2.2.39. Compatibility table: docs.deepdots.com/popup-web/reference/survey-compatibility/.

Added

- **Popups follow the survey version assigned in the Admin (DD-70).** `GET /sdk/{publicKey}/popups` sends `surveyFrontend.sdkVersion` per popup (latest or pinned, resolved through the version registry). When it is one of `SUPPORTED_SURVEY_SDK_VERSIONS` (2.2.38, 2.2.39) the popup draws the survey with that exact `@magicfeedback/native` and with that version's survey CSS (vendored per version in `src/assets/survey-css`, scoped to the popup): in the DOM popup the JS comes from jsDelivr (unpkg as fallback) and the CSS from a lazy chunk; in the React Native WebView both come from the CDN. Missing, unsupported or failing to load → the bundled JS and CSS together (a load failure or an invalid version warns; unsupported only logs with `debug`). Debug log and `data-survey-sdk` on the popup say which one was used. `scripts/vendor-survey-css.mjs` takes `--src/--version/--out`. Release gate: the test app runs every supported version (`apps/test-app/e2e/survey-sdk.spec.ts`, `?surveySdk=<v>` in the service worker) inside "Smoke + regression · SDK local", a required check of the release PR, so a version whose JS or CSS does not load, draw or answer blocks the release.
- **The popup's own texts in the 24 official EU languages (DD-67).** Buttons (Send, Cancel, Start/Complete survey, Back), the progress counter, the follow-up badge, the accessibility labels and the notices are now translated into bg, cs, el, et, ga, hr, hu, it, lt, lv, mt, nl, pl, ro, sk and sl too (28

locales with en, es, da, no, sv, fi, de, fr, pt, ar, bn and zh-CN). A Polish survey used to show its own buttons in English. `resolveLocale` and the WebView mirror `RESOLVE_LOCALE_JS` recognise the new codes; anything else still falls back to English. Machine-translated, pending native review. Mirror of the native SDK's `DefaultLabels.kt`.

- **The SDK identifies itself on the data it sends (DD-3, Collection dashboard).** Every popup response now carries `deepdots_channel=popup` and `deepdots_sdk=web@<version>` (`react-native@<version>` from the React Native entry) in its feedback metadata, also with tracking off, so a response that came through a popup can be told apart from a MagicSurvey link and attributed to an SDK version. Every analytics batch carries `deepdots_sdk` too. The version is injected at build time from `package.json` (`scripts/sdk-version-define.mjs`), never kept by hand.
- **"Please enter a valid email address." for an email with a typo.** `@magicfeedback/native` 2.2.39 reports it as `SubmitError` with code `INVALID_EMAIL`, where earlier versions said `REQUIRED` / "No response" and the popup asked the visitor to answer a question they had answered (reported by Lemvigh-Müller). The popup shows the new `errorInvalidEmail` label (translated in all 28 locales) and keeps the page, like a required question; it is validation, so no `survey_error` is emitted. The reason is `invalid_email` in `classifySubmitError` and in the WebView mirror.
- **Session close on iOS without waiting for the next launch, with no code in the app (DD-55).** Measured in a production React Native app on SDK 1.17, about one iOS session in three was closed late, when the user opened the app again, or never, against about 2 % on Android: iOS suspends the app with the closing request in flight. The package now ships a tiny iOS native module (`ios/DeepdotsBackgroundTask.m`, podspec `MagicfeedbackPopupSdk`) that React Native autolinking links on `pod install`; every analytics request runs inside an iOS background task, ended when it settles or after 25 s (`BACKGROUND_TASK_MAX_MS`). Without the module (Expo Go, an app not rebuilt yet) nothing changes: the closing batch is still stored before it is sent and resent on the next launch. `init({ backgroundTask })` replaces the module with your own function; `backgroundTimerTask(BackgroundTimer)` adapts `react-native-background-timer`.
- **React Native lifecycle is automatic (`autoTrack.lifecycle`, on by default).** A React Native entry of the package (`dist/index.native.js`, picked by Metro through the `react-native` export condition, so imports do not change) lets the SDK listen to `AppState` itself: `active` opens a session, `inactive` sends what is pending with a `user_engagement` carrying the current screen (new `onInactive()`), `background` closes it. Hosts that already call `onForeground` / `onBackground` keep working and nothing is sent twice. `autoTrack: { lifecycle: false }` turns it off. Without `platform` in `init`, React Native now uses `Platform.OS` (it used to report `web`).

Changed

- **`@magicfeedback/native` 2.2.39** (from 2.2.37), in the web bundle and as the default CDN version of the React Native WebView. It brings the `INVALID_EMAIL` submit error, so the popup now shows "Please enter a valid email address." for an email with a typo; the 24 official EU languages for the survey (DD-67); and the email field's `Option/Alt + 2` shortcut and optional @ button (DD-47). `src/assets/style.css` is re-vendored with the email @ rules. The 2.2.39 package ships its CSS minified, which `scripts/vendor-survey-css.mjs` cannot read, so this copy was vendored from the package's readable source (`src/styles/magicfeedback-default.css` at ba14d87, the commit 2.2.39 was published from).

Fixed

- **The "Delay (seconds)" set in the Admin is honoured for every trigger type** (reported by MOM: an event trigger with a 60 s delay showed the popup at once). The SDK dropped `trigger.delaySeconds` when it read the popups, so the delay never applied to `event`, `click`, `scroll` or `time_on_page`; and for `exit`, where the Admin stores the delay in `delaySeconds` and `value` is 0, the exit popup always showed with no wait. Now the delay counts from the moment the trigger fires (for `time_on_page`, after the time on page). Exit popups made before `delaySeconds` existed, with the delay in `value`, keep working. While a popup waits: firing the same trigger again neither restarts nor duplicates it; changing route (or screen with `setScreen` in React Native) or the app going to background cancels it; and when it is due everything is checked again (segments, language, cooldowns), it is dropped if the same popup was shown in the meantime, and if another popup is open it is skipped without effects, as before. A delay of 0, or no delay, shows the popup at once, as before. Pending delays live in memory only, unlike the exit queue. `triggerSurvey(surveyId, popupId, { delaySeconds })` takes an optional delay too. Test app: scenario `rate-delay` (event + 60 s) in `e2e/regression/triggers.spec.ts`.