SEO ANALYZER PRO · PRO REPORT — €29

https://walden-plants.hr

Generated 6/10/2026 · Master Analysis Report

OVERALL

67 /100

Overall Score Dashboard

8 tools · Full data + fixes

SEO Audit	Google Ads Landing Page	AEO / AI SEO Readiness	GEO / Generative Engine	Broken Link Check	Image Optimization	Internal Linking	Sitemap & Robots.txt
76	42	49	40	90	48	90	100

SEO Audit

25 pass · 2 warn · 0 fail — Score 76

PASS **Robots.txt**
Valid robots.txt file found

PASS **XML Sitemap**
XML sitemap found

PASS **Page Title**
Title: "Walden Plants - Sobne biljke & biljni terariji Zagreb"

PASS **Meta Description**
Description length: 118

WARNING **Content Length**
Page contains 85 words

Fix:
Your page has insufficient content. Aim for at least 300 words of unique, valuable content. Pages with 1,000+ words typically rank better for competitive keywords.

PASS **H1 Tags**
1 H1 tag found

PASS **Heading Hierarchy**
Page organized with H2s (29), H3s (0), H4s (0), H5s (0), H6s (0)

PASS **Content Organization**
7 bullet lists, 0 numbered lists found

PASS **Images to Break Up Text**
41 images found to break up text content

PASS **Image Alt Tags**
100% of images have alt tags (41/41)

PASS **Keyword and Meta Filenames**
39/41 images have descriptive filenames

PASS **Information Accurate and Up to Date**
Last modified: 2026-05-31T17:44:11+00:00

PASS **Clean URL Structure**
URL follows SEO-friendly structure

SEO Audit

25 pass · 2 warn · 0 fail — Score 76

PASS **Canonical URL**
Canonical URL set: https://walden-plants.hr/

PASS **Mobile Viewport**
Viewport: width=device-width, initial-scale=1, shrink-to-fit=no, viewport-fit=cover

PASS **HTTPS Security**
Website uses HTTPS

PASS **HTTP → HTTPS Redirect**
HTTP redirects to HTTPS (301)

PASS **WWW / Non-WWW Redirect**
www version correctly redirects to non-www (301)

PASS **Redirect Chain**
No redirects detected — URL resolves directly

PASS **HTML Tags for Structure**
30 heading tags, 7 list tags found

WARNING **ARIA Labels**
4/11 interactive elements with ARIA labels

PASS **Image Alt Text**
41/41 images have alt text

PASS **Color Contrast Indicators**
Color styles detected - manual contrast check recommended

PASS **Text Readability**
No potentially small text detected

PASS **Line Spacing**
0 paragraphs found - check line spacing

PASS **Heading Hierarchy**
Proper heading hierarchy found

PASS **Anchor Text Quality**
67/67 links have descriptive anchor text

Fix: Increase Content Length
Pages with more comprehensive content tend to perform better in search results.

Google Ads Landing Page

5 pass · 4 warn · 2 fail — Score 42

WARNING **TTFB — Clean URL**
768ms response time for clean URL

Google Ads Landing Page

5 pass · 4 warn · 2 fail **Score 42**

Fix:
STEP 1 — Enable server-side caching:
• Nginx: Add to your server block:
  proxy_cache_path /tmp/nginx levels=1:2 keys_zone=page_cache:10m max_size=100m inactive=60m;
  proxy_cache_valid 200 30m;
• Apache: Enable mod_cache in .htaccess:
  <IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType text/html "access plus 5 minutes"
  </IfModule>

STEP 2 — Add a CDN layer (Cloudflare example):
• Sign up at cloudflare.com, add your domain, update nameservers
• Go to Caching > Configuration > set Browser Cache TTL to 4 hours
• Under Rules > Page Rules, add a rule:
  URL: yourdomain.com/landing-page*
  Setting: Cache Level = Cache Everything, Edge Cache TTL = 2 hours

STEP 3 — Optimize server response:
• WordPress: Install WP Super Cache or W3 Total Cache, enable page caching
• PHP: Enable OPcache in php.ini: opcache.enable=1, opcache.memory_consumption=128
• Node.js: Add response caching middleware or use a reverse proxy (Nginx) in front

GOAL: Reduce TTFB from 768ms to under 400ms (ideally under 200ms)

PASS **TTFB — With Ads Parameters**
378ms response time with gclid & utm parameters (-390ms vs clean URL)

CRITICAL **CDN & Edge Caching**
No CDN detected — page served directly from origin server

Fix:
OPTION A — Cloudflare (free tier, easiest setup):
1. Create account at dash.cloudflare.com
2. Add your domain and follow DNS setup (update nameservers at your registrar)
3. Once active, go to Caching > Configuration:
   • Browser Cache TTL: 4 hours
   • Always Online: ON
4. Go to Rules > Page Rules, create rule:
   URL: *yourdomain.com/landing-page*
   Cache Level: Cache Everything
   Edge Cache TTL: 2 hours
5. Enable Auto Minify (Speed > Optimization) for JS, CSS, HTML

OPTION B — AWS CloudFront:
1. Create a CloudFront distribution in AWS Console
2. Set Origin Domain to your server's domain/IP
3. Cache Behavior settings:
   • Viewer Protocol Policy: Redirect HTTP to HTTPS
   • Cache Policy: CachingOptimized
   • Origin Request Policy: AllViewer (forwards headers to origin)
4. Set your DNS CNAME to point to the CloudFront distribution URL

OPTION C — Set Cache-Control headers on your server:
• Nginx: add_header Cache-Control 'public, max-age=3600, s-maxage=7200';
• Apache: Header set Cache-Control 'public, max-age=3600'
• Express.js: res.set('Cache-Control', 'public, max-age=3600, s-maxage=7200');

VERIFY: curl -I https://yoursite.com/landing-page | grep -i 'cf-ray\|x-cache\|cache-control'

WARNING **Cache Fragmentation — User-Agent Vary**
Cache varies by User-Agent header — creates separate cache entries for each browser type

Google Ads Landing Page

5 pass · 4 warn · 2 fail **Score 42**

Fix:
WHY THIS HAPPENS: Your server or framework sends 'Vary: User-Agent' in response headers.
This tells CDNs to create a separate cached copy for every unique User-Agent string.
Google's Ads bot has a unique User-Agent, so it always gets a cache MISS.

FIX — Remove User-Agent from Vary header:
• Nginx: In your server config, set:
 proxy_hide_header Vary;
 add_header Vary 'Accept-Encoding';

• Apache .htaccess:
 Header unset Vary
 Header append Vary "Accept-Encoding"

• WordPress: Some plugins add Vary: User-Agent. Check:
 - W3 Total Cache > Browser Cache > disable 'Set Vary header'
 - WP Rocket: Add to wp-config.php: define('WP_CACHE_VARY_USER_AGENT', false);

• If you need mobile vs desktop content: Use client-side JavaScript
 to detect device and adjust layout, instead of server-side User-Agent detection.
 Or use CDN-specific device detection headers (e.g., Cloudflare CF-Device-Type)
 which only creates 3 cache variants (mobile/tablet/desktop) instead of thousands.

VERIFY: curl -I https://yoursite.com/page | grep -i vary
Expected: Vary: Accept-Encoding (NOT User-Agent)

PASS **Cache Fragmentation — Query String Busting**
Query parameters do not fragment cache — Ads traffic can benefit from cached responses

PASS **Redirect Chain**
No redirects — page served directly

CRITICAL **Hosting Infrastructure**
Shared hosting indicators: Apache server without CDN — common on shared hosting; No server-side caching headers — every request hits the application

Fix:
DETECTED SIGNALS: Apache server without CDN — common on shared hosting | No server-side caching headers — every request hits the application

MIGRATION OPTIONS (ranked by ease):

OPTION 1 — Managed WordPress hosting (if WordPress):
• Cloudways ($14/mo): Automated migration plugin, built-in CDN and caching
• SiteGround ($15/mo): Free migration, built-in SG Optimizer caching
• WP Engine ($30/mo): Automatic CDN, staging environments, managed updates
• All include server-level caching that eliminates cold-cache issues

OPTION 2 — VPS with control panel:
• DigitalOcean ($6/mo) + RunCloud ($8/mo) or ServerPilot:
 1. Create a Droplet (Ubuntu, 1GB RAM minimum)
 2. Connect RunCloud for server management
 3. Deploy your site via Git or SFTP
 4. RunCloud auto-configures Nginx, PHP-FPM, and SSL

OPTION 3 — Serverless/JAMstack (fastest for landing pages):
• Vercel: vercel deploy (zero-config for Next.js/React)
• Netlify: Connect Git repo, auto-builds and deploys to global CDN
• Cloudflare Pages: Similar to Netlify, runs on Cloudflare's edge network
• These serve your page from 200+ edge locations with sub-100ms TTFB

AFTER MIGRATION — Add a CDN layer:
• Cloudflare free tier: Just update nameservers, instant global CDN
• Enable 'Cache Everything' Page Rule for your landing page URL

VERIFY: After migration, test TTFB from multiple locations:
 Use https://tools.keycdn.com/performance to test from 14 global locations
 Target: < 400ms from all locations

Google Ads Landing Page

5 pass · 4 warn · 2 fail

Score 42

PASS **Keyword-to-Content Relevance (Above Fold)**

Page title keywords found in above-the-fold content — message match is strong

WARNING **CTA Visibility Without Scroll**

CTAs found but may require scrolling: Prijavite se, OK

Fix:

STEP 1 — Place a clear CTA button in the hero section:

• HTML structure for above-fold CTA:

```
<section class="hero" style="min-height: 100vh; display: flex; flex-direction: column; justify-content: center; padding: 20px;">
  <h1>Your Headline Matching Ad Copy</h1>
  <p>Supporting text explaining the value proposition</p>
  <a href="/signup" class="cta-button" style="
    display: inline-block; padding: 16px 32px;
    background: #FF6B00; color: white; font-size: 18px;
    font-weight: bold; border-radius: 8px; text-decoration: none;
    text-align: center; margin-top: 20px;">
    Get Started Free
  </a>
</section>
```

STEP 2 — Mobile-specific considerations:

• Test on a real phone (or Chrome DevTools mobile mode, 375px width)
• CTA button should be fully visible without any scrolling
• Minimum tap target size: 48×48px (Google's recommendation)
• Use full-width buttons on mobile: width: 100%; max-width: 400px;
• Don't place the CTA below a large hero image that pushes it off-screen

STEP 3 — CTA text best practices for Ads landing pages:

• Use action-specific text: 'Get Free Quote', 'Start Free Trial', 'Shop Now'
• Avoid vague text: 'Learn More', 'Click Here', 'Submit'
• Add urgency if appropriate: 'Get 20% Off — Today Only'
• Match the CTA to your ad's call-to-action extension

STEP 4 — Sticky CTA for long pages:

```
<div style="position: fixed; bottom: 0; left: 0; right: 0;
  padding: 12px; background: white; box-shadow: 0 -2px 10px rgba(0,0,0,0.1);
  z-index: 1000;">
  <a href="/signup" class="cta-button" style="display: block;
    text-align: center; padding: 14px; background: #FF6B00;
    color: white; font-weight: bold; border-radius: 8px;">
    Get Started Now
  </a>
</div>
```

• This ensures the CTA is always visible regardless of scroll position

FOUND CTAs ON YOUR PAGE: Prijavite se, OK — move these into the hero section

WARNING **Layout Stability (CLS Risk)**

1 layout shift risk: 3 images without explicit width/height — causes layout shifts on load

Fix:

DETECTED ISSUES: 3 images without explicit width/height — causes layout shifts on load

FIX — Images without dimensions:

• Add explicit width and height to every <img> tag:

```
<img src="hero.jpg" width="800" height="400" alt="Product photo"
  style="max-width: 100%; height: auto;">
```

• The width/height attributes set the aspect ratio, CSS handles responsive sizing
• For CSS background images, set aspect-ratio on the container:

```
.hero-image { aspect-ratio: 16/9; background-size: cover; }
```

VERIFY: Use Chrome DevTools > Performance > check 'Layout Shift Regions'
Or run: npx web-vitals-cli https://yoursite.com/landing-page
Target CLS score: < 0.1 (Good), < 0.25 (Needs Improvement)

PASS **Real-User Field Data (CrUX)**

PageSpeed Insights request limit reached. CrUX field data could not be retrieved at this time.

Fix: Fix Critical Infrastructure Issues
Your server infrastructure is causing slow delivery for Google Ads traffic. These issues directly lower your Quality Score.

Fix: Resolve Cache Fragmentation
Your caching setup treats Ads traffic differently from organic traffic, causing cache misses for every paid click.

Fix: Upgrade Hosting Infrastructure
Shared hosting patterns detected. Your server can't reliably handle Ads traffic spikes, causing inconsistent page load times.

Fix: Optimize Infrastructure Performance
Minor infrastructure issues that could be improved for better Ads performance.

Fix: Optimize Page-Level Experience
Minor UX improvements that can boost engagement metrics for Ads traffic.

AEO / AI SEO Readiness

8 pass · 4 warn · 4 fail — Score 49

PASS **JSON-LD Structured Data**
Found 1 schema(s): WebPage, BreadcrumbList, WebSite, Organization

WARNING **FAQ Schema Markup**
FAQ content detected but no FAQ schema markup found

Fix:
STEP 1 — Add FAQPage schema to your page:

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": "What is your main question?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Your concise answer here. Keep it under 300 characters for best AI extraction."
      }
    },
    {
      "@type": "Question",
      "name": "Second question?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Second answer here."
      }
    }
  ]
}
</script>
```

STEP 2 — WordPress: Use Yoast FAQ block or Rank Math FAQ block
These automatically generate FAQ schema from your content.

STEP 3 — Format FAQ content in HTML:

```
<section>
  <h2>Frequently Asked Questions</h2>
  <h3>Question text here?</h3>
  <p>Direct, concise answer (40-300 characters ideal).</p>
</section>
```

VERIFY: Google Rich Results Test → check for FAQ rich result eligibility

AEO / AI SEO Readiness

8 pass · 4 warn · 4 fail **Score 49**

CRITICAL **Question-Based Headings**

No question-format headings found

Fix:
STEP 1 — Convert informational headings to question format:
BEFORE: <h2>Benefits of Product</h2>
AFTER: <h2>What Are the Benefits of Product?</h2>

BEFORE: <h2>Installation Process</h2>
AFTER: <h2>How Do You Install Product?</h2>

BEFORE: <h2>Pricing</h2>
AFTER: <h2>How Much Does Product Cost?</h2>

STEP 2 — Research common questions:
- Google 'People Also Ask' for your topic
- Check AnswerThePublic.com for question patterns
- Review ChatGPT/Perplexity for common query formats

STEP 3 — Follow each question heading with a direct answer:
<h2>What Is Answer Engine Optimization?</h2>
<p>Answer Engine Optimization (AEO) is the practice of optimizing web content to be cited by AI-powered search engines like Google AI Overviews, ChatGPT, and Perplexity.</p>

The first paragraph after a question heading should be a concise, self-contained answer (40-300 characters is ideal for AI extraction).

CRITICAL **Direct Answer Paragraphs**

No concise answer-format paragraphs found

Fix:
STEP 1 — Write 'answer-first' paragraphs:
Lead with the answer, then elaborate. Example:

"AEO costs between $500-$5,000 per month depending on scope, industry competitiveness, and the number of pages being optimized."

This 140-character answer is perfect for AI extraction.

STEP 2 — Use the 'inverted pyramid' writing style:
- First sentence: Complete, standalone answer
- Following sentences: Supporting details, context
- Final sentences: Background, related information

STEP 3 — Ideal answer paragraph characteristics:
- 40-300 characters (1-3 sentences)
- Starts with the core fact/answer
- Can be read out of context and still make sense
- Contains the key entity/topic being discussed
- Avoids pronouns like 'it', 'this', 'they' at the start

WARNING **Lists and Structured Content**

Lists: Yes, Tables: No, How-to content: No

AEO / AI SEO Readiness 8 pass · 4 warn · 4 fail **Score 49**

Fix:

STEP 1 — Add ordered lists for processes/steps:

```
<ol>
  <li>First, identify your target queries</li>
  <li>Research how AI currently answers them</li>
  <li>Create content that directly answers each query</li>
</ol>
```

STEP 2 — Add comparison tables for data-rich content:

```
<table>
  <thead>
    <tr><th>Feature</th><th>Option A</th><th>Option B</th></tr>
  </thead>
  <tbody>
    <tr><td>Price</td><td>$10/mo</td><td>$20/mo</td></tr>
    <tr><td>Storage</td><td>10 GB</td><td>50 GB</td></tr>
  </tbody>
</table>
```

STEP 3 — Add definition lists for glossary/terms:

```
<dl>
  <dt>AEO</dt>
  <dd>Answer Engine Optimization — optimizing content for AI search</dd>
</dl>
```

CRITICAL **Author & Expertise Signals (E-E-A-T)**

No author information | No publication date | Last modified date present | About page linked

Fix:

STEP 1 — Add author information to your content:

```
<div class="author-bio" itemprop="author" itemscope itemtype="https://schema.org/Person">
  <img src="author-photo.jpg" itemprop="image" alt="Author Name" />
  <span itemprop="name">Author Name</span>
  <span itemprop="jobTitle">Senior SEO Specialist</span>
  <p>10+ years of experience in digital marketing...</p>
</div>
```

STEP 2 — Add publication and modified dates:

```
<time datetime="2025-01-15" itemprop="datePublished">January 15, 2025</time>
<time datetime="2025-02-10" itemprop="dateModified">Updated: February 10, 2025</time>
```

STEP 3 — Add author schema in JSON-LD:
Include "author": { "@type": "Person", "name": "...", "url": "..." }
in your Article or WebPage schema.

STEP 4 — Create or link to an About page:
AI systems check for organizational authority pages.
Link to /about or /o-nama from your main navigation.

WARNING **Citations & Source References**

Citations: 0, External source links: 5, Statistics present: No

AEO / AI SEO Readiness

8 pass · 4 warn · 4 fail **Score 49**

Fix:
STEP 1 — Add inline citations to claims:
<p>According to a 2025 study by Research Corp,
75% of users prefer AI-generated summaries over traditional search results.</p>

STEP 2 — Use <cite> for formal references:
<blockquote>
<p>"AI search will account for 30% of all queries by 2026."</p>
<cite>— Gartner Research Report, 2025</cite>
</blockquote>

STEP 3 — Include original data and statistics:
- Include specific numbers, percentages, dates
- Reference the source and methodology
- Use data visualization (charts, tables) with descriptive alt text

STEP 4 — Add a References/Sources section:
<h2>Sources & References</h2>

Study Name — Organization, Year

PASS **Semantic HTML Structure**
Heading hierarchy: Valid | Semantic elements: section, nav, header, footer, main | Sections: 4 | H1: 1, H2: 29, H3: 0

PASS **Table of Contents**
Table of contents detected — helps AI understand content structure

PASS **Organization / Entity Schema**
Organization/LocalBusiness schema found — entity identity established

PASS **AI Crawler Accessibility**
All major AI crawlers are allowed access to your content

WARNING **Meta Description Quality**
Meta description: 118 characters (ideal: 120-160)

Fix:
STEP 1 — Add or improve your meta description:
<meta name="description" content="Your concise page summary here.
Include the main topic, key benefit, and target audience.
Aim for 120-160 characters.">

STEP 2 — Write it as a direct answer:
GOOD: "AEO (Answer Engine Optimization) improves your website's
visibility in AI search results from Google AI Overviews,
ChatGPT, and Perplexity by optimizing content structure and schema."

BAD: "Welcome to our website. We offer many services.
Contact us today for more information."

STEP 3 — Include primary entity/keyword naturally
AI systems match meta descriptions to user queries.

PASS **Open Graph Metadata**
Open Graph tags detected — content sharing optimized

PASS **Canonical URL**
Canonical URL declared — prevents duplicate content confusion

CRITICAL **Content Depth & Comprehensiveness**
Word count: 85 | Content depth score: 35/100 | Definitions: No

AEO / AI SEO Readiness

8 pass · 4 warn · 4 fail **Score 49**

Fix:
STEP 1 — Expand content to cover the topic comprehensively:
Aim for 800-2000 words for most topics.
Cover: What, Why, How, When, Who, Common mistakes, Best practices.

STEP 2 — Add these content types to increase depth:
- Definition paragraph (what is X?)
- Benefits/advantages list
- Step-by-step process
- Comparison with alternatives
- Common questions (FAQ section)
- Real examples or case studies

STEP 3 — Use the 'topic cluster' approach:
Cover your main topic AND related subtopics.
AI systems reward content that demonstrates comprehensive expertise.

Your current word count: 85. Target: 800+ words.

PASS **Language Declaration**
Language attribute declared on <html> tag

Fix: Create Question-Based Content Format
Your content doesn't use question-format headings or FAQ sections, which are the primary way AI systems match content to user queries.

Fix: Establish Author Authority (E-E-A-T)
No author information found. AI systems prioritize content from identifiable, credible authors with demonstrable expertise.

Fix: Write More Direct-Answer Content
Your content lacks concise, extractable answer paragraphs. AI systems prefer content they can quote directly in responses.

GEO / Generative Engine

6 pass · 6 warn · 4 fail **Score 40**

PASS **Author Credentials**
Author identified: magicmarinac.hr

PASS **External Citations**
Found 5 external source citations

CRITICAL **Expert Quotes & Sources**
No expert quotes or attribution found

GEO / Generative Engine

6 pass · 6 warn · 4 fail **Score 40**

Fix:
STEP 1 — Pick 2–3 claims in your article that would benefit from expert authority (best practices, predictions, contested points). For each, find a relevant expert: an industry leader, a published academic, a senior in-house specialist, or a frequently cited source.

STEP 2 — Reach out for a 1–2 sentence quote (LinkedIn DM, email, podcast clip, public statement). Even repurposing an existing public quote with proper attribution is acceptable.

STEP 3 — Use a real <blockquote> with attribution — AI parsers look for this exact pattern:

```
<blockquote cite="https://source.com/article">
  <p>"Schema markup is now a baseline requirement, not a competitive advantage."</p>
  <footer>
    — <cite>Lily Ray, VP of SEO Strategy at Amsive Digital</cite>
  </footer>
</blockquote>
```

STEP 4 — Reference data from named studies in-line: "A 2024 Backlinko study of 11.8M Google search results found that..." Always include the year, the source organization, and the sample size when relevant.

STEP 5 — Add Quotation/ClaimReview JSON-LD schema for major quotes when applicable so AI engines can extract the speaker, the claim, and the source automatically.

WARNING **Original Research**
No original research or proprietary data detected

Fix:
Original research is the single biggest differentiator in AI citations — generative engines preferentially cite the *primary source* of any data point.

STEP 1 — Audit what proprietary data you already have: customer survey results, anonymized usage analytics, A/B test outcomes, internal benchmarks, support ticket trends, conversion-rate data per channel.

STEP 2 — Pick one shareable dataset and publish a focused study. Minimum format:
- A clear methodology section (sample size, time period, how data was collected)
- 3–5 headline findings with specific numbers
- Charts/tables that visualize the data
- A downloadable PDF or CSV for transparency

STEP 3 — Mark it up clearly so AI engines recognize it as primary research:

```
<article itemscope itemtype="https://schema.org/Report">
  <h1 itemprop="name">2025 Croatian E-Commerce Conversion Benchmark Study</h1>
  <meta itemprop="datePublished" content="2025-03-01" />
  <p>Methodology: <span itemprop="description">Analyzed 1.2M sessions across 47 Croatian e-commerce sites...</span></
p>
</article>
```

STEP 4 — Promote it: pitch journalists, share on LinkedIn with key stats, and link from your top-traffic pages so the study accumulates backlinks (which feeds back into AI authority signals).

WARNING **Content Readability**
Readability score: 30/100, avg sentence length: 85 words

Fix:
CURRENT: readability 30/100, avg sentence length 85 words. TARGET: 50+ score, 15–20 word sentences.

STEP 1 — Run your top 10 pages through Hemingway Editor (hemingwayapp.com) and aim for Grade 7–9. Anything labelled “very hard to read” signals to AI engines that the content is not summarizable.

STEP 2 — Apply these rewriting rules:
- One idea per sentence. Cut sentences over 25 words in half at the conjunction (and / but / which).
- Replace passive voice ("The product was launched by us") with active ("We launched the product").
- Replace jargon with plain alternatives: "utilize" → "use", "leverage" → "use", "implement" → "set up".
- Define every acronym on first use: SEO (search engine optimization).

STEP 3 — Use plain HTML structure that helps both humans and AI scan the page:
- Short paragraphs (2–4 sentences max).
- Bold key terms once per section so AI can extract entities.
- Use bullet lists whenever you have 3+ parallel items.

STEP 4 — Keep a glossary section for any necessary technical terms — AI engines often pull definitions verbatim from glossary blocks.

CRITICAL **AI Summarizability**
Summarizability: 18/100, 0 extractable snippets

Fix:
CURRENT: summarizability 18/100. TARGET: 60+ — meaning paragraphs are self-contained and quote-ready.

STEP 1 — Lead each section with a "definitional sentence" that answers the section heading directly. AI engines extract these as featured snippets:
H2: "What is technical SEO?"
Opening: "Technical SEO is the practice of optimizing a website's infrastructure — crawling, indexing, rendering, and site architecture — so search engines can discover and understand its content."

STEP 2 — Make each paragraph stand alone. A reader (or LLM) should be able to copy any single paragraph out of context and have it still make sense. Avoid:
- Pronouns referring back to previous paragraphs ("As mentioned above...", "This means...").
- Section numbers ("In step 3...") — re-state the concept instead.

STEP 3 — Add a 'TL;DR' or 'Key takeaways' block at the top of long articles:

```
<aside class="key-takeaways" aria-label="Key takeaways">
  <h2>Key Takeaways</h2>
  <ul>
    <li>Schema markup is required for AI Overviews eligibility.</li>
    <li>Structured FAQ blocks increase featured-snippet capture by ~40%.</li>
  </ul>
</aside>
```

STEP 4 — Use Q&A formatting (H2 = question, paragraph = direct answer) for at least 3 sections per page. AI engines pull these verbatim.

CRITICAL **Paragraph Clarity**
0% of paragraphs are well-sized (10-80 words)

Fix:
CURRENT: 0% of paragraphs are well-sized. TARGET: 60%+ in the 10–80 word band.

STEP 1 — Find your longest paragraphs (>80 words) and split them. Every paragraph should make exactly one point. If a paragraph contains a list of items, convert it into a <ul> or numbered <ol>.

STEP 2 — Find your shortest paragraphs (<10 words). Either expand them with a supporting sentence/example, or merge them with the surrounding paragraph. One-sentence paragraphs are fine sparingly for emphasis but not as the default.

STEP 3 — Apply this CSS to enforce visual rhythm and discourage walls of text:

```
article p { max-width: 70ch; line-height: 1.65; margin-block: 0.85em; }
article p + p { margin-top: 1em; }
```

STEP 4 — Use a writing checklist before publishing: each paragraph (a) makes one point, (b) opens with a clear topic sentence, (c) is between 2 and 5 sentences, (d) reads naturally aloud.

GEO / Generative Engine

6 pass · 6 warn · 4 fail **Score 40**

CRITICAL **Statistics & Data**

No statistics or quantitative data found

Fix:
Pages with concrete numbers get cited 3–5× more often by AI engines than those with only general claims.

STEP 1 — Replace vague qualifiers with hard numbers wherever possible: "many users" → "73% of users"; "fast loading" → "loads in under 1.2 seconds"; "significant improvement" → "47% increase in conversions".

STEP 2 — Each long-form page should contain at least 5–8 specific data points. Sources to mine:
- Industry reports (Statista, Backlinko, Ahrefs, Semrush)
- Government data (gov, eu, eurostat)
- Academic studies (Google Scholar)
- Your own analytics, A/B tests, customer surveys

STEP 3 — Format numbers so AI parsers and screen readers handle them correctly:

```
<p>Mobile traffic accounted for <strong>62.5%</strong> of global page views in <time datetime="2024">2024</time>
  (<a href="https://www.statista.com/...">Statista, 2024</a>).</p>
```

STEP 4 — When showing multiple data points, use a real HTML <table> with <thead>/<tbody> — AI engines extract these reliably and can cite individual rows.

PASS **Original Data & Research**

Original data present with 10 identifiable data elements

WARNING **Unique Insights & Experience**

No unique insights.

Fix:
Google's E-E-A-T framework added an extra E for "Experience" specifically because AI overviews reward first-hand accounts.

STEP 1 — Add at least one first-person passage per article that demonstrates real experience: "When we migrated our store to Shopify in 2023, we discovered...". Generic, voice-less content is the easiest for AI to dismiss.

STEP 2 — Include 2–3 specific anecdotes/examples per long article:
- A real customer name and outcome (with permission).
- A failure or counter-intuitive finding from your own work.
- A before/after metric you personally measured.

STEP 3 — Mark up first-person content so AI engines tag it as experiential:

```
<section itemscope itemtype="https://schema.org/Review">
  <p itemprop="reviewBody">After running this approach across 14 client sites, we saw an average...</p>
  <span itemprop="author" itemscope itemtype="https://schema.org/Person">
    <span itemprop="name">Marko Horvat</span></span>
</section>
```

STEP 4 — Avoid generic AI-written paragraphs that read identically to every other site in your space. Test by Googling a sentence in quotes — if 50 results come back, rewrite.

WARNING **Case Studies**

No case studies or concrete examples detected

GEO / Generative Engine

6 pass · 6 warn · 4 fail **Score 40**

Fix:
STEP 1 — Pick 2–3 strongest customer wins and write each as a focused case study (600–1,000 words). Use this proven structure:
- Client + industry + size
- Challenge (with specific pain metrics)
- Approach (what you did, why, what you considered and rejected)
- Result (3–5 specific before/after metrics)
- Quote from the client

STEP 2 — Even within regular articles, embed mini-case-study callouts:
<aside class="mini-case" aria-label="Real-world example">
<h3>Example: Walden Plants</h3>
<p>By restructuring their product schema, organic traffic to category pages rose from 12,400 to 18,900 monthly sessions (+52%) in 90 days.</p>
</aside>

STEP 3 — Add CaseStudy / Article schema with publisher, datePublished, and customer mentions so AI engines can cite the specific case rather than just the parent article.

STEP 4 — Cross-link case studies from related solution/service pages — internal links from high-intent pages signal that the case is the primary proof for the surrounding claim.

PASS **Entity Coverage in Headings**
50% of primary entities appear in headings

WARNING **Topical Depth**
Topical depth: 50/100 with 10 primary entities

Fix:
CURRENT: topical depth 50/100. TARGET: 60+. AI engines prefer pages that cover a topic comprehensively over thin pages that only address part of it.

STEP 1 — Run a "People Also Ask" check on Google for your main keyword. List every related question. Each question should map to a section of your page (or a clearly linked sub-page).

STEP 2 — Also pull related entities from Google's related searches and from your competitors' subheadings. Build a "topical map" before writing — coverage gaps become obvious.

STEP 3 — Adopt a hub-and-spoke structure for any high-priority topic:
- One pillar/hub page giving the comprehensive overview (2,500+ words).
- 6–10 spoke pages each going deep on one sub-entity.
- Bidirectional internal links between pillar and spokes.

STEP 4 — When expanding existing content, add sections in this priority order: definitions → how-it-works → step-by-step / methods → comparisons → common mistakes → FAQ. AI engines pull from each of these section types.

PASS **Multi-Format Content**
4 content format(s): Images, Interactive, Charts/Graphs, Lists

PASS **Visual Content**
41 image(s), 0 video(s)

WARNING **Structured Data Tables**
No data tables found for structured presentation

GEO / Generative Engine

6 pass · 6 warn · 4 fail **Score 40**

Fix:
Tables are one of the highest-value formats for AI engines — generative answers often cite individual rows verbatim.

STEP 1 — Look for content already in your page that should be a table: comparisons, pricing, specs, schedules, before/after metrics, feature matrices.

STEP 2 — Convert to a real semantic <table>, NOT a CSS grid of <div>s — AI parsers ignore divs:

```
<table>
  <caption>2025 Hosting Plan Comparison</caption>
  <thead>
    <tr><th scope="col">Plan</th><th scope="col">Storage</th><th scope="col">Bandwidth</th><th scope="col">Price/mo</th></tr>
  </thead>
  <tbody>
    <tr><th scope="row">Starter</th><td>10 GB</td><td>100 GB</td><td>€4.99</td></tr>
    <tr><th scope="row">Pro</th><td>50 GB</td><td>500 GB</td><td>€9.99</td></tr>
  </tbody>
</table>
```

STEP 3 — Add Table-friendly schema where appropriate (Product schema for pricing tables, Dataset schema for benchmark tables, FAQPage schema if rows are Q&A).

STEP 4 — Keep tables under ~10 columns for parsability. For larger datasets, split into multiple focused tables, each with its own <caption>.

Fix: Fix: Expert Quotes & Sources

Include expert quotes, data from studies, or professional attribution.

Fix: Fix: AI Summarizability

Write concise, self-contained paragraphs that AI can quote directly.

Fix: Fix: Paragraph Clarity

Aim for paragraphs of 2-4 sentences that each convey one clear idea.

Fix: Fix: Statistics & Data

Add specific numbers, percentages, and data to make content more citable.

Fix: Improve: Original Research

Include original data, surveys, or proprietary findings to differentiate.

Broken Link Check

1 pass · 0 warn · 1 fail **Score 90**

CRITICAL **https://walden-plants.hr/kategorija-proizvoda/dodaci/**
HTTP 404 Not Found

PASS **48 Working**
50 Total

Image Optimization

1 pass · 1 warn · 1 fail **Score 48**

CRITICAL **Without Alt**
1 / 41

Image Optimization

1 pass · 1 warn · 1 fail | Score 48

WARNING **Modern Format**
1 / 41

PASS **With Alt Text**
40 / 41

Fix: Add descriptive alt text to 1 image for accessibility and SEO.

Example:
```
<img src="photo.jpg" alt="Descriptive text about the image content">
```

Fix: Add loading="lazy" to 41 images to improve page load speed.

Example:
```
<img src="photo.jpg" loading="lazy" alt="Description">
```

Note: Don't lazy-load images that are above the fold.

Fix: Add explicit width and height to 3 images to prevent layout shifts (CLS).

Example:
```
<img src="photo.jpg" width="800" height="600" alt="Description">
```

Fix: Add srcset attribute to 23 images for responsive image delivery.

Example:
```
<img src="photo-800.jpg"
    srcset="photo-400.jpg 400w, photo-800.jpg 800w, photo-1200.jpg 1200w"
    sizes="(max-width: 600px) 400px, 800px"
    alt="Description">
```

Fix: Convert 40 images to WebP or AVIF format for smaller file sizes.

Using <picture> element:
```
<picture>
  <source srcset="photo.avif" type="image/avif">
  <source srcset="photo.webp" type="image/webp">
  <img src="photo.jpg" alt="Description">
</picture>
```

Convert with: cwebp photo.jpg -o photo.webp

Internal Linking

3 pass · 0 warn · 0 fail | Score 90

PASS **Descriptive**
49 / 49

PASS **Generic**
0 / 49

PASS **Unique Links**
45 / 49

Fix: Add deep links to inner pages (3+ levels deep) to improve crawl depth

Sitemap & Robots.txt

2 pass · 0 warn · 0 fail — Score 100

PASS **Robots.txt**
Found

PASS **Sitemap**
Found