
Targeted improvements: gains, recoveries and remaining trade-offs
Data seed 1
Data seed 2
Data seed 3
Mean of seeds
A Gate optimization and input recipes
Reference: average fusion
Δ detection AUROC
+0.005
0.000
-0.005
-0.010
-0.015
-0.020
-0.025
-0.030
BCE checkpoint
AUROC checkpoint
Bounded + ranking
Original views
Condition routing
B Generator coverage
Reference: average fusion; same new protocol
Δ detection AUROC
+0.006
+0.004
+0.002
0.000
-0.002
-0.004
-0.006
-0.008
-0.010
Single-source score
Single-source quality
Multi-source score
Multi-source quality
C Recompression-based selection
Reference: average fusion
Δ detection AUROC
+0.020
+0.010
0.000
-0.010
-0.020
-0.030
Separate reliability prediction:
AUROC 0.5083
95% conditional CI [0.4918, 0.5248]
Global expert
Stability selector
D 1:1 training-view mixture
Reference: format-matched global expert
Δ detection AUROC
+0.05
0.00
-0.05
-0.10
-0.15
All eight conditions
JPEG average
ADM clean
BigGAN clean
Development evidence. Protocols are separated; seeds share data. Lines show paired runs, not independent replications.