

Age Analyzer

Instructions

Create a Java program that evaluates a student's final grade using:

- Scanner (for user input)
- User-defined methods
- Control structures (if-else / switch)

Program Requirements

1.) Create a Java class named:
Student Age Analyzer LastName
Arevalo

2.) Ask the user to input

- Student Name
- Age

3.) Use a user-defined method to:

- Determine the age category

4.) Use if-else conditions:

Age Range	Category
0-12	Child
13-19	Teenager
20-59	Adult
60 above	Senior Citizen

Handwritten Requirement

The Java program must be written neatly by hand on paper
Follow these rules:

- Use clear & readable handwriting
- Observe proper indentation & spacing
- Write all parts of the program.

- Import Statement
- Class declaration
- User-defined methods
- Main method

Avoid:

- Erasure & messy corrections
- Illegible handwriting

Note: Unreadable code will not be checked & may receive a score of 0

4. Submission Format on Canvas

BSIT2-3_Arevalo-Jay_Student Age Analyzer or
BSIT2-3_Arevalo-Jay_Student Age Analyzer.docx

B. Academic Integrity Policy

Students must write their own program.

Strictly prohibited:

- Copying code
- Sharing answers
- Downloading solutions

Identical outputs/code = score of 0


```
import java.util.Scanner;
```

```
public class StudentAgeAnalyzerArevalo {
```

```
    public static String deterAge(int age) {
```

```
        if (age >= 0 && age <= 12) {
```

```
            return "Child";
```

```
        } else if (age >= 13 && age <= 19) {
```

```
            return "Teenager";
```

```
        } else if (age >= 20 && age <= 59) {
```

```
            return "Adult";
```

```
        } else {
```

```
            return "Senior Citizen";
```

```
        }
```

```
    }
```

```
    public static void main (String [] args) {
```

```
        Scanner scanner = new Scanner(System.in);
```

```
        int childCount = 0;
```

```
        int teenCount = 0;
```

```
        int adultCount = 0;
```

```
        int senCount = 0;
```

```
        String choice;
```

```
        System.out.println ("The Student Age Analyzer");
```

```
        do {
```

```
            System.out.print ("\\n Enter Student Name: ");
```

```
            String name = scanner.nextLine();
```



```
int age;
```

```
while (true) {
```

```
    System.out.print("Enter Age: ");
```

```
    if (scanner.hasNextInt()) {
```

```
        age = scanner.nextInt();
```

```
        scanner.nextLine();
```

```
        if (age >= 0) {
```

```
            break;
```

```
        } else {
```

```
            System.out.println("Invalid Input: Age can't be negative. ->
```

```
→ Please input proper number.");
```

```
        }
```

```
    } else {
```

```
        System.out.println("Error: please enter a numeric value.");
```

```
        scanner.next();
```

```
    }
```

```
}
```

```
String category = deterAge(age);
```

```
switch (category) {
```

```
    case "Child": childCount++; break;
```

```
    case "Teenager": teenCount++; break;
```

```
    case "Adult": adultCount++; break;
```

```
    case "Senior Citizen": senCount++; break;
```

```
}
```

```
System.out.println("Student Profile");
```

```
System.out.printf("Name: %.5s\n", name);
```

```
System.out.printf("Age: %.d\n", age);
```



```
System.out.printf("Category: %s\n", category);
```

```
System.out.print("Check another student? (yes/no/n exit): ");  
choice = scanner.nextLine().trim().toLowerCase();
```

```
} while (! (choice.equals("no") || choice.equals("n") || choice.equals(  
-> "exit")));
```

```
System.out.println("\n SESSION SUMMARY \n");
```

```
System.out.printf(" Children : %d\n", chldCount);
```

```
System.out.printf(" Teenagers : %d\n", teenCount);
```

```
System.out.printf(" Adults : %d\n", adltCount);
```

```
System.out.printf(" Senior Citizens : %d\n", senCount);
```

```
System.out.printf(" Total Analyzed: %d\n", (chldCount + teenCount +  
-> adltCount + senCount));
```

```
System.out.println("Program finished. Goodbye (GAT!)");
```

```
scanner.close();
```

```
}
```

```
}
```