FastAPI

Contents

Section	
General Information	Skip
Security	Skip
• Bearer Authentication	Skip
Operations	Skip
• `POST /hosts` (register_hosts_post)	Skip
• ◦ Path Parameters	Skip
• ◦ Query Parameters	Skip
• ◦ Request Headers	Skip
• ◦ Cookies	Skip
• ◦ Request Body	Skip
• ◦ Responses	Skip
• ◦ ▪ `200 OK`	Skip
• ◦ ▪ ▪ Response Headers	Skip
• ◦ ▪ ▪ Response Body	Skip
• `GET /hosts/{host}/access_token` (login_hosts__host__access_token_get)	Skip
• ◦ Path Parameters	Skip
• ◦ Query Parameters	Skip
• ◦ Request Headers	Skip
• ◦ Cookies	Skip
• ◦ Request Body	Skip
• ◦ Responses	Skip
• ◦ ▪ `200 OK`	Skip
• ◦ ▪ ▪ Response Headers	Skip

Section	
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `GET /hosts/access_token/renew` (renew_hosts_access_token_renew_get)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `GET /hosts/{host}` (get_hosts__host__get)	Skip

Section	
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `PUT /hosts/{host}/only_friends` (set_only_friends_hosts__host__only_friends_put)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip

Section	
• ◦ Request Headers	Skip
• ◦ Cookies	Skip
• ◦ Request Body	Skip
• ◦ Responses	Skip
• ◦ ▪ `200 OK`	Skip
• ◦ ▪ ▪ Response Headers	Skip
• ◦ ▪ ▪ Response Body	Skip
• ◦ ▪ `401 Unauthorized`	Skip
• ◦ ▪ ▪ Response Headers	Skip
• ◦ ▪ ▪ Response Body	Skip
• ◦ ▪ `404 Not Found`	Skip
• ◦ ▪ ▪ Response Headers	Skip
• ◦ ▪ ▪ Response Body	Skip
• ◦ ▪ `422 Unprocessable Content`	Skip
• ◦ ▪ ▪ Response Headers	Skip
• ◦ ▪ ▪ Response Body	Skip
• `PUT /hosts/{host}/allow_nonames` (set_allow_nonames_hosts__host__allow_nonames_put)	Skip
• ◦ Required Scopes	Skip
• ◦ Path Parameters	Skip
• ◦ Query Parameters	Skip
• ◦ Request Headers	Skip
• ◦ Cookies	Skip
• ◦ Request Body	Skip

Section	
◦ Responses	Skip
◦ ▪ `200 OK`	Skip
◦ ▪ ▪ Response Headers	Skip
◦ ▪ ▪ Response Body	Skip
◦ ▪ `401 Unauthorized`	Skip
◦ ▪ ▪ Response Headers	Skip
◦ ▪ ▪ Response Body	Skip
◦ ▪ `404 Not Found`	Skip
◦ ▪ ▪ Response Headers	Skip
◦ ▪ ▪ Response Body	Skip
◦ ▪ `422 Unprocessable Content`	Skip
◦ ▪ ▪ Response Headers	Skip
◦ ▪ ▪ Response Body	Skip
`POST /hosts/{host}/friends` (befriend_hosts__host__friends_post)	Skip
◦ Required Scopes	Skip
◦ Path Parameters	Skip
◦ Query Parameters	Skip
◦ Request Headers	Skip
◦ Cookies	Skip
◦ Request Body	Skip
◦ Responses	Skip
◦ ▪ `200 OK`	Skip

Section	
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `400 Bad Request`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `DELETE /hosts/{host}/friends/{former_friend}` (unfriend_hosts__host__friends__former_friend__delete)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip

Section	
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `POST /hosts/{host}/banlist` (ban_hosts__host__banlist_post)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip

Section	
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `400 Bad Request`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `DELETE /hosts/{host}/banlist/{banned}` (unban_hosts__host__banlist__banned__delete)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip

Section	
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• `POST /sessions` (launch_session_sessions_post)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip

Section	
- `201 Created`	Skip
- Response Headers	Skip
- Response Body	Skip
- `401 Unauthorized`	Skip
- Response Headers	Skip
- Response Body	Skip
- `404 Not Found`	Skip
- Response Headers	Skip
- Response Body	Skip
- `409 Conflict`	Skip
- Response Headers	Skip
- Response Body	Skip
- `422 Unprocessable Content`	Skip
- Response Headers	Skip
- Response Body	Skip
- `500 Internal Server Error`	Skip
- Response Headers	Skip
- Response Body	Skip
- `503 Service Unavailable`	Skip
- Response Headers	Skip

Section	
• ○ ▪ ▪ Response Body	Skip
• `POST /sessions/players` (join_sessions_players_post)	Skip
• ○ Required Scopes	Skip
• ○ Path Parameters	Skip
• ○ Query Parameters	Skip
• ○ Request Headers	Skip
• ○ Cookies	Skip
• ○ Request Body	Skip
• ○ Responses	Skip
• ○ ▪ `200 OK`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `400 Bad Request`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `401 Unauthorized`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `404 Not Found`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `422 Unprocessable Content`	Skip

Section	
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `500 Internal Server Error`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip
• ○ ▪ `503 Service Unavailable`	Skip
• ○ ▪ ▪ Response Headers	Skip
• ○ ▪ ▪ Response Body	Skip

General Information

FastAPI v0.1.0

Security

The following security schemes are used by this API for authentication and authorization. These must be taken into account in every request unless otherwise stated.

Bearer Authentication

This API is secured through bearer token authentication.

To authenticate requests, include the token prefixed with `Bearer` in the request as the value of the `Authorization` header.

```
GET /example
Host: example.com
Authorization: Bearer dXNlcjE6cGFzc3dvcmQxMjM=
```

Operations

- `POST /hosts` (register_hosts_post)
- `GET /hosts/{host}/access_token` (login_hosts__host__access_token_get)
- `GET /hosts/access_token/renew` (renew_hosts_access_token_renew_get)
- `GET /hosts/{host}` (get_hosts__host__get)
- `PUT /hosts/{host}/only_friends` (set_only_friends_hosts__host__only_friends_put)
- `PUT /hosts/{host}/allow_nonames` (set_allow_nonames_hosts__host__allow_nonames_put)
- `POST /hosts/{host}/friends` (befriend_hosts__host__friends_post)
- `DELETE /hosts/{host}/friends/{former_friend}` (unfriend_hosts__host__friends__former_friend__delete)
- `POST /hosts/{host}/banlist` (ban_hosts__host__banlist_post)
- `DELETE /hosts/{host}/banlist/{banned}` (unban_hosts__host__banlist__banned__delete)
- `POST /sessions` (launch_session_sessions_post)
- `POST /sessions/players` (join_sessions_players_post)

`POST /hosts` (register_hosts_post)

register

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
uuid	string	No	-	• Default: some-host_uuid
only_friends	boolean	No	-	• Default: true
allow_nonames	boolean	No	-	• Default: false
friends	array	No	-	• Default: this-gui-host_uuid, other-guy-host_uuid
friends[*]	string	No	-	-

Key	Type	Required	Example	Notes
banlist	array	No	-	• Default: that-guy-host_uuid
banlist[*]	string	No	-	-

`GET /hosts/{host}/access_token` (login_hosts__host__access_token_get)

login by host uuid

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
token	string	No	-	• Default: true

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`GET /hosts/access_token/renew` (renew_hosts_access_token_renew_get)

renew token

Required Scopes

This endpoint requires the following scopes:

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `404 Not Found`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
token	string	No	-	• Default: true

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`GET /hosts/{host}` (get_hosts__host__get)

get host by uuid

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
uuid	string	No	-	• Default: some-host_uuid
only_friends	boolean	No	-	• Default: true
allow_nonames	boolean	No	-	• Default: false
friends	array	No	-	• Default: this-gui-host_uuid, other-guy-host_uuid
friends[*]	string	No	-	-
banlist	array	No	-	• Default: that-guy-host_uuid
banlist[*]	string	No	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-

Key	Type	Required	Example	Notes
detail[*].loc	array	Yes	-	-
detail[*].*loc*[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].*loc*[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].*loc*[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`PUT /hosts/{host}/only_friends` (set_only_friends_hosts__host__only_friends_put)

set is {host} welcomes only friends

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
only_friends	boolean	Yes	-	-

Responses

- `200 OK`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].*loc*[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].*loc*[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].*loc*[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`PUT` `/hosts/{host}/allow_nonames` (set_allow_nonames_hosts__host__allow_nonames_put)

set is {host} welcomes nonames

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
allow_nonames	boolean	Yes	-	-

Responses

- `200 OK`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`POST /hosts/{host}/friends` (befriend_hosts__host__friends_post)

befriend

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

Key	Type	Required	Example	Notes
friend	string	Yes	-	-

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`400 Bad Request`

Bad Request

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`DELETE /hosts/{host}/friends/{former_friend}` (unfriend_hosts__host__friends__former_friend__delete)

unfriend

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Key	Type	Required	Example	Notes
former_friend	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`POST /hosts/{host}/banlist` (ban_hosts__host__banlist_post)

ban

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Query Parameters

Key	Type	Required	Example	Notes
banned	string	Yes	-	-

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`400 Bad Request`

Bad Request

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`DELETE /hosts/{host}/banlist/{banned}` (unban_hosts__host__banlist__banned__delete)

unban

Required Scopes

This endpoint requires the following scopes:

Path Parameters

Key	Type	Required	Example	Notes
host	string	Yes	-	-
banned	string	Yes	-	-

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

No Request Body.

Responses

- `200 OK`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.

Key	Type	Required	Example	Notes
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`POST /sessions` (launch_session_sessions_post)

launch session

Required Scopes

This endpoint requires the following scopes:

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
host	string	Yes	-	-

Responses

- `200 OK`
- `201 Created`
- `401 Unauthorized`
- `404 Not Found`
- `409 Conflict`
- `422 Unprocessable Content`
- `500 Internal Server Error`
- `503 Service Unavailable`

`200 OK`

Successful Response

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Type	Example	Notes
-	-	-

`201 Created`

Created

Response Headers

Key	Type	Required	Example
Location	string	No	-

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
session_id	integer	Yes	-	-
source_of_truth_key	string	Yes	-	-

`401 Unauthorized`

Unauthorized

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	• Allowed Values: not found this, not found other

`409 Conflict`

Conflict

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[*]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[*]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[*]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`500 Internal Server Error`

Internal Server Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`503 Service Unavailable`

Service Unavailable

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`POST /sessions/players` (join_sessions_players_post)

Join a session as a player

Required Scopes

This endpoint requires the following scopes:

Path Parameters

No Path Parameters.

Query Parameters

No Query Parameters.

Request Headers

No Specific Request Headers

Cookies

No Cookies.

Request Body

Required.

Media Type: `application/json`

Key	Type	Required	Example	Notes
host	string	Yes	-	-
guest	string	Yes	-	-

Responses

- `200 OK`
- `400 Bad Request`
- `401 Unauthorized`
- `404 Not Found`
- `422 Unprocessable Content`
- `500 Internal Server Error`
- `503 Service Unavailable`

`200 OK`

Player successfully joined the session.

Response Headers

Key	Type	Required	Example
Location	string	No	-

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
session_id	integer	Yes	-	-

`400 Bad Request`

Bad Request, e.g., guest already in session or invalid request.

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`401 Unauthorized`

Unauthorized: The provided authentication token is invalid.

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`404 Not Found`

Not Found: No session found for the specified host, or guest is not welcome.

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`422 Unprocessable Content`

Validation Error

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
detail	array	No	-	-
detail[*]	object	No	-	-
detail[*].loc	array	Yes	-	-
detail[*].loc[]	Any of The Options	No		May match multiple options simultaneously.
Option 1 for `detail[*].loc[*]`				
detail[*].loc[]	string	No	-	-
Option 2 for `detail[*].loc[*]`				
detail[*].loc[]	integer	No	-	-
detail[*].msg	string	Yes	-	-
detail[*].type	string	Yes	-	-

`500 Internal Server Error`

Internal Server Error: An unexpected error occurred on the server.

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-

`503 Service Unavailable`

Service Unavailable: External service (hosts or sync) is unreachable.

Response Headers

No Specific Response Headers.

Response Body

Media Type: `application/json`

Key	Type	Required	Example	Notes
message	string	Yes	-	-