Rotaract Club of Xiamen University Malaysia | Rotary Club of Kuala Lumpur Dynamics | Rotary Club of Tun Razak Exchange

SDC Hackathon

Technical Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: 25 October 2026

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

Instagram: @sdc_xmumhack ***Email:*** sdc.xmumhack@gmail.com

SDC HACKATHON 2026

Technical & Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club
Submission Deadline: 25 October 2026, 7:59 AM (MYT)

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick “No” or write “None” – do not leave it blank. Submit as a single PDF document named “SDC2026_TeamName_TechDeclaration.pdf” together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

1. Team & Project Overview

Team Name	BEBZA
Project / Solution Name	Future Edge
Name (Leader)	Azimkhan Bekassyl
Email & Phone (Leader)	beka2007azimut@gmail.com · +7 701 770 7593
University Affiliation(s)	Xiamen University Malaysia (XMUM)
Live Prototype URL	https://sdc-2026-future-edge.replit.app
Code Repository URL (public / access granted to judges)	https://github.com/Magisterofdrinkingcoffee/sdc2026-future-edge (public)

2. Architecture & Technology Stack

2.1 System Architecture Overview

Describe how the components declared in this document connect end-to-end (e.g., user interface → backend → AI model/API → database → cloud hosting). Attach a system block diagram as an appendix if available.

[Maximum 200 words]

The user works in a React single-page app (Vite) in English, Bahasa Malaysia or Chinese. It calls a Python FastAPI backend over HTTPS; both run on one Replit autoscale deployment. A CV is read on the server with pypdf or a built-in Word reader, and personal data (name, email, phone, IC number, age, gender, race, religion, marital status) is removed before matching. A fairness check then re-reads the CV as 12 invented people and confirms the skills are identical. Only for photos or complex layouts, and only when a key is set, redacted content goes to the Gemini API (fixed JSON schema; every phrase is checked against the CV).

Skills feed three in-process models: Model 1 (AI exposure, trained on O*NET tasks), Model 2 (damped trend on monthly arXiv counts, refreshable live) and Model 3 (Catch the AI scoring). The scoring engine adds WEF, DOSM and MyCOL data to give an Edge Score with a range for two scenarios, SDG contribution, and a pathway from 53 checked resources. An HR team view applies the same engine to a whole team. Catalogs are JSON files; no database, no stored user data. Diagram: Appendix A.

2.2 Languages, Frameworks & Libraries

List the main programming languages, frameworks, and third-party libraries that your team did not create. Open-source use is permitted provided it is declared and properly licensed/attributed.

Name & Version	Purpose in Project	License
Python 3.11+	Backend, models, data tools	PSF License
JavaScript (ES2022) / Node.js 20+	Frontend build	MIT
FastAPI 0.115.6	REST API	MIT
Uvicorn 0.32.1	ASGI web server	BSD-3-Clause
Pydantic 2.10.4	Request validation	MIT
python-multipart 0.0.20	CV file upload	Apache-2.0
pypdf 5.1.0	Reading PDF CVs (chosen over PyMuPDF to avoid AGPL)	BSD-3-Clause

Name & Version	Purpose in Project	License
httpx 0.28.1 · pytest 8.3.4	API tests (49 automated tests)	BSD-3-Clause · MIT
React 18 · Vite 5.4 · Tailwind CSS 3	User interface	MIT
scikit-learn · pandas · matplotlib	Training and evaluating Model 1 only (not in the running app)	BSD-3-Clause · BSD-3-Clause · PSF-based
reportlab 4	Generating the synthetic sample CV PDFs (tooling only, not in the running app)	BSD-3-Clause

3. APIs & Cloud Services

3.1 External APIs

List every external API your solution calls (GenAI, maps, payments, messaging, data feeds, etc.). Do not include API keys or secrets in this document.

API & Provider	Purpose in Project	Access Tier (free / paid / sponsor-provided)
arXiv API (Cornell University)	Monthly counts of new papers for 10 AI-capability topics – the AI-trend signal (Model 2); refreshable from the app	Free
Google Gemini API (Google AI Studio)	Optional: read photo or complex-layout CVs into a fixed JSON schema. Off unless GEMINI_API_KEY is set; the app works without it	Free tier

3.2 Cloud Platforms & Deployment

List every cloud service used for hosting, storage, databases, authentication, or compute, and indicate how the prototype is deployed.

Service & Provider	Purpose in Project	Plan / Region
Replit (official SDC sponsor)	Workspace and Shell (install, build, tests, link checks), Secrets, and hosting of the live prototype via .replit → build.sh → start.sh	Autoscale deployment, 2 vCPU / 4 GiB · Asia
GitHub	Source code and version history	Free · public repository

4. AI Tools, Models & Datasets

4.1 AI Models Used in the Solution

List every AI model embedded in or called by your application, including pre-trained, fine-tuned, and self-trained models.

Model & Version	Source / Provider	Usage (pre-trained / fine-tuned / self-trained)	License / Terms
Model 1 – AI-exposure classifier (TF-IDF + multinomial logistic regression)	Team BEBZA; trained with scikit-learn on CPU	Self-trained	Apache-2.0 (our code); training labels MIT
Model 2 – damped log-linear trend forecaster	Team BEBZA (plain Python)	Self-built, fitted on arXiv counts	Apache-2.0
Model 3 – Catch the AI scoring	Team BEBZA (rule-based, known answers)	Self-built	Apache-2.0
Google Gemini (default gemini-3.8-flash, configurable)	Google	Pre-trained, called by API (optional CV reading)	Gemini API Terms of Service

4.2 Datasets

List all datasets used for training, fine-tuning, evaluation, or in the running application. State clearly if a dataset contains personal or sensitive data.

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
GPTs-are-GPTs task exposure labels (19,265 tasks)	github.com/openai/GPTs-are-GPTs	Public	MIT	N
O*NET task statements and occupations	onetcenter.org	Public	CC BY 4.0	N
arXiv monthly paper counts, Oct 2023 – Sep 2026	export.arxiv.org/api (collected 22 Oct 2026)	Public (self-collected counts)	arXiv API Terms of Use	N

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
WEF Future of Jobs Report 2025 (incl. Malaysia profile)	weforum.org	Public report	WEF terms; cited by page	N
DOSM Salaries & Wages Survey 2025; Labour Force Survey	open.dosm.gov.my	Public	Malaysia open data terms	N
TalentCorp MyCOL 2024/2025 critical occupations	talentcorp.com.my	Public report	Cited	N
Team role dataset (25 roles: titles, skills, SDG tags, descriptions)	src/database/gemini-code-…csv	Self-made, AI-assisted (Gemini)	Apache-2.0	N
Skill, role, SDG and course catalogs; 3 sample CVs	src/backend/data/	Self-made; sample people are synthetic	Apache-2.0	N

4.3 AI-Assisted Development Tools

Tools used to help write code, design, content, or documentation (e.g., chat assistants, code completion tools, image generators). Declaring these tools does not reduce your score; undeclared use may.

Did your team use any generative-AI tool to help create code, design, text, or other project material?

☑ Yes ☐ No

If yes, list them below:

Tool & Version	**Used For**	**Extent of Use (minor / moderate / major)**
Claude (Anthropic) – Claude Code / claude.ai	Writing and refactoring code and tests, model cards, README, submission documents, and the pitch-video animation, music and sound effects (synthesized in code)	Major
Google Gemini (chat)	First draft of the 25-role dataset (titles, skills, SDG tags, descriptions)	Moderate
Kokoro TTS v1.0 (open source, Apache-2.0), voice "am_michael"	AI-generated narrator voice for the pitch video	Moderate
Replit Agent	Started an automatic "port to Replit" step on import; stopped after 12 seconds and its changes were reverted	Minor

Briefly describe how your team reviewed, tested, and took responsibility for AI-generated output:

[Maximum 100 words]

The team chose the idea, the models and every design rule, and reviewed each change before it was merged. AI-written code is covered by 49 automated tests and held-out evaluations (Model 1 cross-validation, Model 2 backtest). We replaced AI-drafted salary and risk estimates with real WEF, DOSM and MyCOL figures, and checked every course link on 24 October 2026. The running app uses no generative model to make recommendations, so it cannot invent jobs, courses or statistics.

5. Sponsor-Provided Resources

Declare any official SDC sponsor-provided GenAI API, cloud credits, tools, mentoring, or data that your team used.

Did your project use any official SDC sponsor-provided resource?

☑ Yes ☐ No

If yes, list them below:

Sponsor	**Resource (API / credits / platform / data)**	**How It Was Used in the Project**
Replit	Platform (workspace, Shell, Secrets, Deployments)	Development, testing and link checking in the Replit Shell; live prototype hosted as a Replit autoscale deployment (proof: Appendix B)
RunPod	US$25 GPU credit	Not used – no part of the project needs a GPU (Participant Handbook 9.4)
Aiversecity (domain sponsor)	Problem statement and rubric	Defined the six must-have features we built

Was the sponsor resource essential to the core functionality of the prototype, or could it be replaced? Explain briefly:

[Maximum 100 words]

Replit is essential to how the prototype is delivered: it is where judges reach the live app, and where we ran the build, tests and link checks with open internet access. The application code itself is portable – a standard FastAPI and React project with no Replit-specific dependencies – so it could also run on another host. We chose this on purpose, so the project survives beyond the hackathon.

6. Security, Privacy & Responsible Use

6.1 Data Handling & Privacy

What user or personal data does your application collect, store, or send to third-party services (including AI APIs)? How is it protected, and how long is it kept? State "No user data is collected" if applicable.

[Maximum 150 words]

The app collects only what the user uploads: a CV file or pasted text, skill levels, a goal role and Catch the AI answers (the HR view: several CVs). CVs are read in memory once and not saved; there is no database, account or tracking. Before matching, the name, email, phone, IC number, age, date of birth, gender, race, religion and marital status are removed, and a fairness check proves they cannot change the result. If the optional Gemini key is set, PDFs with readable text are sent to Gemini as redacted text; photos and scanned PDFs have no text layer and are sent as images. The user's progress (skills, XP, badges) is kept only in their own browser's local storage. The API key is kept in Replit Secrets. Our demo uses synthetic CVs only.

6.2 Known Limitations & Risks

Identify the main technical limitations of your AI components (e.g., hallucination, bias, rate limits, dependency on a single provider) and any mitigation you have implemented.

[Maximum 150 words]

Bias: Model 1's labels describe US jobs in 2023, so we add Malaysian job-market data; every CV also passes a 12-person fairness check (name, gender, age, race, religion, marital status). Accuracy: Model 1 is 73.4% accurate on unseen occupations and weakest on chatbot-only tasks; Model 2 uses research papers as a proxy for AI capability and cannot foresee sudden breakthroughs; Catch the AI is one short exercise. Hallucination: mitigated by design – no generative model writes recommendations, and Gemini's CV phrases are rejected unless found in the CV text. Provider dependency: Gemini is optional with an offline fallback; if an arXiv refresh fails, the last good snapshot is kept. Users always see two scenarios, ranges, a plain reason for every number, and that results are estimates, never hiring decisions; the HR view is for training plans only.


7. Compliance & Readiness Checklist

Tick all boxes that apply before submitting.

- ☑ All APIs, cloud services, AI tools, models, and datasets used in the project are declared in this document.
- ☑ All third-party code, datasets, and models are used in accordance with their licenses, and attribution is provided where required.
- ☑ No API keys, passwords, or other credentials are exposed in the code repository, prototype, or this document.
- ☑ Any use of generative-AI tools for development has been disclosed and reviewed by the team.
- ☑ Any use of official SDC sponsor resources has been declared in Section 5.
- ☑ The prototype described here is accessible to judges through the links provided in Section 1.
- ☑ All fields in this template have been completed within the word limits stated.

Appendix A – System Block Diagram

How the components declared in this document connect end to end (section 2.1).




Appendix B – Replit Proof of Use

Replit account: riotbek07 (team account)


Replit project: https://replit.com/@riotbek07/sdc2026-future-edge

Live deployment: https://sdc-2026-future-edge.replit.app (autoscale, status Live)

1. Replit deployment page – status "Live" (screenshot, 24 Oct 2026)




2. The live app served from the Replit deployment



8. Declaration

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team’s knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.

Signature: Azimkhan Bekassyl (Team Leader, BEBZA)



Date: 25 October 2026