

Prompt Reference — Nova AI Cofounder V3

Identity Commands

`/whoami`

Display your current USER.md profile.

Example:

```
> /whoami  
Name: James "Opus"  
Timezone: America/New_York  
Style: Direct, casual, ADHD when motivated  
Peak hours: 10pm-2am
```

`/rename [name]`

Update what Nova calls you.

Example:

```
> /rename Boss  
Done. I'll call you Boss from now on.
```

`/personality [type]`

Swap Nova's personality archetype.

Options: - `raccoon` — Clever, resourceful, hacker-familiar 🦨 - `fox` — Strategic, fast, witty 🦊 - `owl` — Thoughtful, precise, no fluff 🦉 - `dragon` — Bold, direct, high standards 🐉 - `custom` — Edit SOUL.md directly

Example:

```
> /personality owl
Personality updated to Owl. I will be precise and minimize fluff.
```

Work Commands

`/project add [name]`

Add a project to tracking.

Example:

```
> /project add Website Redesign
Project "Website Redesign" added. Status: Planning.
What are the first steps?
```

`/project status [name]`

Check on a project's current state.

Example:

```
> /project status tradebot
TradeBot V2: Active
- Last check: 15 min ago
- Portfolio: $94.59
- Positions: 2 open
- Next action: Monitor for exit signals
```

`/project done [name]`

Mark a project complete and archive it.

Example:

```
> /project done launch-v3  
Project "launch-v3" archived. Lessons learned logged to MEMORY.md.
```

`/delegate [task]`

Assign a task to Nova. She'll work on it and report back.

Example:

```
> /delegate Research competitors for Nova V3 pricing  
Task accepted. I'll research AI assistant pricing and report back in ~10 minutes.
```

System Commands

`/skill list`

Show installed skills.

Example:

```
> /skill list  
Installed skills (6):  
  ✓ clawhub  
  ✓ browser-automation  
  ✓ memory-hygiene  
  ✓ self-improving-agent  
  ✓ duckdb-en  
  ✓ taskflow
```

`/skill add [name]`

Install a skill from ClawHub.

Example:

```
> /skill add wordpress-pro
Installing wordpress-pro... Done. Run `/skill list` to verify.
```

`/skill remove [name]`

Uninstall a skill.

Example:

```
> /skill remove wordpress-pro
Removed wordpress-pro. Config preserved in case you reinstall.
```

`/cron list`

Show scheduled recurring tasks.

Example:

```
> /cron list
Scheduled jobs:
  daily-brief-7am – Every day at 7:00 AM
  tradebot-monitor – Every 5 minutes
  memory-hygiene – Sundays at 10:00 PM
```

`/cron add "[schedule]" [task]`

Add a new recurring task.

Example:

```
> /cron add "0 9 * * 1" "Check competitor prices"  
Job created: competitor-check. Runs Mondays at 9am.
```

Memory Commands

/remember [thing]

Save something to long-term memory.

Example:

```
> /remember James hates em dashes in text  
Saved. I will never use em dashes when writing for James.
```

/whatwas [query]

Search your memory.

Example:

```
> /whatwas tradebot last week  
Found in memory/2026-05-31.md:  
- TradeBot portfolio: $94.59  
- Positions: RAY + JUP  
- Last sell: SELL PENGU TAKE_PROFIT (+13.7%)
```

/forget [thing]

Remove from memory.

Example:

```
> /forget old password xyz123  
Removed from MEMORY.md.
```

/review

Show recent decisions and outcomes.

Example:

```
> /review  
Last 5 decisions:  
1. 2026-06-01: Disabled aicofounderstack ContentNova cron → case studies only  
   Outcome: Better alignment with sales site purpose  
2. 2026-05-31: Published TradeBot Guide on Gumroad  
   Outcome: First product live, $49 price point set
```

Autonomy Commands

/level

Show current autonomy level and safety limits.

Example:

```
> /level  
Current level: L3 – Execute most, notify after  
Hard limits:  
- Max spend without ask: $50  
- New email contacts: Preview required  
- Social media posts: Approval required  
- File deletion: Move to trash only
```

/level up

Increase autonomy (with safety check).

Example:

```
> /level up  
Are you sure? L4 means I run overnight with only morning summaries.  
Type CONFIRM to proceed, or CANCEL.
```

/level down

Decrease autonomy.

Example:

```
> /level down  
Dropped to L2 – Routine tasks auto, new tasks need approval.
```

/pause

Stop all cron jobs temporarily.

Example:

```
> /pause  
All cron jobs paused. They will not execute until you run `/resume`.
```

/resume

Restart paused cron jobs.

Example:

```
> /resume  
All cron jobs resumed. Next execution per schedule.
```

Channel Commands

`/channel list`

Show configured communication channels.

Example:

```
> /channel list
Channels:
  ✓ Discord – Guild: Layered Media, Bot: Nova
  X WhatsApp – Not configured
  X Telegram – Not configured
  ✓ Local – Web chat active
```

`/channel add [type]`

Add a new channel.

Example:

```
> /channel add telegram
Follow BotFather steps: https://core.telegram.org/bots#6-botfather
Enter your bot token when ready.
```

Utility Commands

`/status`

Show system health.

Example:


```
> /status
Gateway: Running
Model: ollama/kimi-k2.6:cloud
Memory: 127MB used, 4.2GB free
Skills: 6 active
Crons: 3 scheduled
Channels: Discord connected
```

`/help [topic]`

Get help on a topic.

Example:

```
> /help skills
Skills are modular capabilities. Install only what you need.
Core skills: clawhub, browser-automation, memory-hygiene, self-improving-agent, duck
Browse more: https://clawhub.ai
```

Quick Reference Card

Command	What it does
<code>/whoami</code>	Show your profile
<code>/project add</code>	Add a project
<code>/project status</code>	Check project state
<code>/delegate</code>	Assign a task
<code>/skill list</code>	Show installed skills

Command	What it does
<code>/skill add</code>	Install a skill
<code>/cron list</code>	Show scheduled tasks
<code>/remember</code>	Save to memory
<code>/whatwas</code>	Search memory
<code>/level</code>	Check autonomy
<code>/level up</code>	More freedom
<code>/level down</code>	Less freedom
<code>/pause</code>	Stop all crons
<code>/resume</code>	Restart crons
<code>/status</code>	System health
<code>/help</code>	Get help

All commands work in any channel — Discord, web chat, or terminal.