

# Index

- 3 DOF maneuvering model, 113
- 4 DOF maneuvering model, 158
- 6 DOF equations of motion, 167
  
- Abkowitz's model, 138
- absolute damping factor, 366
- acceleration feedback, 365, 369
- accelerometer, 329
- Adams–Bashford's integration method, 546
- adaptive
  - feedback linearization, 455
  - weather optimal control, 499
- added mass, 91
  - definition, 92
  - energy approach, 117
  - forces and moments, 118
  - hydrodynamic derivatives, 129
  - potential coefficient, 111
  - property of the system inertia matrix, 118
  - system inertia matrix, 118
- AHRS, attitude and heading reference system, 328
- anemometer, 191
- angle of attack, 41
- angular velocity transformation, 24, 29
- anti-rolling tanks, 433
- Archimedes, 59
- attitude
  - control, 452
  - dynamics, 48
  - observer, 336
- attitude and heading reference systems, 328
- automatic pretrimming, 78
- autopilot
  - acceleration feedback, 384
  - backstepping, 508
  - cross-tracking, 385
  - heading, 377, 525
  - history, 230
  - Kalman filter, 300
  - linear quadratic optimal, 429
  - LOS path-following, 387
  - model, 142
  - nondimensional models, 148
  - path-following, 512
  - PID, 379
  - pitch and depth, 526
  - sliding mode control, 518
- AUV, autonomous underwater vehicle, 3
- average wave period, 202
- average zero-crossings period, 202
  
- backstepping, 457
  - integral action, 469
  - integrator augmentation technique, 472
  - MIMO mass–damper–spring system, 475
  - robots, 478
  - ships, 480
  - SISO mass–damper–spring system, 465
  - weather optimal control, 500
- ballast systems, 74
  - semi-submersible, 77

- bandwidth, 373
- Beaufort number, 190, 203
- Bech's reverse spiral maneuver, 146, 354, 363
- Bernoulli equation, 83
- bilge keels, 433
- bis system, 148
- boat, definition, 3
- BODY, body-fixed reference frame, 17
- body-fixed vector representation, 167
- Bretschneider spectrum, 202
- buoyancy, 59
- buoyancy force
  - floating vessels, 62
  - submerged vehicle, 59
- Butterworth filter, 289
- carrier DGPS, 305
- CB, center of buoyancy, 18, 59
- centripetal forces, 53
- CF, center of flotation, 18, 68
- CG, center of gravity, 18
- CO, body axes coordinate origin, 17
- commanded acceleration, 451–2
- compass, 300, 331
- computed torque, 450
- configuration space, definition, 236
- constant bearing guidance, 244
- continuous-time Kalman filter, 298
- control allocation, 398, 414
  - constrained, 405
  - unconstrained, 404
- control bandwidth, 373
- control design model, 6
- control Lyapunov function, definition, 458
- controllability, definition, 418
- coordinate
  - form, 18
  - free vector, 18
  - systems, 16
  - transformation matrix, 20
- Coriolis and centripetal forces
  - maneuvering, 115
  - seakeeping, 99
- Coriolis and centripetal matrix
  - definition, 53
  - property, 54, 170
- corrector–predictor representation, 299
- course angle, definition, 39
- craft, 3
- cross-tracking, 385
- cross-flow drag, 127, 136, 156
- cross-product operator, 20
- cross-track error, 258
- cruise condition, 175
- cubic splines, 267
- Cummins equation, 96
- current angle of attack, 155
- current coefficients
  - area-based, 156
  - DP, 153
  - relationship to cross-flow drag and surge resistance, 156
  - surge damping, 127
- D'Alambert's paradox, 122
- damped oscillator, 365
- damping
  - frequency-dependent, 95
  - matrix, 123
- dead-reckoning, 299
- decoupling
  - body-fixed reference frame, 451
  - NED reference frame, 452
- degrees-of-freedom
  - definition, 235
  - model classification, 5
  - notation, 15
- density
  - air, 189
- describing function, 95
- DGPS, differential GPS, 305
- Dieudonné's spiral maneuver, 146, 362
- diffeomorphism, 459
- directional stability, 344, 346
- discrete-time Kalman filter, 296
- discretization of continuous-time systems, 541
- displacement vessel, 4
- DOF, degrees-of-freedom, 235
- DP
  - backstepping control system, 480
  - brief history, 391
  - control allocation, 411
  - definition, 391
  - Kalman filter, 304
  - linearized model, 157
  - nonlinear model, 153
  - nonlinear separation principle, 487

- optimal control system, 445
- passive observer, 310
- PID control system, 393
- position mooring, 396
- roll and pitch damping, 391
- setpoint chasing, 393
- weather optimal control system, 491
- drag coefficient, 127
- drift angle, definition, 40
- Dubins path, 255
- dynamic positioning, see DP, 391
- dynamic stability
  - on course, 352
  - straight-line motion, 347
- dynamic straight-line stability, theorem, 351
- dynamically positioned vessel, definition, 391
- Earth rotation, 47
- ECEF, Earth-centered Earth-fixed frame, 16
- ECI, Earth-centered inertial frame, 16
- effective metacentric height, 73
- ellipsoidal height, 36
- energy dissipation, 122
- environmental forces, 187
- equations of motion
  - 1 DOF, 142
  - 3 DOF, 133
  - 4 DOF, 158
  - 6 DOF, 167
  - classical model, 7
  - DP, 152
  - expressed in BODY, 167
  - expressed in NED, 168
  - lateral, 185
  - longitudinal, 184
  - maneuvering, 109, 133
  - nondimensional, 148
  - nonlinear, 167
  - rigid-body, 51
  - seakeeping, 96
  - vectorial representation, 13
- equations of relative motion, 188
- equilibrium heading, 86
- equivalent linearization, 95
- Euler
  - angles, 22
  - backward, 545
  - equation, 83
  - forward, 544
  - parameters, 27
- Euler angles from quaternions, 33
- Euler's
  - axioms, 46
  - integration method, 544
  - theorem on rotation, 21
- extended
  - thrust configuration matrix, 402
- feedback linearization, 450, 463
  - body-fixed reference frame, 451
  - NED reference frame, 452
- filter
  - low-pass, 288
  - notch, 290
- fin stabilizers, 434
- flat Earth navigation, 35
- flow
  - axes, 39
  - control, 76
  - irrotational, 83
  - potential, 83
- fluid
  - kinetic energy, 117
  - memory effects, 81, 96, 104
  - viscous, 82
- force RAO, 211
- forced oscillations, 90
- forward shift operator, 541
- forward speed model, 140
- four-quadrant arctangent, 33
- free-surface
  - correction, 73
  - effect, 73
- frequency
  - damped system, 367
  - encounter, 210
  - natural, 365
- frequency-domain model, 89
- frequency-independent
  - model, 113
  - potential coefficients, 111
- frictional forces, 122
- Froude number, definition, 3
- FSC, free-surface correction, 73
- GALILEO, European Union Global Positioning System, 230, 305

- Gauss–Markov process, 223
- generalized
  - coordinates, 116
  - eigenvalue problem, 70
  - inverse, 404
- geodetic latitude, 36
- GLONASS, GLObalnaya NAVigatsionnaya Sputnikovaya Sistema, 230, 305
- GM, metacenter height, 65
- GNSS, Global Navigation Satellite Systems, 230, 305
- GPS, NAVSTAR Global Positioning System, 230, 305
- gravitational force
  - floating vessels, 62
  - submerged vehicle, 59
- guidance, 241
  - closed-loop, 232
  - constant bearing, 244
  - line-of-sight, 243
  - open-loop, 232
  - pure pursuit, 243
- guidance, navigation and control, definitions, 232
- gyroscope, 229, 329
- gyroscopic compass, 301
- heading angle, definition, 39
- heave, definition, 15
- Helmholtz–Kirchhoff plate, 192
- Hermite interpolant, 267
- Heun’s integration method, 547
- Hoerner’s curve, 127
- Huygens–Steiner theorem, 50
- hydrodynamic
  - code, 84
  - Coriolis and centripetal matrix, property, 120
  - damping, 122
  - derivatives, 118, 129
  - forces, 128
  - mass–damper–spring, 128
  - system inertia matrix, property, 118
- hydrodynamics
  - computation programs, 84
  - potential theory, 82
- hydrostatics, 59
  - box-shaped vessels, 64
  - floating vessels, 62
  - semi-submersibles, 62
  - ships, 62
  - submerged vehicles, 59
- IKEDA damping, 95
- IMU, inertial measurement unit, 328
- inclination, 331
- incompressible fluid, 82
- inertia matrix, definition, 48
- INS, inertial navigation system, 328
- integrator backstepping, 457
- interceptor, 243
- irrotational
  - flow, 83
  - ocean currents, 103
- irrotational constant ocean currents, 129
- irrotational ocean currents, 55, 109
- ITTC resistance, 125
- JONSWAP, Joint North Sea Wave Project spectrum, 205
- Kalman filter
  - autopilot, 300
  - continuous-time, 297
  - corrector–predictor representation, 299
  - discrete-time, 296
  - DP, 304
  - extended, 298
- Kempf’s zigzag maneuver, 354, 359
- kinematic viscosity, 122
- kinematics, 15
- kinetics, 15, 45
- Kirchhoff’s equations, 54, 116
- Lagrange equations, 115
- Laplace equation, 83
- lateral model, 183
- latitude, definition, 34
- LCF, longitudinal center of flotation, 18
- LF, low-frequency motion, 285
- lift and drag, 122
- line-of-sight
  - guidance, 243
  - path following, 254
- linear damping formula for mass–damper–spring system, 367
- linear equations of motion
  - linear, 173
- linear-quadratic optimal control, 418
- linear-quadratic regulator, 418

- linear velocity transformation, 22, 28
- linear viscous damping, 123
- linearized
  - Coriolis and centripetal forces, 57
  - DP model, 157
  - equations of motion, 56
  - maneuvering model, 140
- load condition, 67
- long-crested irregular sea, 208
- longitude, definition, 34
- longitudinal model, 183
- LOS, line-of-sight, 243
- low-aspect ratio wing theory, 165
- low-frequency motion, 286
- low-pass filter, 288
- low-speed model, 173
- LQ
  - fin and rudder-roll damping, 433
  - heading autopilot, 429
  - optimal control, 418
  - trajectory-tracking, 421
- LQG, 449
- Luenberger observer, 293
- magnetic
  - compass, 301
  - field, 331
- magnetometer, 331
- maneuver
  - Bech's spiral maneuver, 363
  - Kempf's zigzag maneuver, 359
  - pull-out maneuver, 361
  - turning circle, 354
- maneuverability, 343, 353
- maneuvering
  - coefficients, 128
  - equations, 128
  - kinematics, 85
  - theory, 9, 81, 109
  - zero-frequency model, 113
- maneuvering control, definition, 266
- maneuvering model
  - 3 DOF, 133
  - 4 DOF, 158
  - including ocean currents, 225
  - ITTC and cross-flow drag, 136
  - linearized, 140
  - odd functions, 138
  - potential theory representation, 141
  - second-order modulus, 136
- marine craft, 3
- mariner class vessel
  - Kalman filter, 303
  - Nomoto models, 144
  - nonlinear least-squares, 357
  - pivot point, 147
  - turning circle, 355
- mass-damper-spring system, 345, 365
- mean wave drift force, 95
- measure of maneuverability, 353
- metacenter height
  - lateral, 65
  - transverse, 65
- metacenter stability, definition, 67
- metacenter, definition, 62
- modal
  - frequency, 201
  - period, 201
- modal analysis, 69
- model representations, 9
- models, 6
- modified Pierson-Moskowitz spectrum, 204
- moments of area, definition, 66
- moments of inertia, 48
- Moore-Penrose pseudo-inverse, 77, 169
- Morison's equation, 122
- motion
  - RAO, 213
  - sickness criteria, 443
- Munk moment, 142
- natural
  - frequency, 68, 113, 345, 365
  - period, 68
- natural frequency model, definition, 113
- Navier-Stokes equation, 82
- navigation systems, 286
- NED, North-East-Down reference frame, 17
- Neumann spectrum, 202
- neutrally buoyant, 61
- Newton's second law, 45
- Newton-Euler formulation, 45
- Newton-Raphson method, 68
- Nomoto model
  - first-order, 143
  - nonlinear extension, 144
  - normalization, 151
  - second-order, 143
- nondimensional equations of motion, 148

- nonlinear
  - constrained optimization, 273, 405
  - observer, 310
  - PID control, 469
- normalization, 149
- normalization forms, 148
- notch filter, 290
- numerical
  - differentiation, 547
  - integration, 544
- observability, definition, 292
- observer
  - design model, 7
  - fixed-gain, 292
  - IMU and GNSS, 328
  - Luenberger, 293
  - passive, 319
- ocean currents, 188
  - 2-D, 224
  - 3-D, 224
  - direction, 223
  - equations of relative motion, 221
  - irrotational, 222
  - models, 221
  - speed, 223
  - wind generated, 221
- odd functions, 138
- optimal control, 418
  - dynamic positioning, 445
  - fin and rudder-roll damping, 433
  - heading autopilot, 429
  - regulator, 418
  - roll damping, 435
  - trajectory-tracking, 421
  - weather optimal, 491
- optimal trajectory generation, 253
- optimization
  - control allocation, 405
  - guidance, 273
- orthogonal matrix, 19
- $P$  number, 354
- panel methods, 84
- parallel navigation, 244
- parallel-axes theorem, 50
- parametrization, 456
- parametrized path, definition, 266
- passive observer
  - dynamic positioning, 310
  - heading autopilot, 319
- path
  - cubic splines, 269
  - parametrized, 266
  - straight lines and circular arcs, 255
- path-following guidance, 254
- peak period, 200
- period
  - peak, 200
  - wave, 200
  - zero-crossing, 200
- perturbation coordinates, 86, 111
- PID control
  - acceleration feedback, 369
  - cross-tracking, 385
  - curved-path path following, 389
  - dynamic positioning, 391
  - heading autopilot, 377
  - LOS path-following, 387
  - mass-damper-spring system, 365
  - MIMO nonlinear systems, 375
  - position mooring systems, 396
- pitch
  - definition, 15
  - period, 185
  - ratio, 411
- pitch-controlled propeller, 411
- pivot point, definition, 146
- planning vessel, 4
- PM spectrum, 203
- PMM, 10, 140
- pole placement, 319
- polynomial interpolation, 267
- position
  - control, 452
  - mooring systems, 396
- positional motion stability, 344
- potential
  - coefficients, 91, 111, 129
  - damping, 91, 111, 122, 129
  - theory, 82
- potential coefficients
  - properties, 102
  - speed-dependent, 101
  - zero-speed, 100
- predictor-corrector representation, 299
- pretrimming, 76
- Prime system, 148
- principal rotation, 22
- principle of superposition, 187

- products of inertia, 48
- projected area, 189
- propeller, 411
- proportional navigation, 244
- pull-out maneuver, 354, 361
- pure pursuit guidance, 243
- quadratic
  - drag, 122
  - programming, 276, 406
- quaternions
  - definition, 27
  - from Euler angles, 32
  - from rotation matrix, 32
  - IMU and GNSS, 341
- radiation force, 91
- radius of gyration, 72
- RAO
  - force, 199, 211
  - motion, 199, 213
- reference frame
  - body-fixed, 17
  - Earth-centered Earth-fixed, 16
  - Earth-centered inertial, 16
  - flow axes, 39
  - North-East-Down, 17
  - seakeeping, 85
  - Serret–Frenet, 278
- reference model, 247, 377
  - nonlinear damping, 251
  - position and attitude, 249
  - velocity, 249
- regressor, 456
- regulation, 418
- relative
  - damping ratio, 345, 365
  - speed, 39
  - velocity, 188
- response amplitude operator (RAO), 199
- restoring
  - forces, 59, 129
  - matrix, 69
- retardation functions, 12, 90, 97
- Reynolds number, 122, 125
- rig, 77
- rigid-body kinetics
  - maneuvering, 110
  - Newton–Euler, 45
  - seakeeping, 90
- robot, 478
- roll
  - damping, 434
  - definition, 15
  - period, 72, 186
- roll and sway–yaw subsystems, 159
- rotation matrix, 19, 32
- rotation matrix differential equation, 25
- rotation point
  - yaw, 146
- rotational motion, 48, 50
- Routh stability criterion, theorem, 350
- ROV, remotely operated vehicle, 3
- RRD, rudder-roll damping, 434
- RTK, real-time kinematic, 305
- rudder-roll damping, 160, 434
- Runge–Kutta integration methods, 547
- sea state
  - codes, 202
  - definition, 200
- seakeeping
  - coordinates, 86
  - equations of motion, 93
  - kinematics, 85
  - theory, 11, 81
- second-order modulus functions, 138
- second-order modulus terms, 128
- second-order system, 365
- second-order wave forces and moments, 199
- semi-displacement vessel, 4
- semi-empirical methods, 85
- semi-submersible
  - ballast control, 78
  - dynamic positioning control system, 391
  - dynamic positioning system, 445, 487
  - optimal setpoint chasing, 393
  - position mooring control system, 396
  - roll and pitch damping, 391
  - weather optimal control system, 491
- separation principle
  - linear, 449
  - nonlinear, 487
- Serret–Frenet frame, 278
- service speed, 148
- setpoint regulation, 233
- ship
  - acceleration feedback, 384
  - control allocation, 411
  - cross-tracking control system, 385

- ship (*Continued*)
  - curved-path path-following control, 389
  - definition, 3
  - dynamic positioning control system, 391
  - dynamic positioning system, 445, 487
  - fin and rudder-roll damping systems, 433
  - heading autopilot, 377, 429, 454, 508, 525
  - LOS path-following control, 387
  - optimal setpoint chasing, 393
  - path-following control, 512
  - position mooring control system, 396
  - weather optimal control system, 491
- ShipX, 84
- short-crested irregular sea, 209
- sideslip angle, definition, 40
- significant wave height, 200, 202
- similarity transformation, 542
- simple rotation, definition, 21
- simulation model, 6
- singularity, 25
- skew-symmetry, 20
- skin friction, 122
- slack tank, 73
- sliding-mode control
  - eigenvalue decomposition, 522
  - heading autopilot, 525
  - pitch and depth control, 526
  - SISO systems, 518
- SNAME notation, 15
- Son and Nomoto's model, 162
- special orthogonal group, 19
- spectrum
  - Bretschneider, 202
  - JONSWAP, 205
  - modified Pierson–Moskowitz, 204
  - Neumann, 202
  - Pierson–Moskowitz, 203
  - Torsethaugen, 206
- spiral maneuver, 354
- spreading function, 209
- $SS(3)$ , set of skew-symmetric matrices, 20
- stability
  - axes, 41
  - directional, 346
  - index, 349
  - on course, 346
  - open-loop, 343
- stabilizing function, 460
- state feedback linearization, 450
- stationkeeping model, 173
- steering and roll, 162
- steering autopilot, 525
- steering criteria, 430
- stopping trials, 354
- straight-line stability, 344, 346
- strip theory, 84
- submarine
  - definition, 3
  - model, 183
- submerged vehicles
  - hydrostatics, 59
  - model, 183
- superposition, 187
- surface vessels
  - hydrostatics, 62
- surge
  - damping, 125
  - definition, 15
  - resistance, 125, 136, 156
- sway, definition, 15
- symmetry properties of inertia, 171
- system inertia matrix
  - property, 170
- system inertia matrix, definition, 52
- system transformation matrix, definition, 177
- tanks, 76
- target, 243
- target tracking, 242
- Taylor series, 138
- thrust allocation, 414
- thrust configuration matrix, 411
- time differentiation, moving reference frame, 47
- Torsethaugen spectrum, 206
- trajectory generation, 267
- trajectory tracking, definition, 246
- trajectory-tracking control, 233
- transit, 175
- translational motion, 47, 50
- turning
  - circle, 354
  - index, 353
- undamped oscillator, 365
- underactuated
  - control, 247
  - marine craft, 235
- underwater vehicle
  - acceleration feedback, 384
  - added mass and damping, 112



- cross-tracking control system, 385
- curved-path path-following control, 389
- definition, 3
- heading autopilot, 377, 429, 454, 508, 525
- lateral model, 185
- longitudinal model, 184
- LOS path-following control, 387
- path-following control, 512
- pitch and depth control, 526
- restoring forces, 59
- underway replenishment, 245
- unified
  - model, 103
  - theory, 12
- unit quaternions, 27
  - normalization, 31
- UNREP, underway replenishment, 245
- UUV, unmanned underwater vehicle, 3
- vectorial mechanics, 45
- velocity
  - control, 451
- velocity transformation
  - angular, 24, 29
  - linear, 22, 28
- VERES, 84
- vessel parallel coordinates, definition, 173
- vessel, definition, 3
- viscous
  - damping, 122, 129
  - damping matrix, 95
- volume of displaced fluid, 59
- voyage planning systems, 277
- VRU, vertical reference unit, 340
- WAMIT, 84, 211
- water plane area moment, 65
- water tanks, 76
- wave
  - first-order forces and moments, 199
  - force RAO, 211
  - force, no spreading function, 212
  - force, spreading function, 213
  - models, 202
  - period, 200
  - response, 214
  - second-order forces and moments, 199
  - state-space model, 215
- wave amplitude response model, 208
- wave drift damping, 122
- wave excitation force, 95
- wave filter
  - autopilot, 301, 319
  - dynamic positioning, 304, 311
- wave filtering, definition, 286
- wave spectrum
  - Bretschneider, 202
  - JONSWAP, 205
  - maximum value, 204
  - modified Pierson–Moskowitz, 204
  - Neumann, 202
  - Torsethaugen, 206
- wave spectrum moments
  - moments, 201
- wave-frequency motion, 199, 214, 286
- wave-induced forces, 187
- waypoint
  - representation, 255
  - tracking, 232
- weather optimal position control, 491
- weather routing, 277
- weight, 59
- WF, wave-frequency motion, 199, 214, 285
- WGS-84, World Geodetic System, 17
- wind
  - angle of attack, 188
  - axes, 41
  - coefficients, 188
  - container ship, 191
  - direction, 189
  - forces on marine craft at rest, 188
  - forces on moving craft, 191
  - large tankers, 195
  - merchant ships, 194
  - models, 188
  - moored ships and floating structures, 195
  - offshore vessels, 191
  - relative angle of attack, 191
  - relative speed, 191
  - speed, 188
  - tunnel, 191
- wind-generated waves, 202
- workspace, definition, 237
- yaw, definition, 15
- zero-frequency model, definition, 113
- zero-speed model, 103