


Instalación DRUPAL (LAMP)

```
sudo apt install curl  
sudo apt install taskel
```

```
edison@edison-G5-5587:~$ sudo apt install curl  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following additional packages will be installed:  
  libcurl4  
The following NEW packages will be installed:  
  curl libcurl4  
0 upgraded, 2 newly installed, 0 to remove and 486 not upgraded.  
Need to get 373 kB of archives.  
After this operation, 1.038 kB of additional disk space will be used.  
Do you want to continue? [Y/n] Y  
Get:1 http://ec.archive.ubuntu.com/ubuntu bionic-updates/main amd64 libcurl4 amd64 7.58.0-2ubuntu3.8 [214 kB]  
Get:2 http://ec.archive.ubuntu.com/ubuntu bionic-updates/main amd64 curl amd64 7.58.0-2ubuntu3.8 [159 kB]  
Fetched 373 kB in 3s (131 kB/s)  
Selecting previously unselected package libcurl4:amd64.  
Reading database ... 156507 files and directories currently installed.)  
Preparing to unpack .../libcurl4_7.58.0-2ubuntu3.8_amd64.deb ...  
Unpacking libcurl4:amd64 (7.58.0-2ubuntu3.8) ...  
Selecting previously unselected package curl.  
Preparing to unpack .../curl_7.58.0-2ubuntu3.8_amd64.deb ...  
Unpacking curl (7.58.0-2ubuntu3.8) ...  
Setting up libcurl4:amd64 (7.58.0-2ubuntu3.8) ...  
Processing triggers for libc-bin (2.27-3ubuntu1) ...  
Processing triggers for man-db (2.8.3-2) ...  
Setting up curl (7.58.0-2ubuntu3.8) ...  
edison@edison-G5-5587:~$
```

```
sudo taskel install lamp-server
```



```
sudo systemctl restart apache2  
sudo a2enmod rewrite  
sudo apt install php-fpm php-gd  
sudo nano /etc/apache2/sites-enabled/000-default.conf
```

```
edison@edison-G5-5587: ~  
File Edit View Search Terminal Help  
GNU nano 2.9.3 /etc/apache2/sites-enabled/000-default.conf  
<VirtualHost *:80>  
# The ServerName directive sets the request scheme, hostname and port that  
# the server uses to identify itself. This is used when creating  
# redirection URLs. In the context of virtual hosts, the ServerName  
# specifies what hostname must appear in the request's Host: header to  
# match this virtual host. For the default virtual host (this file) this  
# value is not decisive as it is used as a last resort host regardless.  
# However, you must set it for any further virtual host explicitly.  
#ServerName www.example.com  
  
ServerAdmin webmaster@localhost  
DocumentRoot /var/www/html  
  
<Directory /var/www/html/>  
    Options Indexes FollowSymLinks  
    AllowOverride All  
</Directory>  
  
# Available loglevels: trace8, ..., trace1, debug, info, notice, warn,  
# error, crit, alert, emerg.  
# It is also possible to configure the loglevel for particular  
# modules, e.g.  
#LogLevel info ssl:warn  
  
ErrorLog ${APACHE_LOG_DIR}/error.log  
CustomLog ${APACHE_LOG_DIR}/access.log combined  
  
# For most configuration files from conf-available/, which are  
# enabled or disabled at a global level, it is possible to  
# include a line for only one particular virtual host. For example the  
# following line enables the CGI configuration for this host only  
# after it has been globally disabled with "a2disconf".  
#Include conf-available/serve-cgi-bin.conf  
</VirtualHost>  
  
# vim: syntax=apache ts=4 sw=4 sts=4 sr noet
```

```
curl --output /tmp/drupal.tar.gz https://ftp.drupal.org/files/projects/drupal-8.4.5.tar.gz
```

```
sudo rm -fr /var/www/html
```

```
sudo tar xf /tmp/drupal.tar.gz -C /var/www/
```

```
sudo mv /var/www/drupal-8.4.5/ /var/www/html
```

```
sudo chown -R www-data:www-data /var/www/html
```

```
sudo apt-get install mysql-server
```

```
sudo mysql
```

```
create database `drupal`;
```

```
create user 'group2' IDENTIFIED BY 'drupal';
```

```
grant usage on *.* to 'group2'@localhost IDENTIFIED BY 'drupal';
```

```
grant usage on *.* to 'group2'@'%' IDENTIFIED BY 'drupal';
```

```
grant all privileges on `drupal`.* to 'group2'@localhost;
```

```
flush privileges;
```

```
show grants for 'group2'@localhost; _____
```

```
mysql> show grants for 'group2'@localhost;
+-----+
| Grants for group2@localhost |
+-----+
| GRANT USAGE ON *.* TO 'group2'@'localhost' |
| GRANT ALL PRIVILEGES ON `drupal`.* TO 'group2'@'localhost' |
+-----+
2 rows in set (0.00 sec)
```

localhost/core/install.php

Drupal 8.4.5

Choose language
Choose profile
Verify requirements
Set up database
Install site
Configure site

Database configuration

Database type *
MySQL, MariaDB, Percona Server, or equivalent

Database name *
drupal

Database username *
group2

Database password

► **ADVANCED OPTIONS**

Save and continue

Site email address *

Automated emails, such as registration information, will be sent from this address. Use an address ending in your site's domain to help prevent these emails from being flagged as spam.

SITE MAINTENANCE ACCOUNT

Username *

drupal Group 2

Several special characters are allowed, including space, period (.), hyphen (-), apostrophe ('), underscore (_), and the @ sign.

Password *

Password strength:

Confirm password *

Passwords match:

Email address *

REGIONAL SETTINGS

Default country

- None -

Select the default country for the site.

Default time zone

New York

By default, dates in this site will be displayed in the chosen time zone.

UPDATE NOTIFICATIONS

☒ Check for updates automatically☒ Receive email notifications

The system will notify you when updates and important security releases are available for installed components. Anonymous information about your site is sent to [Drupal.org](https://www.drupal.org).

Save and continue

Drupal 8.4.5

1/6

Choose language

English

Save and continue

```
service SCRIPT COMMAND [OPTIONS]
service ssh start
```

```
ssh usuario@[IP]:[puerto]
ssh epn@192.168.1.6:22
```