

EXP 5 HTTP GET and POST methods

AIM:

To demonstrate the difference between HTTP GET and POST methods using a Java Servlet by creating a form that sends data using both methods.

ALGORITHM:

Step 1: Create an HTML form with GET and POST methods.

Step 2: Develop a Servlet (GetPostServlet.java) to handle requests.

Step 3: Implement doGet() to handle GET requests.

Step 4: Implement doPost() to handle POST requests.

Step 5: Configure web.xml to map the Servlet to /GetPostServlet.

Step 6: Run the server and observe how GET and POST work differently.

PROGRAM:

index.html (Form Page)

html CopyEdit

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>GET vs POST Demo</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Choose GET or POST Method 🚀</h2>
    <form action="GetPostServlet" method="GET">
      <input type="text" name="username" placeholder="Enter your name" required>
      <button type="submit">Submit with GET</button> </form>

    <form action="GetPostServlet" method="POST">
      <input type="text" name="username" placeholder="Enter your name" required>
      <button type="submit">Submit with POST</button>
    </form>
```

```
</div>
</body> </html>
```

styles.css

css

CopyEdit body

```
{
  font-family: 'Poppins', sans-serif;
  background: linear-gradient(to right, #36D1DC, #5B86E5);
  text-align: center; display: flex; justify-content: center;
  align-items: center; height: 100vh; margin: 0;
}
```

```
.container {
  background: #fff;
  padding: 20px;
  border-radius: 15px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
  width: 300px;
}
```

```
h2 { color:
#5B86E5;
}
```

```
input { width: 90%;
padding: 10px; margin:
10px 0; border: 1px solid
#5B86E5; border-radius:
8px; text-align: center;
}
```

```
button { background:
#36D1DC; color:
white; border: none;
padding: 10px 15px;
border-radius: 8px;
cursor: pointer;
transition: 0.3s;
}
```

```
button:hover {
  background: #1e6e8c; }
```

GetPostServlet.java (Servlet to Handle GET & POST) java

```
CopyEdit import java.io.IOException;
import java.io.PrintWriter; import
```

```
javax.servlet.ServletException; import
javax.servlet.annotation.WebServlet; import
javax.servlet.http.HttpServlet; import
javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
```

```
@WebServlet("/GetPostServlet") public class
GetPostServlet extends HttpServlet { private
static final long serialVersionUID = 1L;
```

```
// Handling GET Request
```

```
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException { response.setContentType("text/html");
PrintWriter out = response.getWriter();
```

```
String name = request.getParameter("username");
```

```
out.println("<html><body>");
out.println("<h2>GET Method Received</h2>");
out.println("<p>Hello, <b>" + name + "</b>! Data sent using GET.</p>");
out.println("</body></html>");
}
```

```
// Handling POST Request
```

```
protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException { response.setContentType("text/html");
PrintWriter out = response.getWriter();
```

```
String name = request.getParameter("username");
```

```
out.println("<html><body>");
out.println("<h2>POST Method Received</h2>");
out.println("<p>Hello, <b>" + name + "</b>! Data sent using POST.</p>");
out.println("</body></html>");
} }
```


web.xml (Servlet Configuration) xml

CopyEdit

```
<web-app xmlns="http://java.sun.com/xml/ns/javaee" version="3.0">
  <servlet>
    <servlet-name>GetPostServlet</servlet-name>
    <servlet-class>GetPostServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>GetPostServlet</servlet-name>
    <url-pattern>/GetPostServlet</url-pattern>
  </servlet-mapping>
```

</web-app>

OUTPUT:



RESULT: The Get and Post methods were executed successfully.