Developing Advanced AI Models with Fusion Data

Farhana Yasmin, Mahade Hasan, and Yu Xue

Abstract

The development of advanced AI models using fusion data presents a significant opportunity to transform healthcare by integrating various data sources, including medical images, electronic health records (EHRs), genetic data, and clinical reports. By combining these data types, AI models can generate a more comprehensive understanding of a patient's health to improve prediction accuracy, improve decision-making, and enhance medical outcomes. This chapter delves into developing AI models through multimodal data fusion, emphasizing the key benefits of using a wide range of data to create a more holistic view of medical conditions. These models can address complex healthcare challenges, improve diagnostic accuracy, and provide more personalized treatments by leveraging complementary information from various data sources. However, there are several challenges in developing AI models with fusion data. Ensuring data quality across different sources is one of the major obstacles, as medical data is often inconsistent, incomplete, or noisy. Preprocessing and standardization techniques are essential to ensure that the data is usable for model training. Another challenge is model interpretability; for AI models to be adopted in clinical settings, they must be clear and interpretable for healthcare professionals. Additionally, the computational demands of training fusion models require optimized algorithms and powerful hardware to ensure scalability and real-time performance. Looking ahead, innovations in fusion techniques, federated learning, and personalized medicine are expected to address these challenges. Federated learning allows for secure training across decentralized data sources, while personalized medicine can tailor AI models to individual patients. These advancements will increase the effectiveness and applicability of AI models in healthcare, ultimately leading to more reliable, scalable, and personalized solutions for medical diagnosis, treatment planning, and patient care.

Keywords

Fusion data · AI models · Multi-modal data · Healthcare AI · Model interpretability

1 Introduction to Fusion Data in AI

Artificial intelligence (AI) has become a revolutionary force across various industries, particularly in healthcare, where data-driven models assist in disease detection, treatment planning, and outcome prediction. However, traditional AI models often rely on a single data source, limiting their ability to capture the full spectrum of relevant information. This constraint reduces model accuracy, generalizability, and reliability in real-world medical applications (Mohsen et al. 2022). The integration of multiple data sources, commonly referred to as fusion data, provides a powerful approach to overcoming these limitations. Fusion data enables AI models to take advantage of balancing information from diverse modalities to make more accurate, comprehensive, and context-aware predictions.

The growing availability of medical data gathered from multiple sources, including imaging modalities, electronic health records (EHRs), genomic sequencing, smart health monitors, and clinical notes, has paved the way for advanced

F. Yasmin (✉) · Y. Xue
School of Computer Science, Nanjing University of Information Science and Technology, Nanjing, China
e-mail: farhana@nuist.edu.cn

Y. Xue
e-mail: xueyu@nuist.edu.cn

M. Hasan
School of Software, Nanjing University of Information Science and Technology, Nanjing, China
e-mail: mhasan@nuist.edu.cn

© The Author(s), under exclusive license to Springer Nature Switzerland AG 2026

A. Nag et al. (eds.), *Feature Fusion for Next-Generation AI*, Sustainable Artificial Intelligence-Powered Applications,
https://doi.org/10.1007/978-3-031-94386-7_14

AI systems that incorporate multi-source learning. This chapter explores how fusion data enhances AI model performance, particularly in the medical domain, by improving feature representation, predictive precision, and analytical decision-making. Additionally, it highlights the challenges associated with integrating heterogeneous data sources and the strategies required to overcome them.

1.1 Overview of Fusion Data and Its Role in AI

Fusion data refers to the approach of combining multiple, heterogeneous information streams to construct a unified and enriched representation for AI-driven decision-making. In medical applications, data sources can vary significantly in terms of format, scale, and semantics, posing challenges for conventional machine learning and advanced deep learning models (Duan et al. 2024). However, by combining data from various modalities, AI systems can extract deeper insights and enhance diagnostic accuracy.

For example, a radiologist diagnosing lung cancer may rely on a CT scan for imaging evidence, patient medical history for risk factor assessment, and laboratory test results for biomarker analysis. If an AI model were to process only the CT scan without considering the patient's history or biomarkers, it might miss critical indicators of disease progression (Albahri et al. 2023). By contrast, a fusion-based AI model can analyze these multiple data sources simultaneously, leading to a more holistic and informed diagnostic outcome. Fusion data plays a crucial role in medical AI research and applications, including:

- **Enhancing Diagnostic Accuracy**: Combining imaging data with clinical records improves AI-based disease detection and classification.
- **Enabling Personalized Medicine**: Integrating genomic data with patient histories allows for targeted treatment recommendations.
- **Improving Predictive Analytics**: Merging wearable sensor data with EHRs facilitates early disease detection and risk prediction.
- **Facilitating Multi-modal Learning**: AI models that incorporate textual, numerical, and visual data can better understand patient conditions.

With these advantages, fusion data is becoming a cornerstone of next-generation AI models, particularly in healthcare, where precision and reliability are paramount.

1.2 Importance of Multi-modal Data in Medical AI

Medical decision-making is inherently complex and relies on diverse sources of patient information. In contrast to conventional AI models that focus on a single-source data modality, multi-modal fusion AI can integrate multiple perspectives to enhance understanding of decision-making processes (Huang et al. 2020). This method is especially beneficial in healthcare applications where different data types capture different facets of a patient's health. For instance, a fusion-based AI system for cancer diagnosis might combine:

- **Medical Imaging**: MRI or CT scans to detect tumor structures and anomalies.
- **Electronic Health Records (EHRs)**: Patient history, medication records, and comorbidities.
- **Genomic Data**: DNA sequencing for identifying genetic predispositions.
- **Lab Test Results**: Blood test parameters indicating inflammatory markers.
- **Wearable Device Data**: Continuous monitoring of heart rate, oxygen levels, or glucose levels.

Figure 1 illustrates the multi-modal data in medical AI. By integrating these diverse data sources, AI models can develop a deeper and more comprehensive understanding of patient health, resulting in enhanced diagnosis and more effective treatment planning (Liu et al. 2025). This multi-source approach has been effectively applied in several medical fields, including:

- **Radiology**: Merging CT scans with pathology reports to improve accuracy in cancer detection.
- **Cardiology**: Combining electrocardiogram (ECG) signals with blood test results for heart disease risk prediction.
- **Neurology**: Integrating MRI scans with clinical assessments to enhance Alzheimer's disease diagnosis.
- **Oncology**: Using genomic and histopathological data to design personalized cancer treatment strategies.

Multi-modal AI models offer better resilience against missing or incomplete data, as information from one source can compensate for gaps in another. This feature is especially advantageous in practical clinical environments, where incomplete records and data inconsistencies are common challenges.



Fig. 1 Illustrates the multi-modal data in medical AI

1.3 Challenges in Integrating Multi-source Medical Data

While fusion data presents numerous advantages, its integration into AI models is not without challenges. The complexity, heterogeneity, and scale of multi-source medical data introduce several obstacles that must be overcome to fully unlock the potential of fusion AI.

1.3.1 Heterogeneity of Medical Data

Medical data is inherently diverse, including structured data (e.g., numerical laboratory test results, EHR tables) and unstructured data (e.g., physician notes, radiology images, genomic sequences). Integrating such heterogeneous sources requires advanced data preprocessing, transformation, and feature extraction techniques (Yang et al. 2024). AI models must be equipped to handle differences in format, resolution, and semantics to create a unified representation of patient data.

1.3.2 Synchronization and Standardization

Data collected from different hospitals, laboratories, and imaging centers often vary in measurement units, formats, and labeling conventions (Brancato et al. 2024). For instance, a blood glucose level recorded in mg/dL in one system might be recorded in mmol/L in another. Standardization techniques, including data normalization, scaling, and unit conversion, are essential for ensuring compatibility and consistency across datasets (Hasan et al. 2023).

1.3.3 Data Privacy and Security Concerns

Medical data is extremely sensitive and governed by strict privacy regulations, such as HIPAA (Health Insurance Portability and Accountability Act) in the U.S. and GDPR (General Data Protection Regulation) in Europe. The incorporation of multiple data sources further amplifies the risk of privacy violations and unauthorized access to confidential information (Kumar et al. 2024). To minimize this, techniques such as federated learning, homomorphic encryption, and differential privacy are being developed to enable AI model training without compromising patient confidentiality.

1.3.4 Computational Complexity and Scalability

Fusion AI models often require significant computational resources to process large-scale multi-modal data. Training deep learning models on high-resolution medical images, EHRs, and genomic data simultaneously can lead to increased memory consumption and processing time (Dhasaratha et al. 2024). Optimizing parallel computing, cloud-based AI platforms, and distributed training frameworks can help minimize these challenges.

1.3.5 Missing and Noisy Data

Medical datasets often contain missing values, incorrect entries, or noisy data due to human errors in data entry, incomplete patient records, or imaging artifacts. Traditional AI models struggle with incomplete data, but fusion-based models can minimize this issue using advanced imputation techniques, deep learning-based denoising, and redundancy across multiple modalities (Liao et al. 2025).

Fusion data can transform AI-driven medical applications by integrating diverse data sources to build a more holistic, accurate, and context-aware approach to diagnosis and treatment. While challenges such as data heterogeneity, privacy issues, and computational demands remain, ongoing advancements in AI, machine learning, and big data processing are helping to overcome these barriers.

In the next section, we will explore data preprocessing and integration techniques, which are crucial for transforming raw multi-modal medical data into a format appropriate for AI-driven analysis.

2 Data Fusion Techniques in AI

Data fusion methods are crucial for developing efficient AI models, especially in the framework of multi-modal data, where various types of data, such as medical images, patient history, and genetic data, need to be combined. These techniques ensure that the complementary information from each data type is effectively integrated, improving the model's capability to make accurate predictions. This section explores the key data fusion techniques employed in AI for medical applications, emphasizing the processes of data alignment, transformation, and integration.

2.1 Data Preprocessing for Fusion

The process of data fusion begins with preprocessing, which includes cleaning, aligning, and changing the data into a form that is suitable for integration. Data preprocessing plays a crucial role in confirming that different data modalities are aligned and ready for combination (Zhang et al. 2022). In medical AI applications, data preprocessing might involve normalizing medical images, encoding patient data, and handling missing values in clinical records.

For image data, preprocessing may include tasks like resizing, normalization, and augmentation to ensure that images from different sources are compatible and ready for fusion (Zhu et al. 2024). For non-image data, such as clinical or genetic data, preprocessing could involve encoding categorical variables, handling missing values, and scaling numerical features to ensure they are comparable (Ortiz et al. 2024). Additionally, harmonization techniques may be applied when handling with data from multiple sources, ensuring consistency across diverse datasets. Figure 2 illustrates the data preprocessing for image and non-image data in medical AI.

Proper data preprocessing is essential for ensuring that multi-modal data is in a compatible format, reducing noise, and preparing it for effective fusion. This step is vital for maintaining the quality of the combined data and improving model performance.

2.2 Feature Extraction and Representation

Once the data has been preprocessed, extracting meaningful features from each modality is next. Feature extraction is the process of converting raw data into a set of relevant characteristics that can be used for modeling. For medical images, feature extraction typically involves the use of convolutional neural networks (CNNs), which automatically learn hierarchical features like edges, textures, and patterns from images (Yasmin et al. 2023a). For non-image data, features can be extracted using methods such as principal component analysis



Fig. 2 Illustrates the data preprocessing for image and non-image data in medical AI

(PCA), statistical methods, or domain-specific feature extraction methods, depending on the nature of the data (Ngo et al. 2023). Figure 3 illustrates the feature extraction for image data in medical AI.

In multi-modal data fusion, the features extracted from each modality must be not only informative but also comparable. This is often achieved by using domain-specific feature extraction techniques, which ensure that the features capture the key characteristics of the data, whether they are spatial patterns in medical images or temporal trends in clinical data (Loukil et al. 2023). Once the features are extracted, they are typically transformed into a common feature space, enabling seamless integration.

Feature extraction is a critical step that enables the model to learn from different modalities. By transforming raw data into informative and comparable features, models can learn more effectively and make accurate predictions across multiple data types.

2.3 Data Alignment and Transformation

Data alignment refers to the process of ensuring that corresponding data points from diverse modalities are matched correctly. This is particularly challenging in medical applications where data might be captured at different times, in different formats, or at varying resolutions (Khan et al. 2024). For example, when combining medical imaging data with clinical records, it is essential to ensure that each patient's clinical data corresponds accurately with their medical images (Baumgart 2024).

One common approach for aligning multi-modal data is through spatial alignment, where images from different modalities (e.g., CT and MRI scans) are registered to a common coordinate system (Silcox et al. 2024). Temporal



Fig. 3 Illustrates the feature extraction for image data in medical AI

alignment is another challenge when dealing with time-series data, where events or observations are recorded at different times but need to be synchronized (Yasmin et al. 2023b). Data transformation techniques are also applied during this step to convert data from one modality into a common representation, making it easier to integrate with other modalities.

Proper data alignment and transformation are essential for ensuring that different data sources correspond correctly, enabling meaningful integration and improving the accuracy of fusion models. These steps are particularly important in medical AI applications, where data heterogeneity can be significant.

2.4 Fusion Strategies

There are several strategies for integrating multi-modal data, each suited to different types of fusion tasks and objectives. The optimal fusion strategy depends on the nature of the data and the problem at hand. Broadly speaking, data fusion can be performed in three main ways: early fusion, late fusion, and hybrid fusion.

- **Early Fusion**: In early fusion, data from multiple modalities are integrated at the input stage, before being processed by the model. This approach enables the model to learn joint representations from the outset, allowing it to capture the relationships and correlations between different types of data, which is beneficial when the data modalities are complementary and can be integrated directly. Early fusion works well when the data modalities are related and share common features that can be captured early in the model (Zhao et al. 2024). For example, early fusion might combine medical images with patient demographic data at the input stage, letting the model learn combined illustrations of both.
- **Late Fusion**: In late fusion, each modality is handled independently before its predictions or features are combined at the decision level. This approach is often used when modalities are very different or require specialized processing (Meng et al. 2025). Late fusion allows the model to learn the unique characteristics of each modality separately before making a final decision. For example, a model might independently process CT scans and clinical reports, combining the results to make a final diagnosis.
- **Hybrid Fusion**: Hybrid fusion combines aspects of both early and late fusion. In this approach, different modalities are initially processed separately, but the information is merged at intermediate layers, allowing the model to pull both the detailed individual processing of each modality and the joint representations learned at later stages (Jiao et al. 2024). This fusion strategy can be mainly useful in complex tasks where multiple modalities contribute unique insights that need to be integrated effectively.

The choice of fusion strategy, early, late, or hybrid, depends on the types of data and the task. Selecting the appropriate fusion strategy confirms that the model can effectively combine and maximize the complementary information from each modality, improving performance and accuracy.

2.5 Evaluation and Validation of Fusion Models

Once a data fusion model has been developed, it is essential to assess its performance. Evaluation in multi-modal AI models is more complex than traditional single-modality models, as it requires not only assessing the model's overall accuracy but also understanding how well it integrates and utilizes each modality (Tian et al. 2024). Evaluation metrics such as accuracy, precision, recall, F1-score, and the dice coefficient are commonly used to measure fusion models in medical AI applications.

In addition to traditional metrics, it is important to evaluate how effectively the model has integrated the different modalities. One common approach is to analyze the contribution of each modality by conducting ablation studies, where the model is tested with individual modalities removed to assess the impact of each on the final prediction (Yasmin et al. 2023c). Another approach is to use cross-validation, ensuring that the model generalizes well across diverse datasets and modalities.

Evaluating fusion models requires both traditional performance metrics and specific techniques for assessing how well



Fig. 4 Shows the data fusion process in medical AI

the model integrates multi-modal data. Thorough evaluation ensures that the fusion process is effective and that the model is reliable across diverse data sources. Figure 4 shows the data fusion process in medical AI.

Data fusion is a fundamental aspect of developing AI models for multi-modal applications, particularly in medical fields where data from various sources must be combined. Effective preprocessing, feature extraction, alignment, and transformation are essential for ensuring that diverse data types can be integrated successfully. Different fusion strategies, such as early, late, and hybrid fusion, provide different ways of combining data, each with its strengths depending on the nature of the task. Lastly, proper evaluation is crucial to ensure that the model not only performs well but also effectively integrates the information from all data sources.

The next section will delve into the advanced architectures that make these fusion models more powerful and efficient.

3 Advanced AI Model Architectures for Fusion Data

The progress of AI models that can effectively process and mix multi-modal data requires advanced architectures that can handle the complexity and diversity of such data. In this section, we explore cutting-edge model architectures designed specifically to leverage the strengths of fusion data. These models incorporate sophisticated mechanisms to handle different types of data, ensuring that each modality's contribution is effectively utilized in the final prediction or decision-making process. The key focus here is on deep learning architectures that excel in tasks like medical image segmentation, diagnosis prediction, and multi-modal classification, among others.

3.1 Deep Learning Models for Fusion Data

Deep learning, with its ability to learn hierarchical illustrations of data, is a key enabler in handling fusion data effectively. Different deep learning models are tailored for multi-modal data fusion, each addressing specific challenges associated with integrating heterogeneous data sources.

- **Convolutional Neural Networks (CNNs)**: CNNs are widely used for medical image processing due to their capability to extract spatial features from images automatically. They can be adapted to multi-modal data using separate branches for each modality, such as image and tabular clinical data. This flexibility enables CNNs to learn joint representations by combining extracted features from different data types (Veeramani et al. 2024). CNNs in fusion networks ensure that both spatial and non-spatial data are appropriately handled for multi-modal tasks. This results in improved performance for tasks like multi-modal medical diagnosis and segmentation.
- **Recurrent Neural Networks (RNNs) and Long Short-Term Memory (LSTM)**: RNNs and LSTMs are especially useful for time-series data like vital signs or historical patient records. By stacking LSTMs on top of feature-extracted representations from CNNs, models can handle both spatial (image) and sequential (time-series) data (Yasmin et al. 2022). These models can capture temporal dependencies within patient data, offering significant advantages in dynamic settings like real-time monitoring of patient health and improving the accuracy of diagnoses.
- **Transformer Models**: Transformer models, particularly in multi-modal applications, use attention mechanisms to focus on the most related parts of the data, irrespective of its source. They allow for better integration of diverse

data types, ensuring that each modality contributes effectively to the final prediction (Mazher et al. 2024). By handling long-range dependencies in data, transformers provide enhanced performance when combining heterogeneous sources, such as integrating imaging data with clinical or genomics data.

Deep learning models, including CNNs, RNNs/LSTMs, and transformers, offer flexible and efficient solutions for multi-modal fusion, allowing AI systems to control both spatial and temporal data in a unified manner.

3.2 Multi-modal Fusion Networks

The next step in multi-modal AI model design is the integration of different data streams. Multi-modal fusion networks are architectures specifically built to merge data from various sources, learning joint representations that capture the complementary information from each modality.

- **Early Fusion Networks**: In early fusion, raw data from each modality is merged at the input layer before being processed by a shared network. This approach enables the model to learn joint representations right from the beginning, which is especially advantageous when the modalities are complementary, allowing the model to capture richer, more integrated features from the combined data (Wang et al. 2024a). By combining different data types at the input, the model can learn to extract features that capture the interaction between these modalities from the very beginning, improving prediction accuracy.
- **Late Fusion Networks**: In late fusion, each modality is processed independently through separate branches, and their predictions are combined at the decision-making stage. This approach is particularly useful when modalities differ significantly in nature and require specialized processing (Schilcher et al. 2024). Late fusion ensures that each modality's specific characteristics are captured independently, while still allowing for an integrated decision process at the output.
- **Hybrid Fusion Networks**: Hybrid fusion combines both early and late fusion techniques, allowing the model to process modalities separately at first and then combine them at an intermediate stage. This approach allows the model to take advantage of both the complementary features captured early on and the specialized processing applied to each modality (Maqsood et al. 2024). Hybrid fusion is effective for complex tasks like multi-modal medical diagnosis, where different types of data contribute differently to the decision-making process.

Multi-modal fusion networks, whether early, late, or hybrid, provide different strategies for integrating diverse data sources, each with its strengths for handling complex tasks in medical AI applications.

3.3 Multi-task Learning for Fusion Data

Multi-task learning (MTL) is an approach where a model is trained to solve multiple related tasks simultaneously, using shared representations to improve performance on each task. MTL has shown great promise in medical AI applications, especially when working with multi-modal data.

- **Shared Representations**: Multi-task learning enables models to learn shared representations that benefit multiple tasks. For example, a model trained to predict both disease presence and severity can learn from each task's features, improving its overall performance (Wang et al. 2024b). Shared representations ensure that the model extracts common features from different modalities, making it more efficient and effective in multi-task settings.
- **Multi-modal Multi-task Networks**: These networks are designed to integrate multiple modalities within a multi-task learning framework. For example, a model might be trained to predict outcomes from both medical images and patient history (Wang et al. 2024c). By processing each modality with a separate network branch and then combining the information at deeper layers, multi-modal multi-task networks increase the model's ability to handle different data types cohesively.
- **Regularization for Multi-task Learning**: Regularization techniques, such as shared bottleneck layers or task-specific weights, help prevent overfitting and ensure that the model does not prioritize one task over another (Yu and Dai 2024). Regularization strategies allow the model to generalize well across all tasks, maintaining reliability when dealing with diverse and complex data sources.

Multi-task learning frameworks, particularly those leveraging shared representations and regularization techniques, provide effective ways to handle multi-modal data, improving performance across multiple related tasks.

3.4 Attention Mechanisms for Fusion Data

Attention mechanisms have gained widespread use in AI models due to their ability to emphasize the most important aspects of the data. When applied to fusion data, attention mechanisms can help models identify which modality or feature is more important for a given task.

- **Modality-Specific Attention**: Modality-specific attention enables the model to assign different importance to each modality during the decision-making process. For example, attention mechanisms can be used to weigh imaging data more heavily in certain diagnostic tasks, while prioritizing clinical data in others (Liu et al. 2024). This dynamic weighting ensures that the model emphasizes the most relevant data, improving its overall accuracy.
- **Self-Attention and Cross-Attention**: Self-attention mechanisms focus on relationships within a single modality, while cross-attention mechanisms help the model correlate features between different modalities (Li and Wu 2024). For example, self-attention could be used to highlight critical areas in medical images, while cross-attention could be applied to link the image data with a patient's clinical history. These attention mechanisms confirm that the model efficiently integrates information from multiple data sources while maintaining focus on the most significant features.

Attention mechanisms, including modality-specific and cross-attention, are essential for optimizing the integration of fusion data, enabling models to focus on the most significant and informative parts of each modality. Advanced AI model architectures for fusion data are crucial for effectively processing and integrating multi-modal data, ensuring that each modality contributes to the final prediction. Techniques such as deep learning, multi-modal fusion, multi-task learning, and attention mechanisms are key components in these architectures, allowing models to handle diverse data sources and learn meaningful relationships between them. These architectures, when appropriately designed and implemented, provide the foundation for developing AI systems that deliver more accurate, reliable, and generalizable outcomes in complex medical tasks. The next section will discuss the methods and strategies for optimizing and training these complex fusion models to ensure their success in real-world applications.

4 Advanced Fusion Architectures for AI Models

Developing advanced AI models with fusion data requires sophisticated architectures capable of handling and integrating complex, multi-modal data. These architectures enable AI models to extract necessary features from various data types such as images, text, and structured data, allowing them to make more accurate and consistent predictions. In this section, we explore three key advanced architectures used for data fusion in AI models, focusing on their design, advantages, and use cases in medical applications.

4.1 Convolutional Neural Networks (CNNs) for Multi-modal Fusion

Convolutional Neural Networks (CNNs) are a powerful and commonly used deep learning approach for medical image analysis, including tasks such as segmentation, classification, and detection. Their ability to automatically extract hierarchical spatial features makes them particularly effective for processing medical imaging modalities like MRI, CT scans, and X-rays. To handle multi-modal medical data, CNNs can be extended through specialized architectures that integrate imaging data with non-imaging data such as electronic health records (EHRs) or genomic information (Tang et al. 2024).

Key approaches include multi-branch architectures, where separate CNN branches independently process different data modalities while preserving their unique characteristics. The extracted features are then fused either through concatenation, attention mechanisms, or other fusion strategies to enable the model to learn joint representations across modalities. This fusion enhances predictive performance by leveraging complementary information from diverse data sources (Chen et al. 2024a). Additionally, CNNs offer flexibility to accommodate various data types, making them adaptable to an extensive range of clinical applications. However, challenges such as computational complexity, integration of heterogeneous data, and risk of overfitting must be addressed through techniques like regularization, optimized fusion strategies, and large-scale annotated datasets. Emerging advancements, including hybrid CNN-Transformer models, are further improving multi-modal fusion capabilities. Table 1 summarizes the CNN architectures for multi-modal medical data fusion.

Table 1 CNN architectures for multi-modal medical data fusion

Aspect	Description	Advantages	Challenges
Core function	CNNs extract spatial hierarchies of features from medical images (MRI, CT, X-ray) and fuse them with non-image data (EHRs, genomics)	• High accuracy in image-based tasks • Adaptable to multi-modal inputs	• Computationally intensive • Requires large labeled datasets
Multi-branch architecture	Uses separate branches (e.g., CNN for images, MLP for tabular data) to process each modality independently	• Preserves modality-specific features • Modular design	• Complex integration of heterogeneous branches • Risk of overfitting
Feature fusion	Combines extracted features (e.g., via concatenation, attention, or tensor fusion) for joint representation learning	• Captures cross-modal interactions • Improves model robustness	• Fusion strategy impacts performance (e.g., early vs. late fusion)
Flexibility	Supports diverse data types (images + structured/ non-structured data)	• Applicable to varied medical tasks (diagnosis, prognosis) • Scalable to new modalities	• Requires careful hyperparameter tuning for each modality
Applications	Medical image segmentation, disease classification, predictive analytics	• End-to-end learning • State-of-the-art performance in fusion tasks	• Interpretability challenges in fused models

CNNs offer a flexible and efficient way to handle multi-modal fusion, especially in medical image processing. By incorporating both image and non-image data, CNNs can capture complementary patterns, enhancing model performance and accuracy. Overall, CNNs remain a cornerstone in medical AI, enabling more accurate and comprehensive analysis by effectively combining imaging and non-imaging data for improved diagnostic and prognostic outcomes.

4.2 Transformer-Based Models for Multi-modal Fusion

Transformer-based models have gained immense popularity, particularly in natural language processing tasks, because of their ability to capture long-range dependencies through self-attention mechanisms. These models are now also being applied to multi-modal data fusion, where they have been established to be highly effective. The advantage of transformers resides in their ability to process multiple modalities simultaneously, learning intricate relationships between data sources (Wang et al. 2025).

- **Self-Attention Mechanism**: Transformer models use self-attention to capture relationships between features across different modalities. This allows the model to focus on the most significant features of each modality, improving the fusion process.
- **Separate Encoders for Modalities**: Each data modality (e.g., medical images and clinical text) is processed through its encoder. This helps in learning modality-specific features before fusion.
- **Dynamic Feature Weighting**: The self-attention mechanism enables dynamic weighting of the importance of features from each modality, allowing the model to prioritize more relevant features based on the task at hand.

Transformer-based models excel in capturing complex dependencies between different data modalities. With their self-attention mechanisms, they are highly effective for multi-modal fusion, especially in medical AI applications where textual and visual information must be integrated.

4.3 Multi-task Learning for Fusion Models

Multi-task learning (MTL) is a technique in which a model is trained to perform multiple tasks concurrently, with joint knowledge across tasks. This approach is particularly useful for fusion tasks, where multiple related outcomes need to be predicted from diverse data types (Chen et al. 2024b). In medical applications, a multi-task learning model can handle various tasks like disease diagnosis, severity classification, and prognosis prediction, all while sharing features across tasks.

- **Shared Feature Representation**: MTL models learn a common feature representation that is shared across tasks, which helps in improving generalization. This representation is learned from multiple data modalities (e.g., images, clinical data).

- **Task-Specific Heads**: While the features are shared, the final prediction layers (or heads) are task-specific. This allows the model to make accurate predictions for different tasks based on the learned features.
- **Improved Performance**: By leveraging shared knowledge across related tasks, MTL can expand the performance of the model, especially when tasks are correlated, as is often the case in medical AI.

Multi-task learning enables a single model to handle multiple tasks, improving performance by using shared knowledge across tasks. In multi-modal fusion, MTL is a powerful method for combining different data sources to make more accurate and reliable predictions. Advanced fusion architectures play a crucial role in integrating multi-modal data for AI models, especially in the medical field. Key architectures like CNNs, transformer-based models, and multi-task learning approaches offer unique advantages for handling different types of data and learning complex relationships (Shao et al. 2024). By combining multiple data sources, these architectures can enhance the predictive capabilities of AI models, enabling more accurate diagnoses and improved patient outcomes. The next section will discuss the practical challenges and solutions associated with implementing these fusion models in real-world medical applications.

5 Challenges and Future Directions in Developing AI Models with Fusion Data

While the integration of multi-modal data has shown great promise in enhancing AI models, several challenges need to be addressed to fully understand the potential of fusion data in AI applications, particularly in the medical field. This section discusses the key challenges faced during the development of advanced AI models with fusion data and outlines potential future directions to overcome these obstacles, ensuring the continued advancement of AI in medical decision-making.

5.1 Data Quality and Preprocessing Challenges

Developing AI models with multi-modal medical data presents significant challenges in ensuring data quality and consistency. Medical datasets often come from diverse sources, such as imaging (MRI, CT scans), electronic health records (EHRs), and genomic data, each with unique formats, noise levels, and missing values. Standardizing these heterogeneous datasets is crucial, requiring normalization, format conversion, and harmonization techniques to align different scales and structures. Missing data, a common issue due to incomplete patient records, demands careful handling through imputation methods or exclusion strategies to prevent model bias (Xie et al. 2024). Additionally, noise such as imaging artifacts or inconsistent EHR entries must be mitigated using filtering, outlier detection, or deep learning-based denoising approaches. Further complications arise from data heterogeneity across institutions, temporal misalignment in time-series data, and class imbalance in rare diseases, necessitating advanced techniques like federated learning, temporal alignment, and synthetic data generation. Addressing these challenges requires a balance between computational efficiency, regulatory compliance (e.g., HIPAA/GDPR), and reproducibility to build reliable AI models for clinical applications (Xie et al. 2025). Effective preprocessing pipelines are important to transform raw, complex medical data into high-quality inputs for accurate and generalizable AI solutions. Table 2 summarizes the challenges and approaches in medical data preprocessing for AI.

Data quality and preprocessing challenges are significant barriers to developing AI models with fusion data. Effective strategies for data standardization, handling missing data, and noise reduction are crucial for the success of these models.

5.2 Model Interpretability and Trust

In medical applications, AI models need to be interpretable and explainable to ensure that clinicians can trust and effectively use them in decision-making. However, with the incorporation of multi-modal data, the interpretability of these models becomes even more complex. Understanding how models arrive at decisions when combining diverse data sources is essential for gaining the confidence of healthcare professionals and regulatory bodies.

- **Black-box Nature of Deep Learning**: Many advanced fusion models, such as deep neural networks and transformers, operate as black boxes, making it difficult to recognize how they make decisions (Murad et al. 2024). This lack of transparency can be problematic in medical applications where clinicians must understand the rationale behind a model's predictions.
- **Explainability Tools**: Recent advancements in explainable AI (XAI) have introduced techniques such as Grad-CAM, SHAP, and LIME to provide perceptions into the decision-making process of complex models (Wani et al. 2024). However, these methods are still in their infancy and require further development to be fully integrated with multi-modal fusion models.
- **Regulatory and Ethical Considerations**: In medical AI, models must adhere to regulatory standards, such as HIPAA (Health Insurance Portability and Accountability

Table 2 Summarization of the challenges and approaches in medical data preprocessing for AI

Challenge	Description	Potential solutions
Data standardization	Different modalities (images, EHRs, genomics) vary in scale, format, and quality	• Normalization/scaling (e.g., Z-score, Min–Max) • Format conversion (DICOM to PNG, structured EHRs) • Harmonization protocols (e.g., ComBat for batch effects)
Handling missing data	Incomplete records (e.g., lab results, patient history) skew model performance	• Imputation (mean/median, k-NN, MICE) • Exclusion of highly missing features • Model-based approaches (e.g., autoencoders)
Noise reduction	Artifacts in imaging (MRI/CT) or inconsistencies in EHRs degrade model accuracy	• Filtering techniques (Gaussian, median filters for images) • Outlier detection (IQR, clustering) • Deep learning denoising (e.g., autoencoders, diffusion models)
Data heterogeneity	Multi-source data (hospitals, devices) introduces variability	• Federated learning for decentralized data • Domain adaptation (e.g., GANs) • Metadata tagging for traceability
Class imbalance	Rare conditions dominate datasets, and biasing models	• Resampling (oversampling minority classes, SMOTE) • Weighted loss functions • Synthetic data generation (GANs, VAEs)
Temporal misalignment	Time-series data (e.g., vital signs) may lack synchronization across modalities	• Dynamic time warping • Sliding window alignment • Temporal interpolation

Act) in the U.S., which mandate transparency and interpretability (Rele et al. 2024). Ensuring that fusion models comply with these regulations is an ongoing challenge.

The need for model interpretability and trust is crucial in the medical field. Developing translucent, explainable AI models will be essential for gaining clinician trust and adhering to regulatory standards.

5.3 Future Directions and Opportunities

Despite the challenges, the future of AI models with fusion data in the medical field is promising. Several key advancements can help overcome current limitations and push the limits of what is possible with AI in healthcare.

- **Advanced Fusion Techniques**: Future research will focus on developing more classy fusion techniques that can seamlessly integrate diverse data types, such as genomics, medical imaging, and clinical data (He et al. 2025). These techniques will improve the model's ability to learn from heterogeneous data sources and make more accurate predictions.
- **Personalized Medicine**: As the field of personalized medicine grows, AI models that use multi-modal data fusion will become increasingly important (Chen et al. 2024c). By incorporating patient-specific data, such as genetic information and medical history, AI models can be tailored to provide individualized treatment recommendations.
- **Collaborative and Federated Learning**: Federated learning, which allows models to be trained across decentralized data sources without the need for data sharing, could become a key solution for overcoming privacy concerns in medical AI (Kapila and Saleti 2025). Collaborative learning frameworks could enable healthcare institutions to jointly train AI models while keeping patient data secure.

The future of AI models with fusion data in healthcare holds significant promise, with advancements in fusion techniques, personalized medicine, and federated learning. These innovations will address current challenges and enable more powerful, personalized healthcare solutions. Developing AI models with fusion data presents both exciting opportunities and significant challenges. Issues such as data quality, model interpretability, and computational efficiency must be addressed to ensure the successful placement of these models in healthcare. However, as advancements in fusion techniques, personalized medicine, and federated learning continue to evolve, the future of AI in healthcare looks increasingly promising. These developments will enable more accurate, efficient, and personalized healthcare solutions, ultimately improving patient outcomes and transforming the medical field.

6 Conclusion

The integration of fusion data in developing advanced AI models holds immense promise for transforming various fields, particularly in healthcare. As discussed in this chapter, multi-modal fusion allows for a more holistic approach to learning from different data types, enabling AI systems to generate more accurate, efficient, and reliable predictions. However, the challenges of data quality, model interpretability, and computational efficiency need to be tackled to ensure the effective deployment of these models in real-world applications. The continued advancements in architecture design, such as CNNs, transformer models, and multi-task learning, will further enhance the ability to process diverse data sources, leading to improved outcomes in areas like medical diagnosis, disease detection, and treatment prediction. However, the path forward requires addressing the limitations that come with multi-modal fusion, including data preprocessing, handling missing or noisy data, and ensuring that models are interpretable and trustworthy.

Future directions suggest that advancements in fusion techniques, federated learning, and personalized medicine will expand the boundaries of AI in healthcare, enabling more precise and tailored healthcare solutions. Moreover, these innovations promise to overcome existing barriers to scalability, computational efficiency, and privacy, making the deployment of AI models in healthcare both feasible and impactful. Therefore, the fusion of multi-modal data in AI models is a powerful approach that will continue to evolve and play a crucial role in reshaping healthcare and other industries. By focusing on overcoming current challenges and embracing new advancements, the future of AI-powered decision-making is poised for transformative breakthroughs.

References

Albahri AS, Duhaim AM, Fadhel MA, Alnoor A, Baqer NS, Alzubaidi L, Albahri OS, Alamoodi AH, Bai J, Salhi A, Santamaría J, Ouyang C, Gupta A, Gu Y, Deveci M (2023) A systematic review of trustworthy and explainable artificial intelligence in healthcare: assessment of quality, bias risk, and data fusion. Inf Fus 96

Baumgart DC (2024) An intriguing vision for transatlantic collaborative health data use and artificial intelligence development. npj Digit Med 7(1)

Brancato V, Esposito G, Coppola L, Cavaliere C, Mirabelli P, Scapicchio C, Borgheresi R, Neri E, Salvatore M, Aiello M (2024) Standardizing digital biobanks: integrating imaging, genomic, and clinical data for precision medicine. J Transl Med 22(1)

Chen J, Wen Y, Pokojovy M, Tseng T-LB, McCaffrey P, Vo A, Walser E, Moen S (2024a) Multi-modal learning for inpatient length of stay prediction. Comput Biol Med 171

Chen J, Li Q, Liu F, Wen Y (2024b) M3T-LM: a multi-modal multi-task learning model for jointly predicting patient length of stay and mortality. Comput Biol Med 183

Chen X, Xie H, Tao X, Wang FL, Leng M, Lei B (2024c) Artificial intelligence and multimodal data fusion for smart healthcare: topic modeling and bibliometrics. Artif Intell Rev 57(4)

Dhasaratha C, Hasan MK, Islam S, Khapre S, Abdullah S, Ghazal TM, Alzahrani AI, Alalwan N, Vo N, Akhtaruzzaman M (2024) Data privacy model using blockchain reinforcement federated learning approach for scalable internet of medical things. CAAI Trans Intell Technol

Duan J, Xiong J, Li Y, Ding W (2024) Deep learning based multimodal biomedical data fusion: an overview and comparative review. Inf Fus 112

Hasan M, Yasmin F, Deng L (2023) Rule mining of early diabetes symptom and applied supervised machine learning and cross validation approaches based on the most important features to predict early-stage diabetes. Int J Innov Res Eng Multidiscip Phys Sci 11(3)

He Y, Huang F, Jiang X, Nie Y, Wang M, Wang J, Chen H (2025) Foundation model for advancing healthcare: challenges, opportunities and future directions | IEEE Journals & Magazine | IEEE Xplore. IEEE Rev Biomed Eng 18

Huang S-C, Pareek A, Seyyedi S, Banerjee I, Lungren MP (2020) Fusion of medical imaging and electronic health records using deep learning: a systematic review and implementation guidelines. npj Digit Med 3(1)

Jiao T, Guo C, Feng X, Chen Y, Song J (2024) A comprehensive survey on deep learning multi-modal fusion: methods, technologies and applications. Comput Mater Continua 80(1)

Kapila R, Saleti S (2025) Federated learning-based disease prediction: a fusion approach with feature selection and extraction. Biomed Signal Process Control 100

Khan S-u-R, Khan Z, Hossain MZ, Mayumu N, Yasmin F, Aziz Y (2024) Boosting the prediction of brain tumor using two stage BiGait architecture | IEEE Conference Publication | IEEE Xplore. In: 2024 International conference on digital image computing: techniques and applications (DICTA)

Kumar KP, Prathap BR, Thiruthuvanathan MM, Murthy H, Pillai VJ (2024) Secure approach to sharing digitized medical data in a cloud environment. Data Sci Manag 7(2)

Li H, Wu X-J (2024) CrossFuse: a novel cross attention mechanism based infrared and visible image fusion approach. Inf Fus 103

Liao T, Fu L, Zhang L, Yang L, Chen C, Ng MK, Huang H, Zheng Z (2025) Privacy-preserving vertical federated learning with tensor decomposition for data missing features | IEEE Journals & Magazine | IEEE Xplore

Liu J, Chen Q, Zhang Y, Wang Z, Deng X, Wang J (2024) Multi-level feature fusion network combining attention mechanisms for polyp segmentation. Inf Fus 104

Liu J, Cen X, Yi C, Wang F, Ding J, Cheng J, Wu Q, Gai B, Zhou Y, He R, Gao F, Li Y (2025) Challenges in AI-driven biomedical multimodal data fusion and analysis. Genom Proteom Bioinform

Loukil Z, Mirza QKA, Sayers W, Awan I (2023) A deep learning based scalable and adaptive feature extraction framework for medical images. Inf Syst Front 26(4)

Maqsood S, Damaševičius R, Shahid S, Forkert ND (2024) MOX-NET: Multi-stage deep hybrid feature fusion and selection framework for monkeypox classification. Exp Syst Appl 255

Mazher M, Razzak I, Qayyum A, Tanveer M, Beier S, Khan T, Niederer SA (2024) Self-supervised spatial–temporal transformer fusion based federated framework for 4D cardiovascular image segmentation. Inf Fus 106

Meng M, Fulham M, Feng D, Bi L, Kim J (2025) AutoFuse: automatic fusion networks for deformable medical image registration. Pattern Recogn 161

Mohsen F, Ali H, El Hajj N, Shah Z (2022) Artificial intelligence-based methods for fusion of electronic health records and imaging data. Sci Rep 12(1)

Murad NY, Hasan MH, Azam MH, Yousuf N, Yalli JS (2024) Unraveling the Black Box: a review of explainable deep learning healthcare techniques | IEEE Journals & Magazine | IEEE Xplore. IEEE Access 12

Ngo V-D, Vuong T-C, Van Luong T, Tran H (2023) Machine learning-based intrusion detection: feature selection versus feature extraction. Clust Comput 27(3)

Ortiz BL et al (2024) Data preprocessing techniques for AI and machine learning readiness: scoping review of wearable sensor data in cancer care. JMIR Mhealth Uhealth 12(1):e59587. https://mhealth.jmir.org/2024/1/e59587

Rele M, Julian A, Patil D, Krishnan U (2024) Multimodal data fusion integrating text and medical imaging data in El. Inf Syst Eng Manag

Schilcher J, Nilsson A, Andlid O, Eklund A (2024) Fusion of electronic health records and radiographic images for a multimodal deep learning prediction model of atypical femur fractures. Comput Biol Med 168

Shao W, Shi H, Liu J, Zuo Y, Sun L, Xia T, Chen W, Wan P, Sheng J, Zhu Q, Zhang D (2024) Multi-instance multi-task learning for joint clinical outcome and genomic profile predictions from the histopathological images | IEEE Journals & Magazine | IEEE Xplore. IEEE Trans Med Imaging 43(6)

Silcox C, Zimlichmann E, Huber K, Rowen N, Saunders R, McClellan M, Kahn CN, Salzberg CA, Bates DW (2024) The potential for artificial intelligence to transform healthcare: perspectives from international health leaders. npj Digit Med 7(1)

Tang P, Yan X, Nan Y, Hu X, Menze BH, Krammer S, Lasser T (2024) Joint-individual fusion structure with fusion attention module for multi-modal skin cancer classification. Pattern Recogn 154

Tian W, Yan Q, Huang X, Feng R, Shan F, Geng D, Zhang Z (2024) Predicting occult lymph node metastasis in solid-predominantly invasive lung adenocarcinoma across multiple centers using radiomics-deep learning fusion model. Cancer Imaging 24(1)

Veeramani N, Jayaraman P, Krishankumar R, Ravichandran KS, Gandomi AH (2024) DDCNN-F: double decker convolutional neural network 'F' feature fusion as a medical image classification framework. Sci Rep 14(1)

Wang W, Liang H, Zhang Z, Xu C, Wei D, Li W, Qian Y, Zhang L, Liu J, Lei D (2024a) Comparing three-dimensional and two-dimensional deep-learning, radiomics, and fusion models for predicting occult lymph node metastasis in laryngeal squamous cell carcinoma based on CT imaging: a multicentre, retrospective, diagnostic study. eClinicalMedicine 67

Wang F, Zhuang Z, Gao F, He R, Zhang S, Wang L, Liu J, Li Y (2024b) TMO-Net: an explainable pretrained multi-omics model for multi-task learning in oncology. Genome Biol 25(1)

Wang W, Deng L-J, Vivone G (2024c) A general image fusion framework using multi-task semi-supervised learning. Inf Fus 108

Wang Z, Li F, Cai J, Xue Z, Du K, Tao Y, Zhang H, Zhou Y, Fan H, Wang Z (2025) Identification of lesion bioactivity in hepatic cystic echinococcosis using a transformer-based fusion model. J Infect 90(4)

Wani NA, Kumar R, Bedi J, Rida I (2024) Explainable AI-driven IoMT fusion: unravelling techniques, opportunities, and challenges with explainable AI in healthcare. Inf Fus 110

Xie Y, Wang S, Zhang G, Takyi-Aninakwa P, Fernandez C, Blaabjerg F (2024) A review of data-driven whole-life state of health prediction for lithium-ion batteries: data preprocessing, aging characteristics, algorithms, and future challenges. J Energy Chem 97

Xie J, Sun L, Zhao YF (2025) On the data quality and imbalance in machine learning-based design and manufacturing—a systematic review. Engineering 45

Yang X, Huang K, Yang D, Zhao W, Zhou X (2024) Biomedical big data technologies, applications, and challenges for precision medicine: a review. Glob Chall 8(1)

Yasmin F, Hassan MM, Zaman S, Aung ST, Karim A, Azam S (2022) A forecasting prognosis of the Monkeypox outbreak based on a comprehensive statistical and regression analysis. Computation 10(10):177

Yasmin F, Hassan MM, Hasan M, Zaman S, Kaushal C, El-Shafai W, Soliman NF (2023a) PoxNet22: a fine-tuned model for the classification of Monkeypox disease using transfer learning | IEEE Journals & Magazine | IEEE Xplore. IEEE Access 11

Yasmin F, Hassan MM, Hasan M, Zaman S, Angon JH, Bairagi AK, Changchun Y (2023b) AQIPred: a hybrid model for high precision time specific forecasting of air quality index with cluster analysis. Human-Centric Intell Syst 3(3)

Yasmin F, Hassan MM, Hasan M, Zaman S, Bairagi AK, El-Shafai W, Fouad H, Chun YC (2023c) GastroNet: gastrointestinal polyp and abnormal feature detection and classification with deep learning approach | IEEE Journals & Magazine | IEEE Xplore. IEEE Access 11

Yu H, Dai Q (2024) Self-supervised multi-task learning for medical image analysis. Pattern Recogn 150

Zhang Y, Sheng M, Liu X et al (2022) A heterogeneous multi-modal medical data fusion framework supporting hybrid data exploration. Health Inf Sci Syst 10:22. https://doi.org/10.1007/s13755-022-00183-x

Zhao F, Zhang C, Geng B (2024) Deep multimodal data fusion. ACM Comput Surv 56(9)

Zhu Z, Liu Y, Yuan C-A, Qin X, Yang F (2024) A diffusion model multi-scale feature fusion network for imbalanced medical image classification research. Comput Methods Prog Biomed 256