

TESTING TYPE

Prepared by:

Name: Maham

Surname: M Irfan

Date: 10/24/2024

URL: <https://test.codeinformatics.com/about/>

Purpose of this document:

With the help of code informatics website, I define all types of testing which are necessary in the particular web application

S.NO	Table Of Content	Page No
1	What is software testing and types of testing	3
2	Back Box Testing	4
3	White Box testing	4-5
4	Functional Testing	6
5	Integration Testing	7
6	W3C validation	8
7	System Testing	8-9
8	Sanity Testing	10
9	Load Testing	11
10	stress Testing	11-12
11	Cross Browser Testing	12-13
12	conclusion	13

What is software Testing:

Software testing is the process of evaluating a software application to determine whether it meets specified requirements and is free of defects. It involves executing software/system components using manual or automated tools to evaluate one or more properties of interest.

Types Of Testing:

Back Box Testing

White Box testing

Functional Testing

Integration Testing

W3C validation

System Testing

Sanity Testing

Performance Testing

Unit testing


1. Load Testing

2. Stress Testing

3. Cross Browser Testing

1- Black box testing is a method that evaluates software functionality by examining inputs and outputs without knowledge of the internal code.

➤ **For Example:**



2- White box testing is a software testing technique that involves examining the internal code and structure of an application to verify its functionality and logic, focusing on code paths, conditions, and loops.

➤ **For Example:**



➤ Internal Code:



```

1
2
3 <!DOCTYPE html>
4 <html lang="en-US" class="no-js">
5   <head>
6     <meta charset="UTF-8" />
7     <meta content="width=device-width, initial-scale=1.0, minimum-scale=1.0, maximum-scale=1.0, user-scalable=no" name="viewport">
8
9     <link rel="profile" href="http://gmpg.org/xfn/11" />
10    <link rel="pingback" href="https://test.codeinformatix.com/xmlrpc.php" />
11
12    <title>About &#8211; Code Informatics</title>
13    <meta name='robots' content='max-image-preview:large' />
14    <link rel='dns-prefetch' href='//fonts.googleapis.com' />
15    <link rel="alternate" type="application/rss+xml" title="Code Informatics &raquo; Feed" href="https://test.codeinformatix.com/feed/" />
16    <link rel="alternate" type="application/rss+xml" title="Code Informatics &raquo; Comments Feed" href="https://test.codeinformatix.com/comments/feed/" />
17    <script type="text/javascript">
18      /* <![CDATA[ */
19      window._wpemojiSettings = {"baseUrl":"https:\\s.w.org\\images\\core\\emoji\\15.0.3\\72x72\\","ext":".png","svgUrl":"https:\\s.w.org\\images\\core\\emo
20      /*! This file is auto-generated */
21      !function(i,n){var o,s,e;function c(e){try{var t={supportTests:e,timestamp:(new Date).valueOf()};sessionStorage.setItem(o,JSON.stringify(t))}catch(e){}fu
22      /* ]]]> */
23    </script>
24    <link rel='stylesheet' id='jquery.prettyphoto-css' href='https://test.codeinformatix.com/wp-content/plugins/wp-video-lightbox/css/prettyPhoto.css?ver=6.6
25    <link rel='stylesheet' id='video-lightbox-css' href='https://test.codeinformatix.com/wp-content/plugins/wp-video-lightbox/wp-video-lightbox.css?ver=6.6.2
26    <link rel='stylesheet' id='nanosoft-fonts-css' href='https://fonts.googleapis.com/css?family=Poppins%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic
27    <link rel='stylesheet' id='nanosoft-components-css' href='https://test.codeinformatix.com/wp-content/themes/nanosoft/assets/css/components.css?ver=1.0.0'
28    <link rel='stylesheet' id='nanosoft-css' href='https://test.codeinformatix.com/wp-content/themes/nanosoft/assets/css/style.css?ver=1.0.0' type='text/css'

```

3- Functional Testing: This type of testing ignores the internal parts and focus on the output is as per requirement or not. Black-box type testing geared to functional requirements of an application.


➤ For Example:




4- Integration Testing: The primary goal is to identify interface defects and ensure that the integrated components work together correctly, validating interactions between modules and overall system behavior.

➤ **For Example:**

- Check every module



- Module 2



5- W3C Validation: is the process of checking a website's HTML or XML code against standards set by the World Wide Web Consortium (W3C) to ensure proper structure, compatibility, and accessibility.

➤ For Example:

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by

address

https://test.codeinformatix.com/contact-us/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 3; to line 6, column 26

```
<head>...<meta charset="UTF-8" />...<me
```

2. Warning Consider avoiding viewport values that prevent users from resizing documents.
From line 7, column 3; to line 7, column 128

```
F-8" />...<meta content="width=device-width, initial-scale=1.0, minimum-scale=1.0, maximum-scale=1.0, user-scalable=no" name="viewport">...<1
```

3. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 9, column 3; to line 9, column 54

```
port">...<link rel="profile" href="http://gmpg.org/xfn/11" />...<li
```

4. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 3; to line 10, column 76

```
/11" />...<link rel="pingback" href="https://test.codeinformatix.com/xmlrpc.php" />...<t
```

5. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 1; to line 13, column 56

```
s</title>...<meta name="robots" content="max-image-preview:large" />...<link
```


6. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 14, column 1; to line 14, column 57

```
large" />...<link rel="dns-prefetch" href="//fonts.googleapis.com" />...<link
```

7. Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 15, column 1; to line 15, column 135

6- System testing: is a comprehensive testing phase that evaluates the complete and integrated software application to ensure it meets specified requirements and functions correctly in its intended environment.


➤ **For Example:** check every function



7- Sanity testing: is a quick, focused test to verify that a particular function or bug fix works correctly after changes have been made to the software, ensuring that the system is stable enough for further testing.


➤ For Example:

- We go to home<then scroll down and check function of our mission and our vision click<to **see more** but no further details are given there is a bug we need to solve it urgent



8- Load testing checks how well a system performs when many users are using it at the same time to ensure it can handle heavy traffic without slowing down or crashing.

➤ For Example:



9- Stress testing: is a performance testing technique that evaluates how a system behaves under extreme conditions, such as heavy loads or high traffic, beyond its normal operational capacity.

➤ For Example:

Full name *

Organization *

Work email address *

Phone number *

Company size *

What is your inquiry about? *


How we can help you? *

SUBMIT


10- Cross Browser testing: is the process of verifying that a web application functions correctly across different web browsers and versions.

➤ For Example:

- Microsoft Edge



- Google Chrome:



Conclusion: Software quality assurance (QA) testing is a fundamental aspect of the software development lifecycle that ensures products meet specified requirements and standards. By systematically evaluating and validating software through various testing methodologies, QA helps identify defects early, enhances reliability, and improves overall user experience