



PROJECT REPORT

GROUP MEMBERS:

MAHAM FATIMA (FA19BSCS-0074)

AYESHA USMAN(FA19-BSCS-0059)

TANIA DEEDAR (FA19-BSCS-0097)

SUBMITTED TO:

Sir Amir Imam

Automation Website Automation

LIBRARIES :

Libraries we used to automate the website are:

1. OpenQA.Selenium
2. OpenQA.Selenium.Chrome
3. OpenQA.Selenium.Interaction
4. Microsoft.VisualStudio.TestTools.UnitTesting

ELEMENTS:

IWebElement: IWebElement is a selenium Web Element class which represents an HTML element (body, table, tr etc) on a page in your selenium automation code. With the IWebElement instance, you can interact with an element, retrieve its attributes and properties. Some of the methods of this interface are:

1. **Clear:** Clear the content of this element.
2. **Click:** Click this element.
3. **FindElement:** Finds the first IWebElement using the given method. (Inherited from ISearchContext.)

4. **GetAttribute:** Gets the value of the specified attribute for this element.
5. **GetCssValue:** Gets the value of a CSS property of this element.
6. **SendKeys:** Simulates typing text into the element.
7. **Submit:** Submits this element to the web server.

ChromeOptions:

Chromeoptions Class is a concept in Selenium Web Driver for manipulating various properties of the Chrome driver. The Chrome options class is generally used in conjunction with Desired Capabilities for customizing Chrome driver sessions. It helps you perform various operations like opening Chrome in maximized mode, disable existing extensions, disable pop-ups, etc.

IWebDriver:


The IWebDriver interface is the main interface to use for testing, which represents an idealized web browser. The methods in this class fall into three categories:

1. Control of the browser itself.
2. Selection of IWebElements.
3. Debugging aids

URL:

We use the URL property that belongs to the webdriver interface that calls our website.

<https://demoqa.com/text-box>



SystemThreading:

It helps to slow down the system and also to perform actions.

X-Path:

We use the find element interface to detect elements through their Xpath.

SwitchTo:

SwitchTo. frame (int frame Number) method allows the users to switch to a particular frame using the frame id. switchTo. frame (string frame Name) method allows the users to switch to a particular frame.

Assert:

The word Assert means to state a fact or belief confidently or forcefully. In Selenium, Asserts are validations or checkpoints for an application. Assertions state confidently that application behavior is working as expected. One can say that Asserts in Selenium are used to validate the test cases. They help testers understand if tests have passed or failed.

JavascriptExecutor:

1. JavaScriptExecutor is an interface provided by Selenium WebDriver. This interface allows us to execute the Javascript in the web application from Selenium WebDriver.
2. Just like for handling dropdowns, Selenium web driver has provided a class; i.e., Select. Using this select class one can perform the operations on dropdowns present in web applications.
3. We used a JavaScript executor to automated video and control all their elements.

WEBSITE:

We have created 13 test cases of the below website.

