

Workflow Cheatsheet

Files are buffers. Bufferline shows files. Panes are layout. Tabs are workspaces.

Leader: `Space`

Rescue: `Space ?`

Daily loop: `Space f` `H/L` `Space tt`

Core Actions

<code>Space f</code>	Find file on disk
<code>Space b</code>	Find open file
<code>H / L</code>	Prev / next open file
<code>Space /</code>	Search text in project
<code>Space e</code>	Explorer
<code>Space ?</code>	Find keymaps

Picker Mode

<code>Enter</code>	Open selection
<code>Ctrl-v</code>	Open in vertical pane
<code>Ctrl-x</code>	Open in horizontal pane
<code>Ctrl-t</code>	Open in Vim tab
<code>Alt-d</code>	Delete buffer in Space b
<code>Esc</code>	Close picker

Inside Telescope, use picker keys — not Space mappings.

Panes + Tabs

<code>Space v/h</code>	Vertical / horizontal pane
<code>Space x</code>	Close pane
<code>Ctrl-h/j/k/l</code>	Move panes
Arrows	Resize pane
<code>gt / gT</code>	Next / prev workspace tab
<code>:tabnew</code>	New workspace

Terminal + Code

<code>Space tt</code>	Terminal below
<code>Space tf</code>	Floating terminal
<code>Esc / jk</code>	Leave terminal mode
<code>gd / K</code>	Definition / docs
<code>Space r/a/F</code>	Rename / action / format
<code>gcc / gc</code>	Comment line / selection

Opening Workflows

Open a file	<code>Space f</code> -> type name -> <code>Enter</code>
Open beside current	<code>Space f</code> -> select file -> <code>Ctrl-v</code> vertical or <code>Ctrl-x</code> horizontal
Open test beside code	<code>Space f</code> implementation -> <code>Space f</code> test -> <code>Ctrl-v</code> -> <code>Ctrl-h/l</code>
Search then inspect	<code>Space /</code> query -> <code>Enter</code> result -> <code>gd</code> for definition if needed
Open separate context	<code>Space f</code> -> selected file -> <code>Ctrl-t</code> ; move workspaces with <code>gt/gT</code>

Terminal / Test Workflows

Run tests once	<code>Space tt</code> -> run test command -> <code>Esc</code> -> <code>Ctrl-k</code> back to code
Keep server running	<code>Space t1</code> for server -> <code>Space t2</code> for tests/logs
Quick shell command	<code>Space tf</code> -> run command -> close or <code>Esc</code> back out
Terminal got focus	<code>Esc</code> or <code>jk</code> leaves terminal mode; <code>Ctrl-h/j/k/l</code> moves panes

Project / Git Workflows

Review changed code	<code>Space /</code> search symbol -> <code>Space gp</code> preview current git hunk
Compare implementation	<code>Space f</code> target file -> <code>Ctrl-v</code> related file -> move with <code>Ctrl-h/l</code>
Read docs / README	<code>Space f</code> README or note -> <code>Space um</code> toggle Markdown render
Python environment	<code>Space V</code> select venv before relying on imports, hover, rename, or diagnostics

Buffer Workflows

Nearby open file	<code>H/L</code> until it appears in current pane
Far open file	<code>Space b</code> -> type part of filename -> <code>Enter</code>
Prune open files	<code>Space b</code> -> highlight file -> <code>Alt-d</code> ; repeat, then <code>Esc</code>
Close current file	<code>Space bd</code> closes the buffer; use <code>Space x</code> only to close the pane
Keep important file	<code>Space bp</code> pin it -> <code>Space bo</code> close other buffers

Editing / Debugging Workflows

Follow code path	<code>gd</code> definition -> <code>H/L</code> switch files -> <code>Ctrl-o</code> jump back if needed
Refactor name	<code>Space r</code> rename symbol -> <code>Space F</code> format
Fix warning	<code>jd</code> next diagnostic -> <code>Space a</code> code action -> <code>Space F</code>
Comment experiment	<code>gcc</code> current line; select lines then <code>gc</code> for block

Housekeeping / Recovery

Lost in mappings	<code>Space ?</code> search keymaps; press <code>Space</code> and pause for which-key
Wrong mode	<code>Esc</code> first, then leader mapping like <code>Space v</code> or <code>Space f</code>
Layout too messy	<code>Space =</code> equalize panes; <code>Space x</code> close extra pane; <code>Space bo</code> prune files
Save / quit / clipboard	<code>Space w</code> save; <code>Space q</code> quit; <code>Space y/p</code> clipboard

Rule: Space f opens files from disk; Space b switches already-open files; Ctrl-v/Ctrl-x inside Telescope opens splits.

Generated from `~/config/nvim`