Optics Centre

Done by: Mahdi Suleiman

Project brief:

Optics Centre is an E-commerce website for selling eye and

sunglasses all in one place where you pick your favourite frame, add

it to your basket and proceed to checkout.

Problem:

My parents own an optics centre which lacks a website with an

Admin dashboard to manage its users, orders and products. This

website aims to manage all of that in a single place. Also, pretty much

all other optics centres lack the same management system which is a

business opportunity where the platform can be sold to them.

Solution:

After setting with my parents trying to resolve and figure out what

they really need for a website that manage their optics centre I came

with this idea of a website.

Programming Languages:

- Front-end: HTML5, CSS3, SASS, JavaScript & ReactJS.
- Back-end: MySQL, PHP & Laravel.

Project Functionality:

- 1. The user can create an account.
- 2. The user can review glasses inside the website with ease.
- 3. The user can add to cart.
- 4. The user can proceed to checkout.
- 5. The user can view his/her cart.
- 6. Admin Dashboard.
- 7. The admin has access to all database tables.
- 8. The admin can view, add, edit and delete data on these tables.

Layout and visual Identity:


Colors and layout were chosen in a way to be simple, yet attractive and easy to use and navigate through the whole website.

Database schema:














Logic:

- Each category has many products (one-to-many).
- Each user has a cart, each cart has many products(one-to-many).
- Each user has many orders and orders can belong to the same user (many-to-many).

Pages:

Each page has Navbar and a footer allows users to navigate easily between pages.


- Landing Page:
 - o Landing Video
 - o Call to action button
 - o Featured products
 - o Testimonials
- Shop Page:
 - o All products
- Login Page
- Register Page
- Profile Page:
 - o Orders
 - o User's details
- Cart Page
- Checkout Page

Mockup, and code

Front-end

wireframe





Best sellers








Get your eyes checked



Testimonials





(3)

Round Metal


Total: \$360 Go to Checkout

\$360

 \times












Our Shop




































Code snippets of front-end:

App.js:

```
import './App.scss';
import { useState } from 'react';
import { Route, Routes } from "react-router-dom";
import glasses from './data/glasses/glasses';
import rooms from './data/rooms/rooms';
import NavBar from './components/navbar/navbar';
import HomePage from './pages/homepage/homepage';
import Footer from './components/footer/footer';
import Login from './components/login/login'
import Register from './components/register/register'
import GlassesShop from
./components/glasses-in-shop/glasses-in-shop'
import RoomsShop from './components/rooms-in-shop/rooms-in-shop'
import DetailedGlasses from
 ./components/detailed-glass/detailed-glass';
import DetailedRoom from './components/detailed-room/detailed-room';
import Cart from './components/cart/cart'
import CheckoutPage from './components/checkout-page/checkout-page'
```

```
import Userprofile from './components/user-profile/user-profile';
function App() {
  const [loggedUser, setLoggedUser] =
useState(JSON.parse(localStorage.getItem("loggedUser")));
  return (
    <div className="App">
      <NavBar loggedUser={loggedUser} setLoggedUser={setLoggedUser}</pre>
      <Routes>
        <Route exact path="/" element={<HomePage />} />
        <Route exact path="/login" element={<Login</pre>
setLoggedUser={setLoggedUser} />} />
        <Route exact path="/register" element={<Register</pre>
setLoggedUser={setLoggedUser} />} />
        <Route exact path="/glasses" element={<GlassesShop />} />
        <Route exact path="/rooms" element={<RoomsShop />} />
        <Route exact path="/glasses/:title"</pre>
element={<DetailedGlasses glasses={glasses} loggedUser={loggedUser}
setLoggedUser={setLoggedUser} />} />
        <Route exact path="/glasses/:title"</pre>
element={<DetailedGlasses setLoggedUser={setLoggedUser} />} />
        <Route exact path="/rooms/:title" element={<DetailedRoom</pre>
rooms={rooms} />} />
        <Route exact path="/cart" element={<Cart</pre>
setLoggedUser={setLoggedUser} />} />
        <Route exact path="/checkout" element={<CheckoutPage</pre>
setLoggedUser={setLoggedUser} />} />
        <Route exact path="/profile" element={<Userprofile</pre>
setLoggedUser={setLoggedUser} loggedUser={loggedUser} />} />
      </Routes>
      <Footer />
    </div>
  );
export default App;
```

Navbar.JSX

```
import React, { useState } from "react";
 import "./navbar.scss";
import { Link } from "react-router-dom";
 import { ReactComponent as ShoppingIcon } from
  "../../assets/shopping-bag.svg";
import logo from "../../assets/logo.png";
 import CartDropdown from "../cart-dropdown/cart-dropdown";
 const NavBar = (props) => {
    const [navBarActive, setNavBarActive] = useState(false)
    const [hidden, setHidden] = useState(true);
    const [hiddenCart, setHiddenCart] = useState(true);
    const showMenu = () => {
      setNavBarActive(!navBarActive)
      setHidden(true)
    };
    const handleHidden = () => {
      setHiddenCart(!hiddenCart)
    const signOut = () => {
      localStorage.removeItem("loggedUser");
      props.setLoggedUser("")
    }
    return (
      <header className="header" role={"banner"} id='navbar' >
        <div onClick={showMenu}>
          <i className="fas fa-bars burgerMenu"></i></i>
        </div>
        <nav className="nav">
          <div className="navCenter">
            <Link to="/"><img src={logo} alt="website logo"</pre>
  width={"100px"} /></Link>
          </div>
          topList`}>
            <1i>>
```

```
<Link className="active" to="/">
             Home
           </Link>
         <1i>>
           <Link to="/glasses">Shop</Link>
         <1i>>
           <Link to="/rooms">Appointment</Link>
         props.loggedUser ?
             <div className="sign-out">
               <1i>>
                 <Link to="/profile">Profile</Link>
               <Link to="/login">Sign Out</Link</pre>
                 >
             </div> :
             <
               <Link to="/login">Login</Link>
             }
       {props.loggedUser ? <div className="shoppingCart"</pre>
onClick={handleHidden}>
         <ShoppingIcon className="shopping-icon" />
         <span
className="item-count">{props.loggedUser.cartItems.reduce((tot
al, item) => total + item.quantity, 0)}</span>
       </div> : null}
     </nav>
     {hiddenCart ? null : <CartDropdown</pre>
loggedUser={props.loggedUser} handleHidden={setHiddenCart}
setLoggedUser={props.setLoggedUser} />}
   </header>
 );
export default NavBar;
```

Navbar.scss

```
.header {
    position: sticky;
   top: 0%;
    z-index: 1000;
    background-image: linear-gradient(120deg, rgba(255, 255, 255, 0)
0%, rgba(235, 237, 239, 0.8) 100%);
    background-color: #415161cc;
    box-shadow: 0 2px 5px 0 rgba(65, 82, 98, 0.3), 0 2px 10px 0
rgba(0, 0, 0, 0.2);
    .nav {
        display: flex;
        align-items: center;
        justify-content: space-around;
        transition: 0.3s ease-in-out;
        a {
            text-decoration: none;
            padding: 0.5rem 1rem;
            font-size: 1.5em;
            color: #415161;
            &:hover {
                color: #0084c1;
        }
        li {
            transition: 0.5s;
            &:hover {
                transform: translateY(3px);
        }
        a.active {
            color: #0084c1 !important;
```

```
}
    .burgerMenu {
        display: none;
        color: black;
        font-size: 2.7rem;
       margin-right: 0.3rem;
        cursor: pointer;
   }
    .shoppingCart {
        display: flex;
       width: 45px;
       height: 45px;
        position: absolute;
        align-items: center;
       justify-content: center;
        cursor: pointer;
       top: 1rem;
        right: 2.5rem;
   }
.logo {
   width: 0.625rem;
   height: 0.625rem;
   width: 5em;
   height: 2em;
.topList {
   display: flex;
   list-style: none;
.topIcon {
   font-size: 1.5rem;
   margin-right: 0.625rem;
   color: #434343;
   cursor: pointer;
.shopping-icon {
   width: 1.625em;
```


```
height: 1.625em;
.item-count {
    position: absolute;
    font-weight: bolder;
    bottom: 9px;
    font-size: 13px;
    color: red;
.sign-out {
    display: flex;
    text-align: center;
@media <mark>all and (max-width:</mark> 768px) {
    .header {
        position: relative;
        .burgerMenu {
            display: block;
            position: absolute;
            top: 1.4rem;
            right: 1.5rem;
        }
        .shoppingCart {
            position: absolute;
            top: 1.2rem;
            right: 6rem;
        }
    }
    .nav {
        flex-direction: column;
        align-items: stretch;
        ul {
            li {
                margin: 0.9rem 0;
```


```
.topList {
    display: none;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    margin-right: 0;
}


.activeBurger {
    display: flex;
}

.sign-out {
    flex-direction: column;
}
```

• Back-end mock-up:









#	Name	Category	Description	Price	Image url	Stock	Discount		
1	Aviator Classic	sunglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	100	/images/Aviator- Classic.jpg	10	0	Edit	Delete
2	Round Metal	sunglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	120	/images/Round- Metal.jpg	10	0	Edit	Delete
3	New Wayfarer Classic	sunglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	140	/images/New- Wayfarer-Classic.jpg	10	0	Edit	Delete
4	Original Wayfarer Classic	sunglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	160	/images/Original- Wayfarer-Classic.jpg	10	0	Edit	Delete
5	Clubmaster Classic	sunglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	180	/images/Clubmaster- Classic.jpg	10	0	Edit	Delete
6	Clubmaster Optics	eyeglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	90	/images/Clubmaster- Optics.jpg	10	0	Edit	Delete
7	Round Metal Optics	eyeglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	110	/images/Round-Metal- Optics.jpg	10	0	Edit	Delete
8	Hexagonal Optics	eyeglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	130	/images/Hexagonal- Optics.jpg	10	0	Edit	Delete
9	Aviator Optics	eyeglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	150	/images/Aviator- Optics.jpg	10	0	Edit	Delete
10	Erika Optics	eyeglasses	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam id dolor id nibh ultricies vehicula ut id elit.	170	/images/Erika- Optics.jpg	10	0	Edit	Delete

© Optics center, All Right Reserved.



■ Products■ Rooms

Laravel Login Register





• Back-end code snippets:

UserController.php

```
<?php
namespace App\Http\Controllers\admin;
use App\Http\Controllers\Controller;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
class UserController extends Controller
    * Display a listing of the resource.
     * @return \Illuminate\Http\Response
    public function index()
    {
        $users = User::where('role', 'user')->get();
        // dd($users);
        return view('layouts.admin.user.index', compact('users'));
    }
    * Show the form for creating a new resource.
     * @return \Illuminate\Http\Response
    public function create()
    {
        return view('layouts.admin.user.create');
    }
    * Store a newly created resource in storage.
```

```
* @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
   public function store(Request $request)
       // dd($request->mobile_number);
       $request->validate([
            'name' => 'required|min:2',
            'email' => 'required|email|unique:users,email',
            'password' => 'required|min:8',
            'mobile_number' => 'max:10',
        ]);
       $password = Hash::make($request->password);
       User::create([
            'name' => $request->name,
            'email' => $request->email,
            'password' => $password,
            'mobile number' => $request->mobile number
       ]);
        return redirect()->back()->with(['message' => 'User added
successfully']);
   }
     * Display the specified resource.
    * @param int $id
    * @return \Illuminate\Http\Response
   public function show($id)
   {
    }
    * Show the form for editing the specified resource.
    * @param int $id
    * @return \Illuminate\Http\Response
   public function edit($id)
```

```
$user = User::find($id);
        return view('layouts.admin.user.edit', compact('user'));
     * Update the specified resource in storage.
     * @param \Illuminate\Http\Request $request
    * @param int $id
     * @return \Illuminate\Http\Response
    public function update(Request $request, $id)
        if ($request->password != null) {
            $password = Hash::make($request->password);
            $request->validate([
                'name' => 'required|min:2',
                'password' => 'min:8',
                'mobile number' => 'max:10',
            1);
            $user = User::find($id);
            $user->update([
                'name' => $request->name,
                'password' => $password,
                'mobile number' => $request->mobile number
            ]);
            return redirect()->back()->with(['message' => 'edit was
successful']);
        }
        $request->validate([
            'name' => 'required|min:2',
            'mobile number' => 'max:10',
        1);
        $user = User::find($id);
        $user->update([
            'name' => $request->name,
            'email' => $request->email,
            'mobile number' => $request->mobile number
        ]);
        return redirect()->back()->with(['message' => 'edit was
successful']);
```

User.php:

```
<?php
```

```
namespace App\Models;
use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloguent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;
class User extends Authenticatable
    use HasApiTokens, HasFactory, Notifiable;
    public function rooms()
        return $this->hasMany(Room::class);
    }
     * The attributes that are mass assignable.
     * @var array<int, string>
    protected $fillable = [
        'name',
        'email',
        'password',
        'role',
        'mobile number'
    ];
     * The attributes that should be hidden for serialization.
     * @var array<int, string>
    protected $hidden = [
        'password',
        'remember_token',
    ];
     * The attributes that should be cast.
     * @var array<string, string>
```

```
protected $casts = [
         'email_verified_at' => 'datetime',
];
}
```

web.php

<?php

```
use App\Http\Controllers\admin\IndexController;
use App\Http\Controllers\admin\UserController;
use App\Http\Controllers\admin\CategoryController;
use App\Http\Controllers\admin\ProductController;
use App\Http\Controllers\admin\RoomController;
// use App\Http\Controllers\CategoryController;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Route;
 Web Routes
 Here is where you can register web routes for your application.
These
 routes are loaded by the RouteServiceProvider within a group which
 contains the "web" middleware group. Now create something great!
Route::get('/', function () {
   return view('welcome');
});
Auth::routes();
Route::get('/home', [App\Http\Controllers\HomeController::class,
'index'])->name('home');
Route::middleware(['IsAdmin'])->group(function () {
    Route::get('/admin/dashboard', [IndexController::class,
'index'])->name('admin.index');
    Route::get('/admin/users', [UserController::class,
index'])->name('admin.users');
    Route::get('/admin/users/add', [UserController::class,
create'])->name('admin.users.add');
    Route::post('/admin/users/add', [UserController::class,
store'])->name('admin.users.store');
```

```
Route::delete('/admin/users/{id}', [UserController::class,
destroy'])->name('admin.users.destroy');
    Route::get('/admin/users/edit/{id}', [UserController::class,
 edit'])->name('admin.users.edit');
    Route::put('/admin/users/edit/{id}', [UserController::class,
update'])->name('admin.users.update');
    Route::get('/admin/categories', [CategoryController::class,
index'])->name('admin.categories.index');
    Route::get('/admin/categories/add', [CategoryController::class,
 create'])->name('admin.categories.create');
    Route::post('/admin/categories/add', [CategoryController::class,
 store'])->name('admin.categories.store');
    Route::get('/admin/categories/edit/{id}',
[CategoryController::class, 'edit'])->name('admin.categories.edit');
    Route::put('/admin/categories/edit/{id}',
[CategoryController::class,
 update'])->name('admin.categories.update');
    Route::delete('/admin/categories/{id}',
[CategoryController::class,
destroy'])->name('admin.categories.destroy');
    Route::get('/admin/products', [ProductController::class,
index'])->name('admin.products.index');
    Route::get('/admin/products/add', [ProductController::class,
 create'])->name('admin.products.create');
    Route::post('/admin/products/add', [ProductController::class,
 store'])->name('admin.products.store');
    Route::get('/admin/products/edit/{id}',
[ProductController::class, 'edit'])->name('admin.products.edit');
    Route::put('/admin/products/edit/{id}',
[ProductController::class,
 update'])->name('admin.products.update');
    Route::delete('/admin/products/{id}', [ProductController::class,
destroy'])->name('admin.products.destroy');
    Route::get('/admin/rooms', [RoomController::class,
index'])->name('admin.rooms.index');
    Route::get('/admin/rooms/add', [RoomController::class,
 create'])->name('admin.rooms.create');
    Route::post('/admin/rooms/add', [RoomController::class,
 store'])->name('admin.rooms.store');
    Route::get('/admin/rooms/edit/{id}', [RoomController::class,
edit'])->name('admin.rooms.edit');
```

```
Route::put('/admin/rooms/edit/{id}', [RoomController::class,
'update'])->name('admin.rooms.update');
   Route::delete('/admin/rooms/{id}', [RoomController::class,
'destroy'])->name('admin.rooms.destroy');
});
```

User migration:

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;</pre>
```

```
use Illuminate\Support\Facades\Schema;
return new class extends Migration
     * Run the migrations.
     * @return void
    public function up()
        Schema::create('users', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->string('email')->unique();
            $table->timestamp('email_verified_at')->nullable();
            $table->string('password');
            $table->enum('role', ['admin',
user'])->default('user');
            $table->string('mobile_number')->nullable();
            $table->rememberToken();
            $table->timestamps();
        });
    }
     * Reverse the migrations.
     * @return void
    public function down()
        Schema::dropIfExists('users');
```

ProductSeeder.php:

```
<?php
namespace Database\Seeders;
```

```
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;
use Illuminate\Support\Facades\DB;
class ProductSeeder extends Seeder
    * Run the database seeds.
     * @return void
    public function run()
        DB::table('products')->insert([
                'category_id' => 2,
                'name' => "Aviator Classic",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Aviator-Classic.jpg",
                'price' => 100,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 2,
                'name' => "Round Metal",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Round-Metal.jpg",
                'price' => 120,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 2,
                'name' => "New Wayfarer Classic",
                'description' =>
```

```
"Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image url' => "/images/New-Wayfarer-Classic.jpg",
                'price' => 140,
                'stock' => 10,
                'discount' => 0
            ],
                'category id' => 2,
                'name' => "Original Wayfarer Classic",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' =>
"/images/Original-Wayfarer-Classic.jpg",
                'price' => 160,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 2,
                'name' => "Clubmaster Classic",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image url' => "/images/Clubmaster-Classic.jpg",
                'price' => 180,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 1,
                'name' => "Clubmaster Optics",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Clubmaster-Optics.jpg",
```

```
'price' => 90,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 1,
                'name' => "Round Metal Optics",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Round-Metal-Optics.jpg",
                'price' => 110,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 1,
                'name' => "Hexagonal Optics",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Hexagonal-Optics.jpg",
                'price' => 130,
                'stock' => 10,
                'discount' => 0
            ],
                'category_id' => 1,
                'name' => "Aviator Optics",
                'description' =>
                "Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Nullam id dolor id nibh ultricies vehicula ut id elit. Nullam
id dolor id nibh ultricies vehicula ut id elit.",
                'image_url' => "/images/Aviator-Optics.jpg",
                'price' => 150,
                'stock' => 10,
                'discount' => 0
```