

database/03_views.sql

```
-- Simple view: persons and their derived age.
create or replace view vw_person_basic as
select person_id,
       first_name,
       last_name,
       date_of_birth,
       gender,
       email,
       trunc(months_between(
           sysdate,
           date_of_birth
       ) / 12) age
from person;

-- Complex view: subtype/role membership.
create or replace view vw_person_roles as
select p.person_id,
       p.first_name,
       p.last_name,
       p.date_of_birth,
       p.gender,
       p.email,
       trunc(months_between(
           sysdate,
           p.date_of_birth
       ) / 12) age,
       rtrim(
           case
               when d.person_id is not null then
                   'DOCTOR,'
           end
           ||
           case
               when v.person_id is not null then
                   'VOLUNTEER,'
           end
           ||
           case
               when s.person_id is not null then
                   'SUPERVISOR,'
           end
           ||
           case
               when e.person_id is not null then
                   'EMPLOYEE,'
           end
           ||
           case
               when a.person_id is not null then
                   'ADOPTER,'
           end
           ||
           case
               when o.person_id is not null then
                   'OWNER,'
           end
           ||
           case
               when dn.person_id is not null then
                   'DONOR,'
           end,
           ','
       ) roles
from person p
left join doctor d
on d.person_id = p.person_id
left join volunteer v
on v.person_id = p.person_id
left join supervisor s
on s.person_id = p.person_id
left join employee e
```

```

on e.person_id = p.person_id
  left join adopter a
on a.person_id = p.person_id
  left join owner o
on o.person_id = p.person_id
  left join donor dn
on dn.person_id = p.person_id;

create or replace view vw_role_directory as
  select 'DOCTOR' role_name,
         p.person_id,
         p.first_name
         || ' '
         || p.last_name full_name,
         d.specialization details,
         d.salary amount
    from doctor d
  join person p
on p.person_id = d.person_id
union all
  select 'VOLUNTEER',
         p.person_id,
         p.first_name
         || ' '
         || p.last_name,
         v.skill,
         null
    from volunteer v
  join person p
on p.person_id = v.person_id
union all
  select 'SUPERVISOR',
         p.person_id,
         p.first_name
         || ' '
         || p.last_name,
         'Shelter and adoption supervision',
         null
    from supervisor s
  join person p
on p.person_id = s.person_id
union all
  select 'EMPLOYEE',
         p.person_id,
         p.first_name
         || ' '
         || p.last_name,
         e.position,
         e.salary
    from employee e
  join person p
on p.person_id = e.person_id
union all
  select 'ADOPTER',
         p.person_id,
         p.first_name
         || ' '
         || p.last_name,
         a.occupation,
         null
    from adopter a
  join person p
on p.person_id = a.person_id
union all
  select 'DONOR',
         p.person_id,
         p.first_name
         || ' '
         || p.last_name,
         d.occupation,
         d.donation_amount
    from donor d
  join person p

```

```

on p.person_id = d.person_id
union all
select 'OWNER',
      p.person_id,
      p.first_name
      || ' '
      || p.last_name,
      o.occupation,
      null
from owner o
join person p
on p.person_id = o.person_id;

```

```
create or replace view vw_pet_details as
```

```

select p.pet_id,
      p.name,
      p.species,
      p.breed,
      p.dob,
      trunc(months_between(
        sysdate,
        p.dob
      ) / 12) age,
      p.weight,
      case
        when l.pet_id is not null then
          'LOCAL'
        when g.pet_id is not null then
          'GUEST'
      end pet_type,
      l.adoption_status,
      l.in_take_date,
      g.check_in_date,
      g.relevant_time,
      ps.shelter_id,
      case
        when g.pet_id is not null then 'OWNER'
        when ap.status = 'ADOPTED' then 'ADOPTER'
        when ap.status = 'APPROVED' then 'ASSIGNED EMPLOYEE'
        when ss.supervisor_id is not null then 'SHELTER SUPERVISOR'
        else 'UNASSIGNED'
      end responsibility_type,
      case
        when g.pet_id is not null then owner_person.person_id
        when ap.status = 'ADOPTED' then adopter_person.person_id
        when ap.status = 'APPROVED' then employee_person.person_id
        else supervisor_person.person_id
      end responsible_id,
      case
        when g.pet_id is not null then owner_person.first_name || ' ' || owner_person.last_name
        when ap.status = 'ADOPTED' then adopter_person.first_name || ' ' || adopter_person.last_name
        when ap.status = 'APPROVED' then employee_person.first_name || ' ' || employee_person.last_name
        when ss.supervisor_id is not null then supervisor_person.first_name || ' ' || supervisor_person.last_name
        else 'Not assigned'
      end responsible_name
from pet p
left join local_pet l
on l.pet_id = p.pet_id
left join guest_pet g
on g.pet_id = p.pet_id
left join (
  select pet_id,min(owner_id) owner_id
  from guest_pet_owner
  group by pet_id
) gpo on gpo.pet_id=p.pet_id
left join person owner_person on owner_person.person_id=gpo.owner_id
left join (
  select local_pet_id,adopter_id,employee_id,status
  from (
    select adoption_process.*,
           row_number() over(
             partition by local_pet_id
             order by case status when 'ADOPTED' then 1 when 'APPROVED' then 2 when 'PENDING' then 3 else 4 end,

```

```

        apply_date desc,adoption_id desc
    ) rn
    from adoption_process
)
where rn=1
) ap on ap.local_pet_id=p.pet_id
left join person adopter_person on adopter_person.person_id=ap.adopter_id
left join person employee_person on employee_person.person_id=ap.employee_id
left join (
    select pet_id,min(shelter_id) shelter_id
    from pet_shelter
    group by pet_id
) ps on ps.pet_id=p.pet_id
left join (
    select shelter_id,min(supervisor_id) supervisor_id
    from shelter_supervision
    group by shelter_id
) ss on ss.shelter_id=ps.shelter_id
left join person supervisor_person on supervisor_person.person_id=ss.supervisor_id;

```

create or replace view vw_shelter_overview as

```

select s.shelter_id,
       s.room_type,
       nvl(
           p.pet_count,
           0
       ) pet_count,
       nvl(
           r.rescue_count,
           0
       ) rescue_count,
       sup.supervisor_name
from shelter s
left join (
    select shelter_id,
           count(*) pet_count
    from pet_shelter
    group by shelter_id
) p
on p.shelter_id = s.shelter_id
left join (
    select shelter_id,
           count(*) rescue_count
    from rescue_shelter
    group by shelter_id
) r
on r.shelter_id = s.shelter_id
left join (
    select ss.shelter_id,
           pe.first_name
           || ' '
           || pe.last_name supervisor_name
    from shelter_supervision ss
    join person pe
    on pe.person_id = ss.supervisor_id
) sup
on sup.shelter_id = s.shelter_id;

```

-- UPDATED: LEFT JOIN REMOVED

create or replace view vw_rescue_details as

```

select r.rescue_id,
       r.rescue_date,
       r.location,
       rs.shelter_id,
       v.volunteer_id,
       p.first_name
       || ' '
       || p.last_name volunteer_name
from rescue r
join rescue_shelter rs
on rs.rescue_id = r.rescue_id

```

```

    join volunteer_rescue v
  on v.rescue_id = r.rescue_id
  join person p
  on p.person_id = v.volunteer_id;

```

```

create or replace view vw_adoption_applications as
select ap.adoption_id,
       ap.apply_date,
       ap.status,
       ap.adopter_id,
       ad.first_name
       || ' '
       || ad.last_name adopter_name,
       ap.employee_id,
       em.first_name
       || ' '
       || em.last_name employee_name,
       ap.local_pet_id,
       pet.name pet_name,
       am.supervisor_id,
       su.first_name
       || ' '
       || su.last_name supervisor_name,
       am.assign_date review_date
  from adoption_process ap
 join person ad
  on ad.person_id = ap.adopter_id
 left join person em
  on em.person_id = ap.employee_id
 join pet pet
  on pet.pet_id = ap.local_pet_id
 left join adoption_management am
  on am.adoption_id = ap.adoption_id
 left join person su
  on su.person_id = am.supervisor_id;

```

```

create or replace view vw_medical_details as
select mr.record_id,
       mr.pet_id,
       p.name pet_name,
       mr.health_status,
       mr.diagnosis,
       mr.treatment,
       m.medicine_id,
       m.dosage,
       m.price medicine_price,
       v.vaccine_id,
       v.vaccine_name,
       v.v_date,
       v.next_dose,
       v.price vaccine_price
  from medical_record mr
 join pet p
  on p.pet_id = mr.pet_id
 left join medical_record_medicine mrm
  on mrm.record_id = mr.record_id
 left join medicine m
  on m.medicine_id = mrm.medicine_id
 left join medical_record_vaccination mrv
  on mrv.record_id = mr.record_id
 left join vaccination v
  on v.vaccine_id = mrv.vaccine_id;

```

```

create or replace view vw_finance_summary as
select f.opening_balance,
       i.total_income,
       e.total_expenses,
       i.total_income - e.total_expenses net_activity,
       f.opening_balance + i.total_income - e.total_expenses available_balance

```

```

    from (
        select nvl(sum(current_balance),0) opening_balance
        from finance
    ) f
    cross join (
        select nvl(sum(i.amount),0) total_income
        from income i
        where exists (
            select 1 from finance_income fi where fi.source_id=i.source_id
        )
    ) i
    cross join (
        select nvl(sum(e.amount),0) total_expenses
        from expenses e
        where exists (
            select 1 from finance_expense fe where fe.source_id=e.source_id
        )
    ) e;

```

```

create or replace view vw_salary_details as
select s.salary_id,
       s.recorded_by_supervisor_id,
       sp.first_name
       || ' '
       || sp.last_name recorded_by,
       s.payee_id,
       pp.first_name
       || ' '
       || pp.last_name payee_name,
       s.payee_role,
       s.salary_month,
       to_char(
           s.payment_date,
           'YYYY-MM-DD'
       ) payment_date,
       s.expense_source_id,
       x.source_name,
       s.salary_amount
from salary s
join person sp
on sp.person_id = s.recorded_by_supervisor_id
join person pp
on pp.person_id = s.payee_id
join expenses x
on x.source_id = s.expense_source_id;

```

```

create or replace view vw_dashboard_stats as
select (
    select count(*)
    from person
) person_count,
(
    select count(*)
    from pet
) pet_count,
(
    select count(*)
    from local_pet
    where adoption_status = 'AVAILABLE'
) available_local_pets,
(
    select count(*)
    from adoption_process
    where status = 'PENDING'
) pending_applications,
(
    select count(*)
    from rescue
) rescue_count,
(
    select nvl(

```

```
        sum(amount),
        0
    )
    from income
) total_income,
(
    select nvl(
        sum(amount),
        0
    )
    from expenses
) total_expenses
from dual;
```