

Source Code of Kitchen Story

1.Home

```
<!DOCTYPE html>

<html>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
<style>
  .placebutton {
    padding-right: auto;
  }
  .button {
    font-size: auto;
    transition-duration: 0.4s;
    float:right;
  }
  .button:hover {
    background-color: white;
  }
</style>
  <meta charset="utf-8" />
  <title>Shop Kitchen Story</title>
  <link rel="stylesheet" href="Style.css" />
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css" />
  <script>
function stickyMenu() {
  var sticky = document.getElementById('sticky');
  if (window.pageYOffset > 220) {
    sticky.classList.add('sticky');
  }
  else {
    sticky.classList.remove('sticky');
  }
}

window.onscroll = function () {
  stickyMenu();
}
function searchfunc() {
  var input, filter, ul, li, a, i;
  input = document.getElementById("myInput");
  filter = input.value.toUpperCase();
  a = document.getElementsByClassName("dropdown-item");
```

```

    for (i = 0; i < a.length; i++) {
        txtValue = a[i].textContent || a[i].innerText;
        console.log(1);
        if (txtValue.toUpperCase().indexOf(filter) > -1 && filter.length !=
0) {
            a[i].style.display = "block";
        } else {
            a[i].style.display = "none";
        }
    }
}
var cartinformation = 0;

function AddtoCart(product) {

    var lb = 1;
    var price;

    if (cartinformation == "")
        cartinformation = 1;
    else
        cartinformation = 1 + cartinformation;

    if (product == "RedBeans") {
        var e = document.getElementById("redbeansqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 2;
    }

    else if ((product == "PintoBeans")) {
        var e = document.getElementById("pbqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 3;
    }

    else if ((product == "BlackBeans")) {
        var e = document.getElementById("bblb");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 3;
    }

    else if ((product == "Potatoes")) {
        var e = document.getElementById("potatoesqty");

```

```
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 1;
    }

    else if ((product == "Onion")) {
        var e = document.getElementById("onionqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 3;
    }

    else if ((product == "Zucchini")) {
        var e = document.getElementById("zucchiniqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 4;
    }

    else if ((product == "Apple")) {
        var e = document.getElementById("appleqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 3;
    }

    else if ((product == "Banana")) {
        var e = document.getElementById("bananaqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 1;
    }

    else if ((product == "Kiwi")) {
        var e = document.getElementById("kiwiqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 8;
    }

    else if ((product == "Almonds")) {
        var e = document.getElementById("almondsqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 4;
    }
    else if ((product == "Cashew")) {
        var e = document.getElementById("cashewqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 5;
    }
    else if ((product == "Walnuts")) {
```

```

        var e = document.getElementById("walnutsqty");
        lb = e.options[e.selectedIndex].text;
        price = '$' + e.options[e.selectedIndex].value * 8;
    }

    var newdata = "";
    var soupdetails = product + "~" + lb + "~" + price;
    var olddata = sessionStorage.getItem("Cartdetails");
    if (olddata == null)
        newdata = soupdetails;
    else
        newdata = olddata + ";" + soupdetails;
    sessionStorage.setItem("Cartdetails", newdata);

    document.getElementById('lblCartDetails').innerText =
cartinformation;
    }
</script>
</head>
<body>
    <div class="parallax">
        <div class="page-title">
            Welcome to Kitchen Story
        </div>
    </div>
    <div class="menu" id="sticky">
        <ul class="menu-ul">
            <a href="#" class="a-menu"><li>Home</li></a>
            <a href="ShoppingCart.html" class="a-menu"><li>Shopping Cart</li></a>
            <a href="Login.html" class="a-menu"><li>Login</li></a>
            <a href="Register.html" class="a-menu"><li>Register</li></a>

        </ul>
        <div class="search-box" id="myDropdown">
            <form>
                <input type="text" placeholder="Search" name="search"
class="search-input" id="myInput" onkeyup="searchfunc()" />

                <button type="submit"><i class="fa fa-search"></i></button>
            </form>
        </div>
        <div class="dropdown-content">
            <ul class="dropdown-list">
                <li><a href="#beans" class="dropdown-item">Beans</a></li>

```

```

        <li><a href="#vegetables" class="dropdown-
item">Vegetables</a></li>
        <li><a href="#fruits" class="dropdown-item">Fruits</a></li>
        <li><a href="#nuts" class="dropdown-item">Nuts</a></li>
        <li><a href="#beans" class="dropdown-item">Red Beans</a></li>
        <li><a href="#beans" class="dropdown-item">Pinto Beans</a></li>
        <li><a href="#beans" class="dropdown-item">Black Beans</a></li>
        <li><a href="#vegetables" class="dropdown-item">Potatoes</a></li>
        <li><a href="#vegetables" class="dropdown-item">Onion</a></li>
        <li><a href="#vegetables" class="dropdown-item">Zucchini</a></li>
        <li><a href="#fruits" class="dropdown-item">Apple</a></li>
        <li><a href="#fruits" class="dropdown-item">Kiwi</a></li>
        <li><a href="#fruits" class="dropdown-item">Banana</a></li>
        <li><a href="#nuts" class="dropdown-item">Almonds</a></li>
        <li><a href="#nuts" class="dropdown-item">Walnuts</a></li>
        <li><a href="#nuts" class="dropdown-item">Cashew</a></li>
    </ul>
</div>
</div>
<div class="container">
    <a href="#beans">
        <div class="container-categories">
            
            <div class="image-title">Beans</div>
        </div>
    </a>
    <a href="#vegetables">
        <div class="container-categories">
            
            <div class="image-title">Vegetables</div>
        </div>
    </a>
    <a href="#fruits">
        <div class="container-categories">
            
            <div class="image-title">Fruits</div>
        </div>
    </a>
    <a href="#nuts">
        <div class="container-categories">
            
            <div class="image-title">Nuts</div>
        </div>
    </a>

```

```

</div>
<div class="deals-container" id="beans">
  <div class="parallax">
    <div class="title">BEANS</div>
  </div>
  <div class="items" id="RedBeans">
    <div class="images">
      
    </div>
    <div class="description">
      <b>Red Beans</b><br />
      <div class="item-select">
        Price : $2/lb
      </div>
      <label>Qty:</label>
      <select class="item-select" id="redbeansqty">
        <option value="1">1 lb</option>
        <option value="2">2 lb</option>
        <option value="3">3 lb</option>
        <option value="4">4 lb</option>
      </select><br />
      <button class="buynow-btn" onclick="AddtoCart('RedBeans')">Add To
Cart</button>
    </div>
  </div>
  <div class="items" id="PintoBeans">
    <div class="images">
      
    </div>
    <div class="description">
      <b>Pinto Beans</b><br />
      <div class="item-select">
        Price : $3/lb
      </div>
      <label>Qty:</label>
      <select class="item-select" id="pbqty">
        <option value="1">1 lb</option>
        <option value="2">2 lb</option>
        <option value="3">3 lb</option>
        <option value="4">4 lb</option>
      </select><br />
      <button class="buynow-btn"
onclick="AddtoCart('PintoBeans')">Add To Cart</button>
    </div>
  </div>

```

```

<div class="items" id="BlackBeans">
  <div class="images">
    
  </div>
  <div class="description">
    <b>Black Beans</b><br />
    <div class="item-select">
      Price : $3/lb
    </div>
    <label>Qty:</label>
    <select class="item-select" id="bblb">
      <option value="1">1 lb</option>
      <option value="2">2 lb</option>
      <option value="3">3 lb</option>
      <option value="4">4 lb</option>
    </select><br />
    <button class="buynow-btn"
onclick="AddtoCart('BlackBeans')">Add To Cart</button>
  </div>
</div>
<div class="deals-container" id="vegetables">
  <div class="parallax">
    <div class="title">VEGETABLES</div>
  </div>
  <div class="items" id="Potatoes">
    <div class="images">
      
    </div>
    <div class="description">
      <b>Potatoes</b><br />
      <div class="item-select">
        Price : $1/lb
      </div>
      <label>Qty:</label>
      <select class="item-select" id="potatoesqty">
        <option value="1">1 lb</option>
        <option value="2">2 lb</option>
        <option value="3">3 lb</option>
        <option value="4">4 lb</option>
      </select><br />
      <button class="buynow-btn"
onclick="AddtoCart('Potatoes')">Add To Cart</button>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
    <div class="items" id="Onion">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Onion</b><br />
            <div class="item-select">
                Price : $3/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="onionqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Onion')">Add To Cart</button>
        </div>
    </div>
    <div class="items" id="Zucchini">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Zucchini</b><br />
            <div class="item-select">
                Price : $4/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="zucchiniqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Zucchini')">Add To Cart</button>
        </div>
    </div>
</div>
<div class="deals-container" id="fruits">
    <div class="parallax">

```



```

        <div class="title">FRUITS</div>
    </div>
    <div class="items" id="Apple">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Apple</b><br />
            <div class="item-select">
                Price : $3/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="appleqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Apple')">Add To Cart</button>
        </div>
    </div>
    <div class="items" id="Banana">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Banana</b><br />
            <div class="item-select">
                Price : $1/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="bananaqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Banana')">Add To Cart</button>
        </div>
    </div>
    <div class="items" id="Kiwi">
        <div class="images">
            

```

```

    </div>
    <div class="description">
        <b>Kiwi</b><br />
        <div class="item-select">
            Price : $8/dozen
        </div>
        <label>Qty:</label>
        <select class="item-select" id="kiwiqty">
            <option value="1">1 dozen</option>
            <option value="2">2 dozen</option>
            <option value="3">3 dozen</option>
            <option value="4">4 dozen</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Kiwi')">Add To Cart</button>
    </div>
</div>

<div class="deals-container" id="nuts">
    <div class="parallax">
        <div class="title">NUTS</div>
    </div>
    <div class="items" id="Almonds">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Almonds</b><br />
            <div class="item-select">
                Price : $4/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="almondsqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Almonds')">Add To Cart</button>
        </div>
    </div>
    <div class="items" id="Cashew">
        <div class="images">

```

```

        
    </div>
    <div class="description">
        <b>Cashew</b><br />
        <div class="item-select">
            Price : $5/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="cashewqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Cashew')">Add To Cart</button>
    </div>
</div>
<div class="items" id="Walnuts">
    <div class="images">
        
    </div>
    <div class="description">
        <b>Walnuts</b><br />
        <div class="item-select">
            Price : $8/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="walnutsqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Walnuts')">Add To Cart</button>
    </div>
</div>
</div>
</body>
</html>

```

2.Css for Home

```
body {
  margin: 0;
  font-family: system-ui;
  background-color: #ccffff;
}

.parallax {
  background-image: url(images/food.jpg);
  height: auto;
  background-attachment: fixed;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
}

.page-title {
  background: rgba(0,0,0,0.5);
  text-align: center;
  color: rgb(255, 255, 255);
  padding: 50px;
  font-variant: small-caps;
  font-size: 80px;
  font-family: cursive;
  letter-spacing: 20px;
}

.sticky {
  position: relative;
  top: 0;
  width: auto;
}

.menu {
  background: linear-gradient(to bottom, #197e75 0%, #dfdad1 104%);
  text-align: justify;
}

.menu-ul {
  margin: 0;
  padding: 0;
  display: inline;
}

.menu-ul li {
  font-size: 17px;
```

```
        list-style: inside;
        display: inline;
        padding: 25px 25px 26px 25px;
    }

.a-menu {
    text-decoration: none;
    color: rgb(0, 0, 0);
}

.menu-ul li:hover {
    background: #a19e9a50;
    transform: scale(1.1);
}

.search-box {
    border: 1px solid rgba(255, 255, 255, 0.589);
    border-radius: 50px;
    background: white;
    width: auto;
    display: inline-block;
    margin: 8px;
}

.dropdown-content {
    position: absolute;
    background-color: #fff;
    min-width: auto;
    overflow: auto;
    z-index: 1;
    right: 600px;
}

.dropdown-content a {
    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: none;
}

.dropdown a:hover {
    background-color: #ddd;
}

.search-input {
```

```
text-size-adjust: auto;
width: auto;
border: none;
font-size: auto;
outline: none;
background: transparent;
margin: auto;
}

i {
  font-size: 20px;
  margin: 0 10px 0 0;
}

button {
  background: transparent;
  border: none;
  outline: none;
}

.dropdown-list {
  list-style-type: none;
}

.container, .deals-container {

  width: 100%;
  text-align: center;
}

.container-categories, .items {
  width: initial;
  margin: 25px;
  border: 1px solid black;
  border-radius: 50px 50px 50px 50px;
  display: inline-block;
}

.container-categories:hover, .items:hover {
  box-shadow: 0 0 10px 3px #184d47;
}

.item-image {
  height: 200px;
  width: 300px;
}
```

```
border-radius: 0 0 50px 50px;
padding: 10px;
border-radius: 50px;
}

.item-title {
  text-align: center;
  padding: auto;
  font-weight: bold;
}

a {
  text-decoration: none;
}

.title {
  padding: auto;
  font-size: 300%;
  font-weight: bold;
  letter-spacing: 100%;
  color: white;
  background: rgba(0,0,0,0.5);
}

.images {
  display: inline-block;
}

.item-image-size {
  height: 200px;
  width: 300px;
  padding: 5px;
  border-radius: 50px;
}

.description {
  margin: auto;
  min-height: auto;
}

.item-select {
  margin: 10px 0 0 0;
}

.buynow-btn {
```

```

border: 1px solid #184d47;
background: #184d47;
padding: 5px 15px;
border-radius: 20px;
font-weight: bold;
margin-top: 10px;
color: white;
}

.buynow-btn:hover {
    border: 1px solid #5b8c5a;
    box-shadow: 0 0 10px 5px #1513ac inset;
}

.copyrights {
    font-size: auto;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
    text-align: left;
    margin: auto;
}

.footer {
    position: fixed;
    left: 0;
    bottom: 0;
    width: 100%;
    background-color: blue;
    color: white;
    text-align: left
}

```

3.Login

```

<!DOCTYPE html>
<html>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-awesome.min.css">
    <style>
        body
    {
        margin: 0;
    }

```



```
padding: 0;
background-color:#6abadeba;
font-family: 'Arial';
}
.login{
    width: 382px;
    overflow: hidden;
    margin: auto;
    margin: 20 0 0 450px;
    padding: 80px;
    background: #23463f;
    border-radius: 15px ;
}
h2{
    text-align: center;
    color: #277582;
    padding: 20px;
}
label{
    color: #08ffd1;
    font-size: 17px;
}
#Uname{
    width: 300px;
    height: 30px;
    border: none;
    border-radius: 3px;
    padding-left: 8px;
}
#Pass{
    width: 300px;
    height: 30px;
    border: none;
    border-radius: 3px;
    padding-left: 8px;
}
#log{
    width: 200px;
    height: 30px;
    border: none;
    border-radius: 17px;
    padding-left: 7px;
    position: relative;
```

```

        color: blue;
    }
    span{
        color: white;
        font-size: 17px;
    }

    </style>
</head>
<body>
    <h2>Login Page</h2><br>
    <div class="login">
        <form id="login" method="get">
            <label><b>User Name </b> </label>
            <input type="text" name="Uname" id="Uname" placeholder="Username">
            <br><br>
            <label><b>Password
            </b>
            </label>
            <input type="Password" name="Pass" id="Pass" placeholder="Password">
            <br><br>
            <a href="KitchenStoryMain.html"><input type="button" name="log" id="log"
value="Login" class="btn btn-primary" value="Login"></a>
            <br><br>
        </form>
    </div>
</body>
</html>

```

4.Register

```

<!DOCTYPE html>
<html>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
    <style>
        body
    {
        margin: 0;
        padding: 0;
        background-color:#6abadeba;
        font-family: 'Arial';
    }

```

```

}
.register{
    width: 382px;
    overflow: hidden;
    margin: auto;
    margin: 20 0 0 450px;
    padding: 80px;
    background: #23463f;
    border-radius: 15px ;
}
h2{
    text-align: center;
    color: #277582;
    padding: 20px;
}
label{
    color: #08ffd1;
    font-size: 17px;
}
#Uname,#password,#number,#email{
    width: 300px;
    height: 30px;
    border: none;
    border-radius: 3px;
    padding-left: 8px;
}
#log{
    width: 200px;
    height: 30px;
    border: none;
    border-radius: 17px;
    padding-left: 7px;
    position: relative;
    color: blue;
}
span{
    color: white;
    font-size: 17px;
}

</style>
<meta charset="utf-8" />
<title>User Registration</title>

```

```

</head>
<body>
  <h2>User Registration</h2>
  <div class="register">
    <form action=KitchenStoryMain.html method="GET">
      <input type="text" name="Uname" id="Uname" placeholder="Name">
      <br><br>
      <input type="number" name="number" id="number" placeholder="Enter Mobile
Number">
      <br><br>
      <input type="email" name="email" id="email" placeholder="Email Id">
      <br><br>
      <input type="password" name="password" id="password"
placeholder="Password">
      <br><br>
      <a href="KitchenStoryMain.html"><input type="button" name="log" id="log"
value="Register" class="btn btn-primary" value="Register"></a>
      <br><br>
    </form>
  </div>
</body>
</html>

```

5.Shopping Cart

```

<!DOCTYPE html>
<html>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
  <style>
    body{
      background-color: rgb(211, 219, 197);
    }
    span{
      color:black;
    }
    #a{
      padding:190px;
    }
    #b{
      padding-left:215px;
    }
  </style>

```

```
#c{
  padding-left:360px;
}

.table {
  text-align:center;
  height: auto;
  border: 1px solid black;
  width: 100%;
}

.cart {
  background-image: url(images/food.jpg);
  height: 100px;
  background-attachment: auto;
  background-position: center;
  background-repeat: auto;
  background-size: auto;
}

.title {
  text-align: center;
  font-size: xx-large;
  background: rgba(0,0,0,0.5);
  text-align: center;
  color: white;
  padding: auto;
  font-variant: small-caps;
  font-size: 500%;
  font-family: cursive;
  letter-spacing: auto;
}

.total{
  float:right;
  padding-right:auto;
}

.placebutton {
  padding-right: auto;
}

.button {
  font-size: auto;
  transition-duration: 0.4s;
  float:right;
```

```

    }
    .button:hover {
        background-color: white;
    }
    .copyrights {
        font-size: auto;
        font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
        text-align: left;
        margin: auto;
    }
</style>
<meta charset="utf-8" />
<title>Kitchen Story Shopping Cart</title>

<script>

    function Loadinformation() {

        var olddata = sessionStorage.getItem("Cartdetails");
        addTable(olddata);
        document.getElementById('lblCardDetails').innerHTML = olddata;

    }

    function addRow(soupname, lb, Price) {

        var rowCount = table.rows.length;

        var row = table.insertRow(rowCount);

        row.insertCell(0).innerHTML = product;
        row.insertCell(1).innerHTML = lb;
        row.insertCell(2).innerHTML = Price;

    }

    function addTable(olddata) {

        var myTableDiv = document.getElementById("myDynamicTable");

        var table = document.createElement('TABLE');

```

```

        table.border = '1';
        table.className = "table";

        var tableBody = document.createElement('TBODY');
        table.appendChild(tableBody);
        var rows = olddata.split(';');

        for (var i = 0; i < rows.length; i++) {
            var tr = document.createElement('TR');
            tableBody.appendChild(tr);

            var columns = rows[i].split('~');
            var product = columns[0];
            var lb = columns[1];
            var price = columns[2];

            for (var j = 0; j < 3; j++) {
                var td = document.createElement('TD');
                td.width = '250';

                td.appendChild(document.createTextNode(columns[j]));
                tr.appendChild(td);
            }
        }

        myTableDiv.appendChild(table);
    }

</script>
</head>
<body onload="javascript:Loadinformation();">
    <div class="cart">
        <div class="title"><b>Shopping Cart</b></div>
        <span id="a">Product</span>
        <span id="b">Quantity</span>
        <span id="c">Price($)</span>
    </div>
    <br/>
    <br/>
    <div id="myDynamicTable"> </div>
    <br/>
    <div class="total"><b>Total: &nbsp; &nbsp; &nbsp;</b></div><br/><br/><br/>

```

```

    <div class="placebutton"><a href="SuccessfulOrder.html"><input type="submit"
class="button" value="Place Order" /></a><br/><br/></div>

</body>
</html>

```

6.Successful Order

```

<!DOCTYPE html>
<html>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
  <style>
    .order {
      background-image: url(images/food.jpg);
      height: auto;
      background-attachment: scroll;
      background-position: center;
      background-repeat: no-repeat;
      background-size: cover;
    }
    .summary {
      text-align: center;
      font-size: xx-large;
      background: rgba(0,0,0,0.5);
      text-align: center;
      color: white;
      padding: auto;
      font-variant: small-caps;
      font-size: 100px;
      font-family: cursive;
      letter-spacing: auto;
    }
    body {
      background-color: #FFFFCC;
    }
    .backmenu{
      text-decoration:none;
      color:yellow;
      float:right;
      padding-right:auto;

```



```

    }
    .backmenu:hover{
        color:cornflowerblue;
    }
    span{
        text-align:center;
    }
    .copyrights {
font-size: auto;
font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-
serif;
text-align: left;
margin: auto;
    }

    .footer {
position: fixed;
left: 0;
bottom: 0;
width: 100%;
background-color: blue;
color: white;
text-align: left
    }
</style>
<meta charset="utf-8" />
<title></title>
</head>
<body>
    <div class="order">
        <div class="summary">Kitchen Story</div>
    </div>
    <br/>
    <br/>
    <br/>
    <h2>Your Order has been Successfully placed</h2>
    <br/>
    <p><b>Thank you for Shopping with us.</b></p>
    <br/>
    <div class="backmenu"><a href="KitchenStoryMain.html">Continue
Shopping</a></div>
</body>
</html>

```

