

Logic Building Assignment : 5

1. Check Even or Odd

```
#include <stdio.h>

void CheckEvenOdd(int num)
{
    // TODO: Write logic using if-else to check even or odd
}

int main()
{
    int number;

    printf("Enter number: ");
    scanf("%d", &number);

    CheckEvenOdd(number);

    return 0;
}
```

2. Find Maximum of Two Numbers

```
#include <stdio.h>

int FindMax(int a, int b)
{
    // TODO: return larger number using if-else
}

int main()
{
    int num1, num2, result;
    printf("Enter two numbers: ");
    scanf("%d %d", &num1, &num2);

    result = FindMax(num1, num2);
    printf("Maximum is: %d\n", result);
    return 0;
}
```

3. Check Leap Year

```
#include <stdio.h>

void CheckLeapYear(int year)
{
    // TODO: use if-else conditions to check leap year
}

int main()
{
    int yr;
    printf("Enter year: ");
    scanf("%d", &yr);
    CheckLeapYear(yr);
    return 0;
}
```

4. Check Positive, Negative, or Zero

```
#include <stdio.h>

void CheckNumberType(int num)
{
    // TODO: use if-else ladder to display type
}

int main()
{
    int number;
    printf("Enter number: ");
    scanf("%d", &number);
    CheckNumberType(number);
    return 0;
}
```

5. Find Largest Among Three Numbers

```
#include <stdio.h>

int FindLargest(int x, int y, int z)
{
    // TODO: return largest number using if-else
}

int main()
{
}
```

```
int a, b, c, result;  
printf("Enter three numbers: ");  
scanf("%d %d %d", &a, &b, &c);  
  
result = FindLargest(a, b, c);  
printf("Largest number is: %d\n", result);  
return 0;  
}
```

