

TASK-3

Maheen Zehra

AI-Driven Development - 30-Day Challenge

Task-3

PART A — Research Questions (Short Answers)

1. What new improvements were introduced in Gemini 3.0?

Answer:

Gemini 3.0 is smarter, more multimodal, safer, better at coding, and can act as an autonomous assistant through agents.

- 1) **Stronger Reasoning:** Better problem-solving, math, and multi-step thinking; “Deep Think” mode for advanced reasoning.
- 2) **Multimodal Understanding:** Can interpret images, videos, and complex documents more accurately.
- 3) **Larger Context Window:** Remembers more in conversations for complex tasks.
- 4) **Google Antigravity (Agent Platform):** AI agents can act autonomously to code, research, or complete multi-step tasks.
- 5) **Better Interfaces:** Gemini app has visual layouts, interactive panels, and organized content storage.

- 6) **Improved Coding Support:** Higher-quality code generation and debugging help.
- 7) **Enhanced Safety & Reliability:** Better handling of sensitive prompts and misleading inputs.
- 8) **Integration with Google Ecosystem:** Works across apps, API, and developer tools.
- 9) **Personalized Memory:** Remembers preferences and past interactions for smoother conversations.
- 10) **Top Performance:** Excels on reasoning, math, STEM, and AI benchmarks.

2. How does Gemini 3.0 improve coding & automation workflows?

Answer:

Gemini 3.0 for Coding & Automation:

- 1) **Agent-Based Workflows:** AI agents write, test, debug, and run code autonomously.
- 2) **Advanced Reasoning:** Handles complex, multi-step projects reliably.
- 3) **High-Quality Code & Automation:** Generates code from prompts, refactors, and coordinates tools.
- 4) **Safe & Transparent:** Produces logs, plans, and screenshots for auditing.
- 5) **Easy Integration:** Works with AI Studio, Vertex AI, GitHub, Replit, and CLI.

Gemini 3.0 automates coding smarter, manages complex tasks, and ensures safe, verifiable workflows.

3. How does Gemini 3.0 improve multimodal understanding?

Answer:

Multimodal Improvements:

- 1) **Stronger Image & Video Understanding:** Can reason about objects, layouts, and events over time.
- 2) **Better Document Comprehension:** Reads and interprets charts, tables, diagrams, and complex documents.
- 3) **Deep Reasoning Across Modalities:** Combines text, images, and spatial info for smarter insights.
- 4) **Large Context Window:** Handles long documents, videos, and multimodal content coherently.
- 5) **Configurable Vision Processing:** Adjust resolution for detailed analysis or faster processing.

Gemini 3.0 can understand and reason across text, images, videos, and documents more accurately and intelligently.

4. Name any two developer tools introduced with Gemini 3.0.

Answer:

- 1) **Google Antigravity** an “agent-first” development IDE where AI agents can plan, execute, and validate code across your editor, terminal, and browser.
- 2) **Gemini CLI** a command-line interface tool that lets Gemini generate shell commands, navigate your filesystem, and automate dev workflows.

PART B — Practical Task (Screenshot Required)

Using `/model` command in Gemini CLI.

2. Be specific for the best results.
3. Create **GEMINI.md** files to customize your interactions.
4. **/help** for more information.

```
> /model
```

```
C:\projectsQ4
```

Updated the Gemini model to the latest version 3.0.

Select Model

Gemini 3 is now enabled.

To disable Gemini 3, disable "Preview features" in /settings.

Learn more at <https://goo.gle/enable-preview-features>

When you select Auto or Pro, Gemini CLI will attempt to use gemini-3-pro-preview first, before falling back to gemini-2.5-pro.

1. Auto
Let the system choose the best model for your task.
- 2. Pro (gemini-3-pro-preview, gemini-2.5-pro)
For complex tasks that require deep reasoning and creativity
3. Flash (gemini-2.5-flash)
For tasks that need a balance of speed and reasoning
4. Flash-Lite (gemini-2.5-flash-lite)
For simple tasks that need to be done quickly

To use a specific Gemini model on startup, use the `--model` flag.

(Press Esc to close)