Report on Space Mission Dataset Analysis Project



Instructor

Mr. Usama Ahmed

Lab Engineer

Mr. Fahad Qureshi

Submitted by

Hoor-ul-ain Wajid

Maheen Shaid

School of Computing Sciences

Bachelor of Data Science

Abstract:

This report presents the application of Map-Reduce for efficient data preprocessing and analysis of a synthetic space mission dataset. The dataset provides comprehensive details about various space exploration missions, including mission identifiers, launch dates, target celestial bodies, mission types, spacecraft specifications, and quantitative measures such as mission cost, scientific yield, crew size, and fuel consumption. Linear Regression, Decision Tree, and K-Means algorithms were employed to uncover patterns and make predictions based on these variables. The project aims to demonstrate the integration of distributed computing concepts with machine learning techniques, leveraging the structured and realistic framework of the space mission dataset to showcase scalable data analysis.

Table of Contents

1. Introduction: 4

Overview of the Space Dataset and Its Attributes 4

Importance of Using Map-Reduce for Large-Scale Data Processing 5

Objectives: Efficient Data Handling and Insightful Analysis Using Data Mining Algorithms 5

2. Methodology: 6

Map-Reduce Implementation: 6

Linear Regression: 6

Decision Tree: 6

K-Means Clustering: 6

3. Results and Discussion: 7

Model Results: 7

4.Conclusion: 9

5.References: 10

1. Introduction:

Overview of the Space Dataset and Its Attributes

The space mission dataset is a synthetic representation designed to reflect various aspects of space exploration. It includes key information on numerous space missions, with attributes that provide insights into mission details, objectives, and outcomes. The dataset consists of several important features:

1. **Mission ID**: A unique identifier for each mission, allowing for easy tracking and referencing of individual missions.
2. **Mission Name**: The designated name of the space mission, which typically represents the mission's goal or the spacecraft involved.
3. **Launch Date**: The date when the mission was initiated, which can help in analyzing trends over time or correlating launch schedules with mission success.
4. **Target Type**: The category of celestial body the mission was aimed at, such as planets, moons, asteroids, or comets.
5. **Target Name**: The specific celestial body the mission was designed to explore or study.
6. **Mission Type**: The primary goal of the mission (e.g., scientific exploration, resource gathering, defense-related objectives).
7. **Distance from Earth (light-years)**: The distance to the target in light-years, which provides an indication of the mission's reach and scale.
8. **Mission Duration (years)**: The total time taken for the mission, which can reveal information about mission complexity and operational scope.
9. **Mission Cost (billion USD)**: The financial investment in the mission, important for evaluating mission feasibility and economic impact.
10. **Scientific Yield (points)**: A metric representing the scientific output or value of the mission, providing insight into the mission's success in contributing to space exploration.
11. **Crew Size**: The number of crew members involved, indicating the level of human resources required for the mission.
12. **Mission Success (%)**: The probability or success rate of the mission, indicating the likelihood of achieving mission goals.
13. **Fuel Consumption (tons)**: The total fuel used during the mission, which helps assess the mission's resource consumption and efficiency.
14. **Payload Weight (tons)**: The total weight of the payload, reflecting the mission's cargo requirements and technological capabilities.
15. **Launch Vehicle**: The rocket or spacecraft used to launch the mission, providing insight into the technology behind the mission's deployment.

These attributes are invaluable for analyzing mission trends, exploring space phenomena, and understanding the complex factors involved in space exploration.

Importance of Using Map-Reduce for Large-Scale Data Processing

The space mission dataset is large and complex, making it challenging to process using traditional data handling techniques. Map-Reduce, a distributed computing model, is ideal for efficiently processing such datasets by breaking down tasks into smaller, parallelizable subtasks.

1. **Scalability**: Map-Reduce can handle vast amounts of data by distributing the workload across multiple machines, allowing it to scale as the dataset grows.
2. **Parallelism**: By dividing tasks into smaller parts, Map-Reduce speeds up data preprocessing and analysis by processing them concurrently.
3. **Fault Tolerance**: Map-Reduce can automatically recover from system failures, ensuring continuous processing even with large datasets.
4. **Cost-Effectiveness**: The distributed approach reduces the need for high-performance computing clusters, making it more cost-efficient.

By leveraging Map-Reduce, the space mission dataset can be processed efficiently, enabling complex tasks like data cleaning, aggregation, and transformation.

Objectives: Efficient Data Handling and Insightful Analysis Using Data Mining Algorithms

This project aims to demonstrate the efficient handling of space mission data using Map-Reduce, while extracting valuable insights through data mining techniques. Key objectives include:

1. **Efficient Data Handling**: Map-Reduce ensures scalable preprocessing, including cleaning, filtering, and aggregation, enabling effective analysis of large, complex datasets.
2. **Pattern Recognition**: Machine learning algorithms like Linear Regression, Decision Tree, and K-Means will help uncover trends and correlations within the dataset, shedding light on mission outcomes and other important factors.
3. **Predictive Analysis**: The project will predict key outcomes, such as mission success or scientific yield, based on various parameters like mission duration and fuel consumption.
4. **Clustering for Insights**: K-Means clustering will group similar missions, revealing characteristics that lead to higher success rates or greater scientific yield.
5. **Optimizing Resources and Decision Making**: The analysis will offer insights to optimize future missions, enhancing decision-making regarding cost, resources, and mission planning.

In summary, combining Map-Reduce for preprocessing and machine learning for analysis offers an efficient and scalable approach to handling the space mission dataset, facilitating deeper insights that can aid future space exploration efforts.

2. Methodology:

Map-Reduce Implementation:

- Utilized the Map-Reduce framework to preprocess data, such as aggregating values or filtering irrelevant records.

Linear Regression:

- Trained a model to predict target variables based on feature relationships.

Decision Tree:

- Developed a tree-based model for regression tasks.

K-Means Clustering:

- Applied the Elbow Method to identify optimal cluster count.
- Segmented data into clusters and analyzed their characteristics

3. Results and Discussion:

Model Results:

- **Linear Regression**:
  - Achieved an **R^2** value of **1.0**, indicating a perfect fit with the training data. The extremely small **MAE**, **MSE**, and **RMSE** values further suggest that the model predicts **Average Mission Success** with negligible error. However, such perfect accuracy may indicate potential **overfitting**, especially since the dataset was aggregated using Map-Reduce, simplifying the complexity of the original data.
  - **Interpretation of Coefficients**:
    - The **intercept** (97.87) indicates the base value of mission success when all features are zero.
    - The first coefficient (0.00043) suggests that for each unit increase in the first feature, the mission success rate increases slightly.
    - The second coefficient (-0.1016) suggests that an increase in the second feature will slightly decrease the mission success rate.
    - The third coefficient (-0.0023) shows a minimal negative effect on success with an increase in the third feature.
- **Decision Tree**:
  - The **Decision Tree Regressor** provided perfect predictions, with values such as the mission success rate for **Star**, **Exoplanet**, **Asteroid**, **Moon**, and **Planet** all being predicted exactly. This could indicate overfitting, where the model memorizes the training data instead of generalizing effectively to new data. Further validation with a test set is essential to assess the model's ability to generalize.
  - **Reasons for Choosing Decision Tree**:
    - **Interpretability**: The decision tree is transparent and easy to interpret, helping us understand how different features influence the prediction of mission success.
    - **Non-linear Relationships**: Decision trees can handle non-linear interactions between features, making them well-suited for this dataset, where relationships may not be straightforward.
    - **No Need for Feature Scaling**: Unlike many machine learning models, decision trees do not require feature scaling, simplifying data preprocessing.
    - **Effective for Smaller Datasets**: Given the dataset's relatively small size, decision trees work well without requiring significant computational resources.
- **K-Means Clustering**:
  - The clustering analysis split the dataset into two distinct groups:
    - **Cluster 0**: Contains missions targeting **Stars** and **Planets**, characterized by higher mission costs and lower scientific yields. These missions are likely strategic rather than purely scientific.
    - **Cluster 1**: Contains missions targeting **Exoplanets**, **Asteroids**, and **Moons**, which tend to have lower costs and higher scientific yields, suggesting they offer more cost-effective scientific returns.

- **Silhouette Scores**: The clustering results were validated by silhouette scores, which indicated that the segmentation into clusters was meaningful and consistent

Key Insights:

- **Cost-Effectiveness and Scientific Potential**: Cluster 1 (Exoplanets, Asteroids, Moons) appears to be the most favorable, as it combines lower costs with higher scientific returns. These targets offer great opportunities for efficient space exploration.
- **Strategic Missions**: Cluster 0 (Stars, Planets) reflects higher-cost missions with potentially lower yields, suggesting that these may be driven by strategic or other non-scientific objectives.

4.Conclusion:

The integration of Map-Reduce for preprocessing and the use of machine learning models (Linear Regression, Decision Tree, and K-Means Clustering) provides valuable insights into space mission planning. The Linear Regression model demonstrates nearly perfect prediction accuracy, but potential overfitting indicates the need for validation. The Decision Tree model offers high interpretability but also suggests overfitting due to its flawless prediction on the training set. The K-Means Clustering results highlight cost-effective targets for space missions, aiding in the prioritization of future space exploration efforts.

These findings suggest that further refinement and validation techniques, including cross-validation and testing with unseen data, will be crucial to ensure the robustness and generalizability of the models for future mission planning.

5.References:

Saha, D. (2023, April 25). PySpark made easy: Day 2 – Execute PySpark on Google Colabs. Medium. https://medium.com/@dipan.saha/pyspark-made-easy-day-2-execute-pyspark-on-google-colabs-f3e57da946a

Codersarts. (2022, July 2). EDA analysis with Pyspark using Zomato dataset - 08 | Map-reduce | PySpark tutorial for beginners [Video]. YouTube. https://www.youtube.com/watch?v=-LTTG249jMw

Data Science for Everyone. (2021, November 5). K means clustering with PySpark hack data [Video]. YouTube. https://www.youtube.com/watch?v=mbYNKM3hdPI

Demir, N. (2023, July 10). Data processing with PySpark: Exploring filtering, mapping, and reducing. Medium. https://blog.demir.io/data-processing-with-pyspark-exploring-filtering-mapping-and-reducing-537fb1eda5f3

rshah204. (2019, October 20). MapReduce implementation in PySpark [Jupyter notebook]. GitHub. https://github.com/rshah204/MapReduce-Implementation-in-PySpark/blob/master/MapReduce_PySpark.ipynb