

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.

**ASIRI**
LABORATORIES
LIVE MORE
A Softlogic Group CompanyAsiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

CLINICAL CHEMISTRY

** OPD/KELANIYA/ALS **

Page 1 of 2

UHID : 310225949 (nitf 667692237v)
 REFERENCE No. : 43 0003 12/06/25 /
 SAMPLE DATE & TIME : 12/06/2025 06:50 AGE : 58 Y/F 25/09/1966
 REPORT DATE & TIME : 12/06/2025 16:37 AHH2009957 / AHH2011800
 PATIENT : MRS. S N MANEL
 REFERRED BY :
 SAMPLE TYPE : Plasma

TEST	RESULT	FLAG	REFERENCE VALUE
FASTING PLASMA GLUCOSE (FBS)	102.9 mg/dL	H	70.0 - 99.0

Comment :-

Reference ranges :

70 - 99 mg/dL (3.9 - 5.5 mmol/L) = Normal fasting glucose.
 100 - 125 mg/dL (5.6 - 6.9 mmol/L) = Prediabetes
 (impaired fasting glucose)
 > 126 mg/dL (> 7.0 mmol/L) = High fasting glucose.

CONVERSION FACTOR :

(mmol/L = mg/dL X 0.055)

MLT