

Identity Context Protocol

Securing the Nervous System of Enterprise AI Agents. A specialized MCP identity layer for the era of agentic automation.

| The Enterprise AI Identity Crisis

- AI agents operate in enterprise silos without knowing who is driving the prompt.
- Risk profiles and session health are disconnected from agent execution.
- Security teams cannot audit whether actions were human-initiated or agent-hallucinated.
- No standardized protocol exists to translate OIDC/SAML context for LLMs.

The "Action" Risk

When an agent queries a production DB, it lacks the real-time "Safety Clearance" of the user's current session status.

The ICP Server Concept

A Model Context Protocol (MCP) server that provides a universal bridge between IAM providers and AI agents.



| Universal Interoperability



Entra ID

Moves beyond the closed Azure ecosystem to support hybrid and multi-cloud agents.



Ping Identity

Integrates advanced workforce identity signals into the LLM context window.



Cross-Platform

A single translator for any LLM framework (Anthropic, LangChain, OpenAI).

System Architecture

The ICP Server sits as a stateless middleware. It ingests enterprise tokens via MCP tools, validates them against Ping/Entra, and returns a sanitized, risk-scored JSON payload to the agent.

This design ensures high performance (<200ms) and absolute zero-trust integrity.

Identity Personas Defined

Human Operator

The root authority (e.g., Sarah at GE) who holds the original SSO token.

Primary Agent

The MCP Host interface that manages the user interaction and token injection.

Sub-Agent

Delegated workers spawned for micro-tasks, operating under traced authority.



| Secure Token Ingestion



pixtastock.com - 1003007

Agent Injection Model

- Tokens are captured out-of-band by the agent host environment.
- The ICP Server receives the token as an encrypted MCP parameter.
- Raw tokens are never exposed to the LLM's prompt context.
- Stateless execution ensures scalability across global clusters.

| Active Risk Scoring

85

CONTEXTUAL TRUST SCORE

Telemetry Evaluation

The server calculates real-time risk based on:

- **MFA Strength:** Was phishing-resistant MFA used?
- **Session Age:** Has the session exceeded safety thresholds?
- **IP Deviations:** Is the request originating from a known range?
- **Provider Flags:** Native risk signals from PingOne or Entra Protection.



Loss Triangulation Dot Plot

Capital Flow Sankey

GWP Growth Lollipop Chart

Profitability Waterfall

| PII Masking & Privacy



Anonymization

Replaces raw emails with transient SHA-256 identifiers to prevent LLM training on PII.



Boolean Mapping


Maps complex AD groups to simple truth flags: `can_read_db: true`.



Sanitization

Filters out sensitive corporate metadata that isn't required for the specific agent task.

| Multi-Agent Provenance



Solving the "Borrowed Identity" blind spot in enterprise audit trails.

| The Token Firewall

Neutralizing Prompt Injection

By keeping tokens out of the prompt context, we eliminate the risk of an attacker tricking the LLM into leaking its authorization credentials.

Security is handled by the MCP Host, not the LLM.

Questions?

Building the Identity Layer for the Agentic Future.

Identity Context Protocol (ICP) Server
Node.js/TypeScript MCP Implementation



| Image Sources



https://media.istockphoto.com/id/1665910516/photo/cloud-and-edge-computing-technology-data-transfer-concept-a-large-cloud-icon-is-in-the-center.jpg?s=612x612&w=0&k=20&c=v37ipYB5w6g47pk9bv1b0hcRJBuiyJ7X_WE2q8OEW8o=

Source: www.istockphoto.com



https://media.easy-peasy.ai/c6b0064f-24a2-4cbd-b90e-cf3bala862ea/d553dea3-4029-4704-8918-c3d29427d493_medium.webp

Source: easy-peasy.ai



Thumbnail for

www.pixtastock.com

<https://en.pimg.jp/100/300/285/1/100300285.jpg>

Source: www.pixtastock.com



<https://www.inetsoft.com/images/website/reinsurance-solvency-dashboard.webp>

Source: www.inetsoft.com



https://png.pngtree.com/thumb_back/fw800/background/20251008/pngtree-abstract-network-of-glowing-blue-nodes-and-lines-on-dark-background-image_19804182.webp

Source: [pngtree.com](https://png.pngtree.com)