

Eclipse



1.

I create Simple Spring boot Application to build a CI/CD pipeline to demonstrate continuous deployment




Output :-



Welcome To Spring Boot CI-CD deployment

Git Hub: Application Deploy on git Hub



2.

Then that application Uploaded on Git Hub


GitHub link-


Jenkins: Run Jenkins


```
obework: Suss. No. No. 19.0 (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.1) 1870
1821-99-16 (19.15) (19.00) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.10) (19.
```

CREATE THREE JENKINS PROJECT DEPLOYMENT:-

DEPLOYMENT-TESTING-PRODUCTION








```
Dashboard • Deployment Spring Jenkins ci-cd • #22
                                                                                                                [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
                                                                                                                  [INFO] skip non existing resourceDirectory C:\Users\Dell\.jenkins\workspace\Spring Jenkins ci-cd\src\test\resources
                                                                                                                 [INFO]
                                                                                                                [INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ Auth ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to C:\Users\Dell\_jenkins\workspace\Spring Jenkins ci-cd\target\test-classes
                                                                                                                 [INFO]
                                                                                                                 [INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ Auth ---
                                                                                                                 [INFO] Skipping execution of surefire because it has already been run for this configuration
                                                                                                                 [INFO] --- maven-jar-plugin:3.2.0:jar (default-jar) @ Auth ---
                                                                                                                 [INFO] Building jar: C:\Users\Dell\.jenkins\workspace\Spring Jenkins ci-cd\target\Auth-0.0.1-SNAPSHOT.jar
                                                                                                                  [INFO]
                                                                                                                 [INFO] --- spring-boot-maven-plugin:2.5.4:repackage (repackage) @ Auth ---
                                                                                                                  [INFO] Replacing main artifact with repackaged archive
                                                                                                                 [INFO]
                                                                                                                  [INFO] --- maven-install-plugin:2.5.2:install (default-install) @ Auth ---
                                                                                                                [INFO] Installing C:\Users\Dell\.jenkins\workspace\Spring Jenkins ci-cd\target\Auth-0.0.1-SNAPSHOT.jar to C:\Users\Dell\.m2\repository\com\ci\cd-dep\Auth\0.0.1-SNAPSHOT.Auth-0.0.1-SNAPSHOT.Auth-0.0.1-SNAPSHOT.jar
                                                                                                                 [INFO] \ Installing \ C: \ Users \ Dell\ . jenkins \ workspace \ Spring \ Jenkins \ ci-cd \ wn \ to \ C: \ Users \ Dell\ . m2 \ repositor \ com \ ci\ cd-dep\ Auth \ 0.0.1-SNAPSHOT\ Auth-dell\ dell\ dell
                                                                                                                 0.0.1-SNAPSHOT.pom
                                                                                                                [INFO] BUILD SUCCESS
                                                                                                                [INFO] Finished at: 2021-09-17T18:30:19+05:30
                                                                                                                 [INFO] -----
                                                                                                                  Triggering a new build of Testing Spring Jenkins
                                                                                                                 Finished: SUCCESS
```

TESTING



```
Dashboard > Testing Spring Jenkins > #8
                                                                   .45.745 [main] Dibbo oig.springriamework.test.comtext.support.restriopert/sourceotits - Auding Intineu properties to environment.
                                                           {spring.jmx.enabled=false, org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}
                                                          2021-09-17 18:30:47.111 INFO 15660 --- [
                                                                                                                              main] com.testAuth.SpringCiCdApplicationTests : Starting SpringCiCdApplicationTests using Java
                                                           ### main| com.testAuth.SpringLiCompplicationlests : Serting SpringLicomplicationlests using Jave
11.0.12 on DESTOR-LISE/THI List PDI 15660 (started by Del In GiVLers Nebull; jekinds)workspace(Testing SpringLicomplicationlests using Jave
12021-09-17 18:30:47.123 INFO 15660 --- [ main] com.testAuth.SpringClicdApplicationTests : No active profile set, falling back to default
                                                           profiles: default
                                                           2021-09-17 18:30:54.842 INFO 15660 --- [
(JVM running for 12.535)
                                                                                                                             main] com.testAuth.SpringCiCdApplicationTests : Started SpringCiCdApplicationTests in 9.085 seconds
                                                            [INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 11.737 s - in com.testAuth.SpringCiCdApplicationTests
                                                           [INFO]
                                                            [INFO] Results:
                                                           [INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
                                                           [INFO]
                                                           [INFO] :-- maven-resources-plugin:3.2.0:resources (default-resources) @ Auth ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.

[INFO] Using 'UTF-8' encoding to copy filtered properties files.


[INFO] Copying 1 resource


[INFO] Copying 0 resource
                                                           [INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ Auth ---
                                                            [INFO] Nothing to compile - all classes are up to date
```


[INFO] --- maven-resources-plugin:3.2.0:resources (default-resources) @ Auth --[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.

```
Dashboard > Testing Spring Jenkins > #8
                                                                                                             [IMFO] --- maven-resources-plugin:3.2.0:testResources (default-testResources) @ Auth ---
[IMFO] Using 'UTF-8' encoding to copy filtered resources.
[IMFO] Using 'UTF-8' encoding to copy filtered properties files.
                                                                                                              [INFO] skip non existing resourceDirectory C:\Users\Dell\.jenkins\workspace\Testing Spring Jenkins\src\test\resources
                                                                                                              [INFO]
                                                                                                              \hbox{\tt [INFO] --- maven-compiler-plugin: 3.8.1: testCompile (default-testCompile) @ Auth --- }
                                                                                                              [INFO] Nothing to compile - all classes are up to date
                                                                                                              [INFO]
                                                                                                              [INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ Auth ---
                                                                                                              [INFO] Skipping execution of surefire because it has already been run for this configuration
                                                                                                              [INFO] --- maven-jar-plugin:3.2.0:jar (default-jar) @ Auth ---
                                                                                                              [INFO]
                                                                                                              [INFO] --- spring-boot-maven-plugin:2.5.4:repackage (repackage) @ Auth ---
                                                                                                              [INFO] Replacing main artifact with repackaged archive
                                                                                                              [INFO]
                                                                                                              [INFO] --- maven-install-plugin:2.5.2:install (default-install) @ Auth ---
                                                                                                              [INFO] \ Installing \ C:\ Users\ Dell\ . jenkins\ work space\ Testing \ Spring \ Jenkins\ target\ Auth-0.0.1-SNAPSHOT. jar \ to \ C:\ Users\ Dell\ . m2\ repositor\ y\ com\ ci\ cd-print\ part \ for \ part \ part
                                                                                                              dep\Auth\0.0.1-SNAPSHOT\Auth-0.0.1-SNAPSHOT.jar
                                                                                                             [INFO] Installing C:\Users\Dell\.jenkins\workspace\Testing Spring Jenkins\pom.xml to C:\Users\Dell\.m2\repository\com\ci\cd-dep\Auth\0.0.1-SNAPSHOT\Auth-0.0.1-SNAPSHOT.pom
                                                                                                              [INFO] -----
                                                                                                              [INFO] BUILD SUCCESS
                                                                                                              [INFO] -----
                                                                                                              [INFO] Total time: 28.837 s
                                                                                                              [INFO] Finished at: 2021-09-17T18:31:02+05:30
                                                                                                              [INFO] -----
                                                                                                              Triggering a new build of Production Spring Jenkins
                                                                                                              Finished: SUCCESS
```

PRODUCTION








3) in Jenkins I create three build for continues deployment

And pipeline them

build a CI/CD pipeline to demonstrate continuous deployment

AWS EC2



1. then open command line and deploy Application in EC2 Instance

```
### Continuing | C
```

```
### OpenDER Not Note: The Provided HTML Representation of the Prov
```


2. Application Started running with Port no 7878

```
[root@ip-172-31-19-181 ~] # 1s
  ring CI-CD-deployment-exe.jar
[root@ip-172-31-19-181 ~] # java -jar ^C
[root@ip-172-31-19-181 ~]# java -jar ^C
[root@ip-172-31-19-181 ~]# Spring_CI-CD-deployment-exe.jar
-bash: Spring CI-CD-deployment-exe.jar: command not found
main] com.testAuth.SpringCiCdApplication : Starting SpringCiCdApplication v0.0.1-SNAPSHOT using Java 11.0.12 on
ip-172-31-19-181.ec2.internal with PID 1527 (/root/Spring_CI-CD-deployment-exe.jar started by root in /root)
 021-09-18 13:31:10.414 INFO 1527 --- [ main] com.testAuth.SpringCiCdApplication : No active profile set, falling back to default profiles: default
 021-09-18 13:31:13.072 INFO 1527 --- [
021-09-18 13:31:13.102 INFO 1527 --- [
                                               main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 7878 (http)
                                               main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
                                             main] org.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/9.0.52]
                                             main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
                                             main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 2688 ms
                                              main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 7878 (http) with context path ''
                                               main] com.testAuth.SpringCiCdApplication : Started SpringCiCdApplication in 5.637 seconds (JVM running for 6.70
```

6.Last host the application on AWS EC2 instance.

Application running with this URL:-

Final Output:-





Welcome To Spring Boot CI-CD deployment