B - Mechanical Production MS4092

Mechanical Production Engineering B

Number of problems: 8
Start at: 11.00 AM
Finish at: 11.20 AM
Duration: 20 Minutes


Suppose that you find that drawing for a shaft with 45g7 tolerance, it means:

- ○ It has base dimension 45 mm with code 7 as a tolerance zone with amount referring to class g
- ○ It has base dimension 45 mm with tolerance g7
- ○ It has base dimension 45 mm with tolerance zone g7 and therefore its amount calculated based on its zone code
- ✗ It has base dimension 45 mm with code g as a tolerance zone with amount referring to class 7

Which one of the following that correct about ceramic products

- ○ Effectively used as a cylinder liner
- ○ Use as most common cutting tools material
- ✗ Mostly easy to protect anything inside its ceramic from heat by absorbing it
- ○ Impact resistant

Referred to picture below, which tool geometry contribute the most for tool 's life? Rake angle & relief angle



- ○ 3 Flank
- ✗ 5 Side relief angle
- ○ 10 Face nose radius
- ○ 2 Cutting edge

Which one is in the highest level of geometric control

- ○ Profile
- ○ Perpendicularity
- ○ Angularity
- ○ Flatness

Suppose that we want to measure a thickness of a slab using linear measurement devices, choose the correct statement

- ○ Height gauge will do the most efficient work because its ease of use and re-do the measurement for another objects
- ○ Measuring with micometer will always come up with the best accuracy among other devices because it can reach up to 0,001 mm scale
- ○ Vernier calliper preferable because its less likely has a floating scale reading
- ○ None of the answer is correct

Why additive manufacturing is one of the popular methods that come along popularly with Industrial 4.0?

- ○ Its capability of doing a job-manufacturing
- ○ Its capability of good prototyping methods
- ○ Additive manufacturing could fabricate any form of product requested
- ○ Additive manufacturing is a manufacturing method need a low employee

Which one is the correct measurement value from this height gauge reading



- ○ 851,08 mm
- ○ 150,09 mm
- ○ 149,91 mm
- ○ 702,89 mm

One of these is not how micrometer maintain its precision

- ○ Ratchet mechanism
- ○ Great surface finish
- ○ Limited size of tip of anvil and spindle
- ○ Maximum measurement capacity of 25 mm

Kembali Kirim

Jangan pernah mengirimkan sandi melalui Google Formulir.

Konten ini tidak dibuat atau didukung oleh Google. Laporkan Penyalahgunaan - Persyaratan Layanan - Kebijakan Privasi

Google Formulir