UI PROJECT DEVELOPMENT

PROJECT: DREAM-BENZ (Product Based)

TEAM : 2

T. MAHENDRA

B. NAGA DIVYA

B. VIJAY KUMAR

Technologies learnt:

- HTML5 (hyper text mark up language)
- CSS3 (Cascading style sheet)
- MEDIA QUAIRES
- JAVA SCRIPT
- BOOTSTRAP

LandPage.html:

→ This is the Main HTML Page

```
Edit Selection View Go Run Terminal Help
                                           project2.html - Untitled (Workspace) - Visual Studio Code
                                                                                                   o project2.html X
# project2.css
(IDOCTYPE html)
     (html lange"en">
     (head)
        <title>BENZ</title>
        clink rel="stylesheet" href="project2.css">
        <\iink rel="stylesheet" href="https://cdnis.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" integrity="sha512-z3glpd7yknf1Y</pre>
        </l></l></l></l></l>
      <script src="https://cdn.jsdelivr.net/npm/jquery83.6.4/dist/jquery.slim.min.js">(/script)
      <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></script>
      script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle.min.js">(/script)
        <div class="head">
           (img src="./imgs/logp.png" alt="LOGO")
              <h2>DREAM - BENZ (/h2)
           <div class="searchbar">
                   cbutton type="submit"><i class="fa fa-search" style="color: Dblack;"></i></i></button>
               <a href="">home</a>
               ATTIME Brafe "https://www.marcadas-hant.co.in/passangarcans/sacutoes/stan-assa.html"/SFRVTCF//a>//III)
```

```
File Edit Selection View Go Run Terminal Help
                                                      project2.html - Untitled (Workspace) - Visual S
                 project2.html ×
  # project2.css
  HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > ◆ project2.html > ♦ html > ♦ body > ♦
            <div class="bannerImg">
                  <div class="btext">
                    <h1><b>Inspired by the future: The VISION AVTR</b> </h1>
   42
                </div>
    44
                <div class="icons">
                    <a href=""><i class="fa-solid fa-car"></i></a>
                    <a href=""><i class="fa-solid fa-screwdriver-wrench"></i></a>
   47
                    <a href=""><i class="fa-solid fa-share-nodes"></i></a></a>
                </div>
    50
            </div>
            <div class="slideshow">
                <div id="demo" class="carousel slide" data-ride="carousel">
    54
                <!-- Indicators -->
                57
                  data-target="#demo" data-slide-to="1">
                  data-target="#demo" data-slide-to="2">
                62
                <!-- The slideshow -->
                <div class="carousel-inner">
   64
                  <div class="carousel-item active">
                    <img src="benz-6.jpg" alt="Los Angeles" width="1100" height="500">
    66
                  </div>
                  <div class="carousel-item">
@ 0 A 0
```

```
project2.html - Untitled (Workspace) - Visual Studio Code
 Edit Selection View Go Run Terminal Help
                project2.html X
# project2.css
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > O project2.html > O html > O body > O div.head > O div.logo > O div.searchbar > O for
           (div class="page")
               <video src="video.mp4" controls></video>
           (div class="footer")
               (div class="flex-container2")
               (h3) Social Media(/h3)(br)
                   <a href="https://twitter.com/mercedesbenzind">Twitter</a>
                   <a href="https://www.facebook.com/MercedesBenzIndia/">Facebook</a>
                   <a href="https://www.instagram.com/mercedesbenz/">Instagram</a>
                   <a href="https://www.youtube.com/@mercedesbenz">Youtube</a><br>
                <div class="flex-box2">
                    (h3)Our Locations(/h3)
                   <a href="https://www.mercedes-benz.co.in/passengercars/mercedes-benz-cars/dealer-locator.html">India</a>
                   (a href="#">USA</a>
                   <a href="#">france</a>
                   <a href="#">Germany</a>
                   (a href="#">Italy(/a)
                   <a href="#">Spain</a>
               <div class="copyright">
                    © 2023. Mercedes-Benz India Pvt. Ltd. All Rights Reserved (Dealer)
```

Ln 20, Col 48 Spaces: 2

0 10

Landpage.css

```
View Go Run Terminal
# project2.css X
                o project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > #
           margin: 0; padding: 0;
          font-family: 'Times New Roman', Times, serif;
          color: whitesmoke;
          font-weight; bold;
       body {
           height: 100vh;
       nav-
          display: flex;
           align-items: center;
          background-color: | black;
          position: sticky:
           top: 0px;
          padding: 10px;
           z-index: 10;
       .head{
          background-color: whitesmoke;
       .logo{
           display: flex;
           align-items: center;
          height: 20%;
          margin-left: 7%;
           background-color: whitesmoke;
       .searchbar {
           float: might:
```

```
Edit Selection View Go Run Terminal Help
                                                         project2.css - Untitled
# project2.css X project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # project2.css > to pa
       searchbar {
           float: right;
          margin-top: 8px;
          font-size: 20px;
          cursor: auto:
          margin-left: 45%;
          margin-bottom: 10px;
          background-color: whitesmoke;
      h2{
          color: Dblack;
          border: 2px solid | black;
          border-radius: 10px;
          margin-left: 2%;
          box-shadow: 10px 10px 10px □black, 10px 10px 10px □white;
          color:  gb(67, 132, 24);
       nav ulf
          display: flex;
          list-style: none;
          margin-left: 200px;
       nav ul li{
           padding: 10px;
       nav ul li:hover{
          text-decoration: underline;
```


```
Edit Selection View Go Run Terminal Help
# project2.css X
                project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > #
       a:hover{
           background-color: whitesmoke;
           color: Dblack;
           border-radius: 80px;
       a{
           text-decoration: none;
           color: whitesmoke;
           font-weight: bold;
           padding: 15px 15px;
       .logo img{
           width: 5%;
       .bannerImg{
           background-image: url("./imgs/banner.jpg");
           background-repeat: no-repeat;
           background-size: 100% 100%;
           height: 100%;
       .carousel-inner img {
           width: 100%;
           height: 590px;
       .icons{
           position: absolute;
           top: 40%;
           right: 10px;
           display: flex:
```

```
project2.css X
                o project2.html
fTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # p
      .btext{
          padding: 10% 5%;
          font-size: xx-large;
      .page video(
          width: 100%;
 99
          height: 100%;
      .footer{
          width: 100%;
          height: 50vh;
104
          background-color: | black;
105
186
      .footer .flex-container2 {
107
          display: flex;
          flex-direction: row;
109
          justify-content: center;
110
          gap: 1px;
      .flex-container2 .flex-box1{
113
          width: 100vw;
114
          height: 50vh;
115
          text-align: center;
117
      .flex-container2 .flex-box1 h3 {
118
          width: 100%;
          padding-top: 2%;
119
120
          font-family: 'Times New Roman', Times, serif;
121
```

```
ile Edit Selection View Go Run Terminal Help
 # project2.css X
                 o project2.html
 HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # p
        .flex-container2 .flex-box1 a {
            display: block;
            padding: .5rem 0;
            font-size: 1rem;
            color: #ca9494;
            row-gap: 1px;
        .flex-container2 .flex-box2{
            width: 100vw;
            height: 50vh;
            text-align: center;
        .flex-container2 .flex-box2 h3 {
            width: 100%;
            padding-top: 2%;
            font-family: 'Times New Roman', Times, serif;
        .flex-container2 .flex-box2 a {
            display: block;
            padding:.5rem 0;
            font-size: 1rem;
            color: #ca9494;
            text-decoration: none;
        .flex-container2 .flex-box2 a:hover{
            text-decoration: none;
```

```
File Edit Selection View Go Run Terminal Help
                   project2.html
  # project2.css X
  HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT
         .flex-container2 .flex-box2 a {
             display: block;
             padding:.5rem 0;
             font-size: 1rem;
             color: #ca9494;
             text-decoration: none;
         .flex-container2 .flex-box2 a:hover{
             text-decoration: none;
             color: Dblack;
             border-radius: 20px;
         .flex-container2 .flex-box1 a:hover{
             text-decoration; none;
             color: Dblack;
         h3{
             color: white;
         .copyright{
             width: 100%;
             padding-bottom: 40px;
             text-align: center;
```


Output of landpage:



This is the courosel page:



This is the footer page:



After adding media quires:

• This is the output of Mobile view after adding media quires(Responsive web page):





Login1.html:


- In the above web page if we click on login it directs to this login page
- Then there will be two options one as login as user and another one is login as admin:

```
Edit Selection View Go Run Terminal Help
                                                          login1.html - Untitled (Workspace) - Visual Studio Code
                                                                                                                                      ☼ login1.html ×
                project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > 🔸 login1.html > 🤡 html > 😭 body > 😭 div.container-fluid > 😭 div.cow > 😭 div.cov > 😭 div.col-sm-12 > 😭 div.flex-container > 😭 div.
       clDOCTYPE html)
       Chtml lang="en">
           ctitle:Document</title>
           clink rel="stylesheet" href="login1.css">
           <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
         <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>
         <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
       (div class="container-fluid")
               <div class="row";
                   (div class="col-sm-12")
                        <div class="flex-container")</pre>
                            (div class="flex-box1")
                                href="file:///C:/Users/HP/OneDrive/Desktop/HTML/UI-Development/BENZ-PROJECT%282/NEWPROJECT-BENZ/login.html">Logi
                            <div class="flex-box2">
                                ** href="file:///C:/Users/MP/OneDrive/Desktop/MTML/UI-Development/BENZ-PROJECT%202/NEWPROJECT-BENZ/admin.html">Logi
 28
```

Login1.css:

```
# login1.css ×
  # project2.css
                   project2.html
  HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > #
         body{
             background-image: url("login\ image.jpeg");
             background-repeat: no-repeat;
             background-size: 100vw 100vh;
         .flex-container{
             display: flex;
             flex-direction: row;
             width: 100%;
    10
             height: 100%;
    12
         .flex-box1{
             width: 50%;
             height: 10%;
             margin-left: 15%;
             margin-top: 20%;
         a:link, a:visited {
             background-color: #ccbdbc;
             color: | rgb(11, 9, 9);
             padding: 14px 25px;
             text-align: center;
             text-decoration: none;
             display: inline-block;
         .flex-box2{
             width: 40%;
             height: 10%;
             margin-left: 15%.
```

Output for Login1 page:



Responsive web page for Login1:

• After applying Bootstrap This is the responsive page:



Loginpage.html

In the above Login1 form if we click on login as user it directs to this login page

Here, Below is the HTML Code for Login page:

```
# project2.css
                 project2.html
                                     > login.html ×
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > <> login.h
       < | DOCTYPE html>
       <html>
       <head>
           <11nk rel="stylesheet" href="login.css">
           <title>Login Page</title>
           <script>
                function myvalidate(form){
                    var userName=form.username.value;
                    var password=form.password.value;
 10
                    if(userName.length===0){
                        alert("Enter user name");
                        return false;
                    if(userName.length<=8){
                        alert("Enter Sdigit letters");
 16
                        return false:
                    if(password.length===0){
 19
                        alert("enter password");
                        return false;
 22
                    if(password.length<=8){
                        alert("Enter above 8 digit letters");
 24
                        return false;
                    return true;
           </script>
```

```
Edit Selection View Go Run Terminal Help
                                                                                                                                 login.html - Untitled (Workspace) - Visual Studio Code
                                  login.html X
                project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > ◆ login.html > ♦ html > ♦ body > ♦ div.form > ♦ form > ♦ a
              (div class="form")
                  <h2>Login As User</h2>
              <form action="LoginSuccess.html" onsubmit="return myvalidate(this);">
               UserName: <input type="text" name="username" size="20"><br>
               Password: (input type="password" name="password" size="10">(br)
               (br)
               <input type="submit" value="submit">
               <input type="reset" value="reset"><br><br>
 45
               Forgot Your Password(a href="file:///C:/Users/HP/OneDrive/Desktop/HTML/UI-Development/BENZ-PROJECT%202/NEWPROJECT-BENZ/forgot.html
               Don't Have an account?<a href="file:///C:/Users/HP/OneDrive/Desktop/HTML/UI-Development/BENZ-PROJECT%202/NEWPROJECT-BENZ/registrat
              (/form)
      </body>
```

Loginpage.css

```
loginess - Untitled (Workspace) - Visual Studio Cod
  Edit Selection View Go Run Terminal Helo
                                   # login.css X
# project2.css
HTML > UF-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # login.css > 1/2 form
      body{
           background-image; url("ofcN7C.webp");
           background-size: cover;
           background-repeat: no-repeat;
       form
           background-color: Dblack;
           margin-left: 18%;
          mangin-top: 45;
           border: 5px solid @rgba(228, 229, 247, 8.539);
           height: Savh;
           width: 50vh;
           text-align: center;
           color: imite;
           font-family: 'Times New Roman', Times, serif;
          border-style: double;
          box-shadow: 18px 18px 18px □rgb(11, 9, 9) , 18px 18px 28px ■rgb(94, 148, 219);
          border-radius: 10px;
          padding-top: 2%;
       Winedia screen and (max-device-width: 800px) {
           body-
               width: 100w;
               height: 100vh;
               background-size: 100% 100%;
               justify-content: center;
```


```
login.css - Untitled (Workspace) - Visual Studio Code
 Edit Selection View Go Run Terminal Help
# project2.css
                O project2.html
                                   I loginess X
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # login.css > 🐮 form
          conder-radius: 100%;
          padding-top: 2%;
      @media screen and (max-device-width: 800px) {
           body (
               width: 100vw;
               height: 100vh;
               background-size: 168% 168%;
               justify-content: center;
      Wmedia screen and (max-device-width: ROBpx) {
           form
               width: 488px;
               height: 300px;
              background-color: <a>Grgb(15, 13, 13)</a>;
               color: Ergb(217, 287, 287);
               padding-top: E%;
               margin-left: 25%;
               margin-top: 25%;
              box-shadow: 18px 18px 18px □rgb(11, 9, 9) , 18px 18px 28px ■rgb(94, 148, 219)
               border-radius: 10px;
```

Out put:



After adding Bootstrap:

• This is the output of Mobile view after adding Bootstrap to login page:



Forgot password html:

- In the above web page if we click on Click here it directs to this forgot password page.
- Here, Below is the HTML Code for forgot password page

```
<div class="container-fluid">
       (div class="row")
           (div class="col-sm-12")
               <div class="container">
                   h2>Password Reset
               <form action="LoginSuccess.html" onsubmit="return myvalidate(this);">
                   <div class="form-group">
                       NewPassword: <input type="password" class="form-control" id="password" name="newpassword" style="width: 30%;">
                     <div class="form-group">
                      ConfirmNewPassword: <input type="password" class="form-control" id="pwd" name="Confirmpassword" style="width: 30%;">
                     <button type="submit" class="btn btn-default">Submit/button>
</html>
```


• Here, Below is the javascript Code for forgot password page:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>
 <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
 <link rel="stylesheet" href="forgot.css">
   <title>FORGET PASSWORD</title>
    <script>
        function myvalidate(form){
           var NewPassword=form.newpassword.value;
            var ConfirmNewpassword=form.Confirmpassword.value;
            if(NewPassword.length===0){
                alert("Enter password");
                return false;
            if(ConfirmNewpassword.length===0){
                alert("Enter password");
                return false;
            if(NewPassword != ConfirmNewpassword){
                alert("please check your password");
                return false;
            return true;
    </script>
```


Css code:

```
body{
    background-image: url("forgot-1.jpeg");
    background-size: 100vw 100vh;
    background-repeat: no-repeat;
.container{
    align-items: center;
    padding-left: 35%;
    padding-top: 5%;
    font-size: larger;
hr{
    margin-top: 0%;
    margin-bottom: 0%;
    margin-left: 0%;
    width: 50%;
    border: 2px solid □black;
h2{
    padding-left: 9%;
    font-family: 'Times New Roman', Times, serif;
```

Output for forgot password page:




In mobile view:




Login as Admin page HTML:


- In the above Login1 form if we click on login as Admin it directs to this Admin page
- Here, Below is the HTML Code for Amin page:



Admin css:



Output:




Registration page.html


In the above web page, if we click on register then it will directs the page to this registration _ Here, below is the registration page :

```
刘 File Edit Selection View Go Run Terminal Help
                                                             registration.html - Untitled (Workspace) - Visual Studio Code
                                                                                                                                       D Ш ...
                       project2.html
                                         @ registration.html X
      HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > ◆ registration.html > ♦ html > ♦ head > ♦ link
                 (form action "" onsubmit return myvalidate(this) >
                    <label for="email" class="form-label">Email:</label>
                    cinput type="email" class="form-control form-control-lg" id="email" placeholder="Enter email" name="email" required;
                    (label for="mobilenumber" class="form-label">Mobile Number: (/label)
                    <input type="number" class="form-control form-control-lg" id="mobilenumber" placeholder="Enter mobilenumber" name="mobilenumber" req</pre>
                    <label for="firstname" class="form-label">First Name:</label>
                    cinput type="text" class="form-control form-control-lg" id="firstname" placeholder="Enter First Name" name="firstname" >
                    (label for="lastname" class="form-label">Last Name:</label>
                     <input type="text" class="form-control form-control-lg" id="lastname" placeholder="Enter Last Name" name="lastname" >
                     <label for="language" class="form-label">Select Language:</label>
                     <select class="form-select form-select-lg" id="language" name="tanguage")</pre>
                       <option value="">Select a Language(/option)
                       (option) English (option)
                       <option>Telugu
                       (option) Hindi (option)
                       <option>French
                      <label for="Country" class="form-label">Country:</label>
                      <select class="form-select form-select-lg" id="country" name="country")</pre>
                      coption value= >Select a country
                       <option>India
                       Coption>USA</priion>
                       coption Sweden (/option)
                       coption>Malaysia /option>
                     <label for="password" class="form-label">Password:</label>
                    (input type="password" class="form-control form-control-lg" id="password" placeholder="Enter password" name="password" required >
                    «button type="submit" class="btn btn-primary" value="Register">Submit</button>
   Ø0A0 ₽
                                          Q Search
```

Registration page.css:



OutPut of registration page:



After applying media quires:

• This is the output of Mobile view after adding media quires to Registration page:



Model Page. Html:

```
Edit Selection View Go Run Terminal Help
                                                         Model.html - Untitled (Workspa
                Model.html X # project2.css
project2.html
TML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > 🥴 Model.html > 🚱 html > 🚱 h
     (DOCTYPE html)
     (html lang="en")
         <title>Car Model Page (/title)
         (link rel="stylesheet" href="Model.css")
     (/head)
         (div class="container")
              (div class="flex-container")
                  (div class="flex-box")
                      cimg src="car model.webp" width="100%" height="75%" >
                      (b) Mercedes-Benz GLAC/b)
                      (small)Rs.48.50 - 52.70 Lakh(/small)
                  (div class="flex-box")
                      (img src="car model1.webp" width="100%" height="75%")
                      (b) Mercedes-Benz E-Class(/b)
                      (small)Rs.75 - 88 Lakh(/small)
                  (div class="flex-box")
                      (img src="car model 2.webp" width="100%" height="75%")
                      (b) Mercedes-Benz S-Class(/b)
                      /email: De 1 71 - 2 17 Ce//email
```

```
project2.html
                 Model.html X # project2.css
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > 💠 Model.html > 😌 html > 😌 head
                       (b) Mercedes-Benz S-Class(/b)
                       (small)Rs.1.71 - 2.17 Cr(/small)
               (div class="flex-container1")
                   (div class="flex-box1")
                       <img src="car model3.webp" width="100%" height="75%">
                       (b) Mercedes-Benz GLC(/b)
                       (small)Rs.73.50 - 74.50 Lakh(/small)
                   <div class="flex-box1">
                       (img src="car model4.webp" width="100%" height="75%")
                       (b)Mercedes-Benz GLS(/b)
                       (small)Rs.1.29 - 2.92 Cr(/small)
                   (div class="flex-box1")
                       (img src="car model5.webp" width="100%" height="75%")
                       <br/>
<br/>
b)Mercedes-Benz EQS</b>
                       (br)
                       (small)Rs.1.59 - 2.45 Cr(/small)
```


Model page . CSS:

```
# Model.css X # project2.css
 project2 html
fTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # Mx
         padding: 8%;
         margin: 8%;
         font-family: 'Times New Roman', Times, serif;
         box-sizing: border-box;
     pody
         background-image: url("back\ logo.jpg");
         background-size: 100% 100%;
         height: 100vh;
         background-repeat; no-repeat;
         display: flex;
         align-items: center;
     .container
16
         margin: auto;
      .flex-container/
         width: 188%;
         height: auto;
         display: flex;
         flex-direction: row:
      flex-box
         background-color: | black;
         width: 480px;
         height: 300px;
         color: | mite;
         font-cita: 75mv
```

```
# Model.css X
 project2.html
                                 # project
HTML > UI-Development > BENZ-PROJECT 2 > NEWP
          background-color: Dblack;
          width: 400px;
          height: 300px;
          color: white;
          font-size: 25px;
          text-align: center;
          margin-top: 2%:
          margin-left: 1.5%;
          border: 2px solid white;
       .flex-container1{
          width: 100%;
          height: auto;
          display: flex;
          flex-direction: row:
       .flex-box1
          background-color: Dblack;
          width: 400px;
          height: 300px;
          color: | white;
          font-size: 25px:
          text-align: center;
          margin-top: 2%;
          margin-left: 1.5%;
          margin-bottom: 2%;
          border: 2px solid white;
```

```
Edit Selection View Go Run Terminal Help
project2.html
                  # Modelcss X # project2.css
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BE
       @media screen and (max-width : 1200px){
           body (
               height: fit-content;
           .container{
               display: flex;
               flex-direction: column;
               margin: 15% auto:
               gap: 20px;
           .flex-container
               display: flex;
               flex-direction: column;
               gap: 20px;
           .flex-container1{
               display: flex;
               flex-direction: column;
               gap: 20px;
```

Output:



After adding Media quaries:

• This is the output of Mobile view after adding Media quaires to Model page:




Contact Us Html page:

```
View Go Run Terminal Help
                                  Contact html X
# project2.css
                project2.html
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > ◆ Contact.html > ◆ html > ◆ body > ◆ div.container > ◆ form
          <div class="container">
              <h2>Contact us</h2>
          <form>
 14
              <div class="mb-3 mt-3">
                 <label for="email" class="form-label">Email:</label>
                <input type="email" class="form-control" id="email" placeholder="Enter email" name="email" >
              <div class="mb-3">
                  <label for="text" class="form-label">UserName:</label>
                  <input type="text" class="form-control" id="txt" placeholder="Enter UserName" name="txt">
              <div class="mb-3">
                <label for="pwd" class="form-label">Password:</label>
                <input type="password" class="form-control" id="pwd" placeholder="Enter password" name="pswd" >
              <label for="mn" class="form-label">Mobile Number:
                  <input type="number" class="form-control" id="mn" placeholder="Enter Mobile Number" name="mnb";</pre>
              cdiv class="mb-3 mt-3">
                  <label for="comment">Comments:<//rr>
                  <textarea class="form-control" rows="5" id="comment" name="text" ></textarea>
              <div class="form-check mb-3">
                clabel class="form-check-label">
                  <input class="form-check-input" type="checkbox" name="remember"> Remember me
                (/label)
              <button type="submit" class="btn btn-primary">Submit</button>
            </form>
```


Contact Us css page:

```
Selection View Go
  Edit
                          Run
                                Terminal
                                        Help
# project2.css
                 project2.html
                                    # contact.css X
HTML > UI-Development > BENZ-PROJECT 2 > NEWPROJECT-BENZ > # co
       body{
           background-image: url("contact-1.jpeg");
  2
           background-size: cover;
           background-repeat: no-repeat;
       .container{
           width: 40%;
           height: max-content;
           border: 2px solid □ black;
 10
           color: whitesmoke;
 11
 12
       h2{
 13
           font-style: italic;
           font-family: 'Times New Roman', Times, serif;
 14
 15
           font-size: xx-large;
           font-weight: bold;
 16
 17
```

Contact Us Output page:



Contact Us page Mobile view:



THANK YOU