EYVAR ADMIN · INFORMATIONAL SURFACES

104 proposals **86** buildable today **8** for you to decide

BOARD AUDIT · 26 AUGUST 2026

What these boards cannot tell you

Eleven informational surfaces, read one by one against the fixtures behind them, then read a second time for what the first pass missed. Each is judged on one question: **what decision can a business owner actually make from it?** Every proposal was checked against the field that would compute it — so the readiness tag is a finding, not an estimate, and where the first pass got something wrong it is corrected in the open rather than quietly edited.

PROPOSALS	BUILDABLE TODAY	BLOCKED ON DATA
104	**86**	**16**
across 11 surfaces	fields already exist	need a new field

YOUR DECISION

8

definitions to name

CONTENTS

1 Management › Overview

2 Management › Performance

3 Management › Risk & Signals

4 Management › Growth

5 Management › Market & Zones

6 Operations › Overview

7 Support › Overview

8 Support › Captain Fairness

9 Admin › Overview

10 Financials › Overview & Revenue

11 Report Builder / Dashboards / Alerts

A Personas

B Captains

C Corrections to the first pass

D The subscription mechanic

E Time

F Pricing levers with no feedback loop

G Judgement

H Controls, governance and the audit trail

I Trust in the numbers

J The people who run it

K Money in motion

L Supply, seen forward instead of backward

· Enablers, ranked by what they unblock

· Decisions only you can make

· Suggested sequence

> **Scope.** All eleven table-less surfaces, one by one — the nine metric boards, the Financials overview, and the self-serve layer (Report Builder / Dashboards / Alerts) — plus two findings that belong to no single board. **Method.** Each board was read against its fixture seeds, and every proposal below was checked against the field that would compute it. Readiness is tagged, not assumed.

READINESS LEGEND

TAG	MEANING
A	Derivable **today** from fields already on the fixtures. Build work only.
B	Needs a **new fixture field or a widened** `DailySnapshot` . Data work first.
C	**Blocked on a business decision —** a definition the owner must name.

THE FOUR FACTS THAT SHAPE EVERY RECOMMENDATION

1. Only nine fields have history. `DailySnapshot` (30 days × 9 fields: `riders`, `drivers`, `activeSubs`, `quickRides`, `cancelRatePct`, `totalRevenueHalalas`, `quickRideRevenueHalalas`, `subRevenueHalalas`) is the platform's entire time series. Twenty-two tile comparisons already sit on `reason: 'no-history'` because of it. **Any new tile wanting a trend needs its field added to the snapshot first** — otherwise it ships with an em-dash where the delta goes.

2. There is no cohort primitive. Neither `MetricSeed` nor the Report Builder's `Measure` type can express *"group by signup period, measure at age N"*. Activation, retention, payback and captain survival all need it. This is one missing capability blocking roughly half of what follows.

3. Rates survive the demo; counts do not. The fixture holds 13 captains, 17 riders, 12 subscriptions, 19 trips. The codebase already states the principle — `cancellationRate` was chosen precisely because *"it is a rate, so it is level-independent — 3–9 % is as true of 47 subscriptions as of 6"*. **Every proposal below is a rate, a ratio, a share, or a duration** wherever it could be. Where a count is unavoidable it is marked.

4. Referral attribution has never worked. `rider.referralCode` and `rider.referredBy` are both **dead writes** in the legacy source — written, read nowhere. So `promoROI` and `referralAndIncentiveSpend` currently measure spend with no way to attribute what it bought. Fixing attribution is a prerequisite for any acquisition-efficiency number.

---

1 Management › Overview

Seven tiles: contribution margin, gross revenue, active subscriptions, active captains, net subscription movement, same-captain-kept, on-time pickup.
Two charts: quick-ride revenue, subscription revenue.

ANSWERS TODAY

Is the business growing, and is it keeping the two promises printed on the plan card? It answers that well — the two promise tiles against a 95 % target are the sharpest thing on any board.

CANNOT ANSWER

- **Is growth coming from more riders, or more spend per rider?** Gross revenue moves; nothing decomposes it into volume × price.
- **What is a subscription worth?** No per-unit figure anywhere.
- **Which of the two businesses is winning?** The two revenue charts sit side by side, but nothing states the mix or whether it is shifting.

ADD

METRIC	THE DECISION IT DRIVES	READY
ARPA — revenue per active subscription	Splits growth into volume vs price. The single most important number a subscription business does not have.	A `subRevenueHalalas ÷ activeSubs`, both on the snapshot, so it gets a real 30-day trend on day one.
Revenue mix — subscription share of gross	Says which business is growing. A quick-ride-led month and a subscription-led month need different responses.	A snapshot fields; trends immediately.
Revenue per active captain	Supply productivity. Falls when you over-recruit, rises when you under-recruit.	A `totalRevenueHalalas ÷ drivers`.
Subscription : quick-ride trip mix	Whether quick rides feed the subscription business or cannibalise it.	A `Trip.kind`.

Also: `netSubscriptionMovement` is started minus cancelled — a net figure

Also: `netSubscriptionMovement` is started-minus-cancelled — a net figure that hides its own composition. **Show the gross halves beside it** (started, cancelled) so a flat net caused by 30-in/30-out is distinguishable from a quiet month. Same field, no new data.

---

2 Management › Performance

Four tiles: cancellation rate, average renewal rate, average captain rating, trips completed. **Breakdown:** captains by late-trip share. **Charts:** on-time pickup, cancellation rate.

ANSWERS TODAY

Is the service getting worse for people who already pay us? The cancellation chart is the board's real asset — 5.2 % → 6.7 % is honest, sourced history.

CANNOT ANSWER

- **Is a bad average one bad captain or a bad system?** Every tile is a mean. The late-share breakdown is the only distribution on the board.
- **Does poor service actually cause churn?** Performance and Risk never meet.

ADD

METRIC	THE DECISION IT DRIVES	READY
On-time attainment distribution (P10 / median / P90)	A mean of 91 % hides whether the worst decile sits at 60 %. Fix the tail, not the average.	A `Driver.onTimePercent` .
Complaint rate per 100 trips	Normalises complaints against volume. A raw complaint count rises simply because you grew.	A `Driver.openComplaints ÷ totalTrips` .
Service-to-churn link: renewal rate of riders served by	Turns a service metric into a revenue argument. Justifies the cost of fixing supply	A join `Trip.driverId` → `Subscription.renewal`

bottom-decile captains vs top	quality.	`LikelihoodPercent` .
Repeat-lateness concentration — share of late trips from the worst 3 captains	Distinguishes a coaching problem from a dispatch problem.	A trips fixture.

Blocked: the board has **no satisfaction measure at all.** Legacy's CSAT/NPS card was *fully hardcoded HTML* — it never held real data, so this is a genuine absence rather than a regression. Standing up CSAT needs a survey field on `Trip` or `Subscription` . **C** — the owner must decide whether to collect it.

---

3 Management › Risk & Signals

Six tiles: revenue at risk, churn-predicted subscriptions, at-risk captains, identity collisions, repeat-incident captains, payment-risk renewals. **Breakdowns:** high-value riders at risk, subscriptions by renewal likelihood.

ANSWERS TODAY

The strongest board in the system. It ports legacy's `subHealthScore` and `driverRiskScore` and ranks *named subscriptions* by renewal likelihood — the one place the panel tells an operator exactly who to call.

CANNOT ANSWER

- **Does intervening work?** Risk flags a subscription; nothing records whether the retention action saved it.
- **How good is the prediction?** No accuracy measure. A churn score nobody scores is a number nobody should trust.
- **Captain churn is entirely absent** — see §B.

ADD

METRIC	THE DECISION IT DRIVES	READY

Intervention save rate — flagged subscriptions that renewed after an action vs flagged-and-untouched	The only number that says whether the retention team pays for itself.	B needs an intervention outcome field; the action exists, the outcome is not recorded.
Churn-model precision at 30 days	Whether to trust the score or re-tune it.	B needs flag history; today's flags are point-in-time.
Revenue at risk as a share of MRR	A SAR figure means nothing without a denominator. 12 % at risk is a crisis; the same SAR at 2 % is noise.	A once MRR exists (§10).
Days-to-renewal on every at-risk row	Converts a risk list into a work queue ordered by urgency.	A `Subscription.endsOn` .

4

Management › Growth

the acquisition board — most of your ask lands here

Seven tiles: promo ROI, promo budget consumed, subscriptions from promos, new riders, registered riders, dormant rider share, referral & incentive spend. **Chart:** new subscriptions.

ANSWERS TODAY

Spend and volume. *How much did we spend, and how many riders arrived.*

CANNOT ANSWER — AND THIS IS THE BIGGEST HOLE IN THE PRODUCT

- **What does a rider cost, and what is one worth?** No CAC. No LTV:CAC. No payback period. Every acquisition decision you make is currently unpriced.
- **Do registered riders ever ride?** `registeredRiders` is a census and

`newRiders` is an arrival count. **Nothing measures activation** — the share who take a first trip.

- **Do quick-ride riders become subscribers?** This is the core conversion of a subscription ride-hailing business and it is measured nowhere.
- **Does anyone stay?** No retention curve. Legacy's cohort card was a **hardcoded array** — never real.

ADD — THE ACQUISITION FUNNEL, END TO END

METRIC	THE DECISION IT DRIVES	READY
Activation rate — registered riders taking a first trip within 7 / 30 days	Separates a marketing problem (nobody signs up) from a product problem (they sign up and stall). Completely different fixes.	A `Rider.joinedAt` + `lastTripAt`; `NewRider.firstAction` already records the first thing they did and reaches the data layer but **no screen renders it.**
Quick-ride → subscription conversion rate, and median days to convert	The core funnel step. Tells you whether quick rides are a cheap acquisition channel or a leak.	A `Rider.status`, `subscriptionIds`, `Subscription.startedOn`.
CAC per subscription and per captain	Makes the promo budget a decision instead of a line item.	A for spend ÷ volume; C for a defensible attribution split — needs the referral dead-write fixed and a channel field.
LTV : CAC and payback months	Whether to accelerate or brake spend. The board currently cannot say.	A on the LTV side (`Rider.lifetimeValueHalalas`), gated on CAC.
Subscription retention curve by	The definitive health measure of a subscription business	B needs the cohort primitive (§ Enablers)

retention curve by start cohort — M1 / M3 / M6 survival	of a subscription business.	primitive (§ Enablers).
Dormancy → churn conversion	`dormantRiderShare` exists but stops short: how many dormant riders come back vs leave.	A `lastTripAt`.
Promo-acquired vs organic subscription retention	Whether discounting buys customers or buys tourists. Usually the most expensive thing a company learns late.	B needs promo attribution on the subscription.

5

Management › Market & Zones

the expansion board

Seven tiles: captains needed, starved zones, unserved requests (30 d), average failure rate, live steer offers, worst demand/supply ratio, live cities. **Breakdown:** cities health. **Chart:** unserved requests.

ANSWERS TODAY

Where **existing** supply is short. It is a supply-balancing board.

CANNOT ANSWER — *"WHICH CITIES SHOULD WE EXPAND TO"*

Every tile is scoped to zones that **already exist**. A city with demand and no coverage is invisible by construction: `unservedRequests30d` counts requests inside served zones, so latent demand outside the footprint never appears.

ADD — AN EXPANSION-READINESS VIEW

METRIC	THE DECISION IT DRIVES	READY
Registered riders in cities with no live zone	The purest expansion signal you have: demand that already signed up and cannot be served.	A to build — `Rider.city` vs `Zone.city` — but **B** to make meaningful:

		every rider, zone and applicant in the fixture is Riyadh, so it returns zero today (§C).
Applicant supply in the pipeline, per city	Says whether a city is *enterable*. Zones say you need N captains; applications say M are in the pipe. **These two numbers are never joined today.**	A `Applicant.city` × `Zone.captainsNeeded`.
Expansion-readiness score per candidate city (riders + request attempts + applicant supply − failure rate)	Ranks candidate cities instead of describing them. One ordered list is the deliverable.	A all four inputs exist.
Revenue per captain per zone	Whether a starved zone is worth feeding. Some starvation is correct.	A `Trip.pickup` → zone.
Steer-offer effectiveness — acceptance rate and cost per filled trip	`steerOffersLive` is a *count*, and a count cannot tell you whether the lever works. `ZoneSteerOffer` already carries `accepted`, `sentTo` and `spentHalalas`.	A arithmetic on fields that already exist.
Serviceable-demand gap by gender preference	`Rider.driverGenderPreference` vs captain gender supply. If female riders request female captains and supply is thin, that demand is structurally unservable and invisible today.	A but seeded on one rider only; needs fixture depth to be meaningful.

6

Operations › Overview

the waiting board — your "people waiting too long" ask

the waiting board — your "people waiting too long" ask

Eight tiles: applications past window, pending applications, breached work items, unclaimed work, legs uncovered, open requests, compliance expired, captains available. **Breakdown:** backlog by queue.

ANSWERS TODAY

Counts of breaches. How many items are late.

CANNOT ANSWER

How late. This is the crux. The SLA machinery is complete — `slaStartedAt`, `slaDueAt`, `slaTargetMinutes`, `slaBreachedAt`, `firstResponseDueAt`, `firstResponseAt` all exist on `SlaTracked` — and **every board metric built on it is a count.** An operator cannot tell three items five minutes late from three items five hours late, and those demand opposite responses.

There is also **no percentile anywhere in the product** — verified by grep across `src/screens` and the metric fixtures.

ADD — DURATIONS, NOT COUNTS

METRIC	THE DECISION IT DRIVES	READY
Oldest item waiting, per queue	The single number that says *escalate now*.	A `slaStartedAt`.
Median and P90 time-to-assign, by channel	Instant rides carry a 3-minute SLA, subscription requests 120 minutes. Neither has an attainment number.	A `requestedAt` → `assignedAt`.
SLA attainment % per queue	Turns a breach count into a service level you can set a target against.	A `slaDueAt` vs completion.
Rider abandonment rate — requests ending `expired` / `no-drivers` /	The people who gave up. Today they are counted only inside the zones board, so they read as a supply statistic	A `expiredAt`, `cancelledAt`, `RequestStatus`.

`no-drivers` / `cancelled`, split by channel	they read as a supply statistic rather than a lost customer.	
Time-to-decision on applications (median, P90)	Captain acquisition is a race. `applicationsPastWindow` says how many are late; nothing says how slow you are.	A `appliedAt` → `decidedAt`.
Waiting-time distribution histogram	Whether the backlog is a long tail or a cliff.	A, needs a new chart kind (histogram).

Recommendation: these belong together on **one cross-cutting "Who is waiting" surface**. Waiting is currently scattered across Operations Overview, Requests, Assurance and My Work — nobody can see the whole of it at once.

---

7 Support › Overview

Six tiles: unacknowledged critical incidents, open incidents, contacts per thousand trips, uncoded contact share, open fairness cases, overturn rate. **Breakdown:** contact reasons.

ANSWERS TODAY

Genuinely good. `contactsPerThousandTrips` is already normalised — the pattern the rest of the product should copy.

CANNOT ANSWER

- **How long does a contact take to resolve?** No duration metric.
- **What does support cost per subscription?** No unit economics.
- **Is a contact reason growing or shrinking?** The reasons breakdown is a snapshot ranking with no trend.

ADD

METRIC	THE DECISION IT DRIVES	READY
Median time-to-first-response and time-to-resolve	Staffing.	A `firstResponseAt`, `SlaTracked`.
Contact reason trend — each reason's rate per 1,000 trips over time	A rising reason is a product defect announcing itself. A static ranking cannot show that.	B needs contact reasons on the snapshot.
Repeat-contact rate — riders contacting more than once in 30 days	Distinguishes volume from unresolved volume.	A `Rider.complaintIds`.
Contact rate by plan and by tier	Which persona is expensive to serve — feeds §A directly.	A

8

Support › Captain Fairness

Two tiles: earnings per engaged hour, suspended captains. **Chart:** earnings per engaged hour.

ANSWERS TODAY

Whether captains are earning acceptably for time actually worked, and how many are currently suspended. `earningsPerEngagedHour` is the right *shape* of metric — it divides by engaged time rather than clock time, which is the honest denominator.

CANNOT ANSWER

- **Who is being treated unfairly.** One mean across the whole fleet. Fairness is inherently a question about the tail, and the tail is exactly what a mean removes.
- **Are suspensions consistent?** A count with no reason breakdown, no rate,

and no comparison across operators making the decision.

- **What does a suspension cost the captain?** A suspended captain earns nothing while the case sits. Nothing measures how long that is.

ADD

METRIC	THE DECISION IT DRIVES	READY
Earnings distribution — P10 / median / P90 per engaged hour	The bottom decile is who leaves. A mean cannot see them.	A the same field the mean already uses.
Suspension rate per 100 active captains, by reason	A count grows with the fleet; a rate does not. The reason split says whether suspensions are safety, compliance or performance — three different remedies.	A `Driver.suspended`, `suspensionReason`.
Median days under suspension before resolution	Directly a cost borne by the captain, and today invisible. This is the fairness metric the board is named for and does not have.	A `SlaTracked` on the fairness case.
Post-reinstatement retention — do reinstated captains keep driving?	Whether the appeal process repairs the relationship or merely ends the case.	B cohort primitive.
Earnings gap by vehicle class and by zone	Whether the fairness problem is a person problem or an allocation problem. Dispatch, not coaching.	A `Trip.pickup`, `Driver.vehicleClass`.

Note: `overturnRate` sits on Support › Overview, not here. The rate at which fairness decisions are reversed is the single most relevant number to a fairness board, and it lives on a different screen. **Move it or mirror it.**

9

Admin › Overview

Four tiles: erasure requests overdue, rota gaps, operators without two-factor, active operators. **Breakdown:** rota gaps by day. **Chart:** activity events.

ANSWERS TODAY

Housekeeping — data-protection obligations, security hygiene, and whether the shift roster has holes. All four are correct and worth keeping.

CANNOT ANSWER

- **Is the team the right size?** `activeOperators` is a headcount with no workload beside it.
- **Do rota gaps actually hurt?** The board reports gaps; the Operations board reports breaches; **nobody joins them.** That join is the entire business case for hiring.
- **Is work distributed fairly across operators?** No per-operator view at all.

ADD

METRIC	THE DECISION IT DRIVES	READY
Items resolved per operator-hour	Capacity planning. Converts a headcount into a throughput.	A work items carry `claim` and resolution timestamps.
SLA breach rate during rota gaps vs covered hours	**The highest-value join in the product.** It converts "we are short-staffed" from an assertion into a measured cost, and it is the argument that gets headcount approved.	A rota fixture × `slaBreachedAt`.
Queue arrival rate by hour vs rota coverage by hour	Whether the roster is sized to when work actually arrives, rather than to a uniform day.	A `slaStartedAt` hour histogram × rota.

Workload balance — share handled by the busiest vs quietest operator	Burnout and single-point-of-failure risk, both invisible today.	A `claim.byUserId`.
Dormant operator accounts and permission drift	A security metric with teeth. `operatorsWithoutTwoFactor` covers enrolment; nothing covers accounts nobody uses any more.	A team users fixture + audit events.

10

Financials › Overview & Revenue

Six flow tiles: gross, captain earnings, gross margin, giveback, contribution, contribution %. **Five position tiles:** pending payouts, escrow held, escrow ready, captain debt, rider wallet liability. **Giveback is already decomposed** into promo / referral / incentive / refunds / goodwill / emergency — credit where due; that decomposition is better than most of the boards.

CANNOT ANSWER

- **MRR and its movement.** The standard subscription bridge — new / expansion / churned / reactivated — is absent. For a subscription business this is *the* financial chart.
- **Which plan *earns*. **Revenue › by plan already shows gross, platform, captain and platform % per plan — see §C, which corrects a wrong claim in the first pass. But platform % is** take rate before givebacks**, not contribution, and there is no per-subscription figure. So the table names the biggest plan and not the best one.
- **Whether giveback bought anything.** The decomposition lists SAR by cause with no denominator and no outcome.

ADD

METRIC	THE DECISION IT DRIVES	READY
MRR + movement	The headline number of the	A for MRR; B for the

bridge	business model.	movement split (needs plan-change history).
Contribution and ARPA per plan — the existing by-plan table, minus givebacks and divided by active subs	Which plans to promote, reprice, or retire. The table exists; the two columns that turn it into a decision do not.	A extends `PlanRevenueRow` with fields already on the summary.
Giveback as % of gross, per cause, with trend	Turns six SAR figures into six decisions. A cause growing faster than gross is the one to attack.	A for the ratio; B for trend.
Cash-collection rate and failed-payment recovery	`paymentRiskRenewals` flags the risk; nothing measures whether you recover.	A
Revenue concentration — share from the top 10 riders / corporate accounts	Whether the revenue line is a portfolio or three phone calls.	A

11 Report Builder / Dashboards / Alerts

Catalogue: 14 measures, all volume or revenue — `captains.registered`, `riders.registered`, `subscriptions.active|started|cancelled`, `captains.joined`, `riders.joined`, `trips.completed|quickRides|fareCollected`, `revenue.total|quickRide|subscription`, `trips.cancellationRate`. **11 dimensions**, all categorical: plan, vehicle class, status, trip kind, pickup, city.

THE STRUCTURAL LIMIT

The catalogue is a **volume catalogue.** It contains no funnel measure, no cohort measure, no duration measure and no ratio beyond one cancellation rate. An analyst therefore cannot self-serve a single question in sections 4, 6, 8 or 9 above — which is most of what you asked for. **Every board fix is a one-off build until the catalogue widens.**

ADD

1. **Duration measures —** `request.timeToAssign`, `application.timeToDecision`, `support.timeToResolve` **—** with percentile aggregation, not just sum/avg. **A.**
2. **Funnel measures —** `riders.activated`, `riders.convertedToSubscription`, `captains.firstTrip`. **A.**
3. **Ratio measures as first-class —** ARPA, utilisation, attainment, so a rate is not something each board recomputes for itself. **A.**
4. **Cohort dimension —** `cohort.signupMonth` + an `age` axis. **B**, and it is the enabler that unlocks the most.
5. **Segment dimensions —** `rider.tier`, `rider.corporate`, `rider.language`, `driver.gender`. **A —** the fields exist; the catalogue omits them.

Known and unchanged: alerts do not fire — there is no scheduler, and the UI correctly says *would have fired*. `New dashboard` and `Pin to dashboard` are stubs.

A

Personas — a gap that spans boards rather than sitting on one

> **Cross-cutting.** Not a board. The metrics below have no single home today, which is itself the finding.

There is **no segmentation surface anywhere.** The fields are unusually rich and almost entirely unexploited:

`RiderTier` (gold/silver/bronze/new) · `churnRisk` · `lifetimeValueHalalas` ·

`renewalRatePercent` · `city` · `gender` · `appLanguage` · `driverGenderPreference` · `corporateAccountId` · `PlanKey` · `VehicleClass`

ADD — A SEGMENT VALUE MATRIX

METRIC	THE DECISION IT DRIVES	READY
LTV × retention × contact-cost, by tier / plan / vehicle class	*Which persona should we acquire more of.* Answers your ask directly, in one table.	A every input exists.
Corporate vs consumer economics	Corporate accounts are a distinct business with `employeeCount`, `expectedEmployees`, `totalSpendHalalas`, `monthlyCapHalalas`. **No board mentions them at all.**	A
Corporate seat utilisation — `employeeCount` ÷ `expectedEmployees`	Expansion revenue inside accounts you already won, which is cheaper than any new acquisition.	A both fields exist and are served; no screen renders either.
Corporate collections risk — `invoiceOverdue`, days overdue, exposure	An overdue B2B invoice is a larger financial event than most tiles on the Risk board. **Served by the corporate client; rendered nowhere.**	A
Language split (`appLanguage`) across riders and captains	The product ships two languages and reports on neither. Also the honest prerequisite for the untested Arabic copy.	A

B

Captains — "know more about the drivers and track them"

> **Cross-cutting.** Captain metrics are spread across three boards and no single surface answers "how is the fleet doing".

Captain-facing metrics exist across three boards: `avgCaptainRating`, `atRiskCaptains`, `repeatIncidentCaptains`, `captainsByLateShare`, `earningsPerEngagedHour`, `suspendedCaptains`, `captainsAvailable`.

THE TWO ABSENCES THAT MATTER

1. There is no captain-churn metric anywhere in the product. Verified by grep. In ride-hailing this is typically the largest recurring cost in the business, and the panel is silent on it.

2. Slot utilisation is on the type and on no screen. `Driver` carries `activeSubscriptions`, `maxSubscriptions` and `openSubscriptionSlots` — **`openSubscriptionSlots` is served by the driver client and rendered by no screen.** It answers, exactly, *do we need to recruit or are existing captains under-loaded?* — which is the question the whole Zones board is trying to answer indirectly.

ADD

METRIC	THE DECISION IT DRIVES	READY
Fleet slot utilisation — `activeSubscriptions ÷ maxSubscriptions`	Recruit vs re-load. The cheapest capacity is a slot you already pay for.	A fields exist and are served; nothing renders them.
Captain 30 / 60 / 90-day survival by join cohort	Where the acquisition budget leaks.	B cohort primitive.
Newly-approved captains who never took a first trip	Wasted acquisition spend, precisely quantified.	A `Applicant.approvedDriverId` → `Driver.lastTripAt`.
Earnings distribution P10 /	`earningsPerEngagedHour` is a single mean. The bottom	A

median / P90, not the mean	decile is who quits.	
Concentration risk — trip share of the top 10 captains	If a fifth of captains carry most subscriptions, losing three is an incident, not attrition.	A
Captain reliability composite (on-time + cancellation + complaints + doc expiry)	One ranked list for "know your drivers", instead of four boards.	A all four inputs exist.
Application rejection reasons, ranked	`rejectionReason` is captured and **aggregated nowhere**. Rejecting for fixable reasons (a bad document photo) is a funnel leak you can close this week.	A

C

Corrections to the first pass

Two claims from the first pass did not survive a second look. Both are recorded rather than quietly edited, because a plan that hides its own errors is a plan nobody can audit.

"No surface shows contribution by plan" — wrong. Financials › Revenue already renders **Revenue by plan**: plan, active subs, trips, gross, platform, captain, and platform %. That is most of the way there. What is genuinely missing is narrower and worth stating precisely: **platform % is take rate before givebacks, not contribution**, and there is no per-subscription figure per plan. So the table can tell you which plan is *biggest* and cannot tell you which plan *earns*.

"Riders in cities with no live zone — costs nothing and answers the question directly" — computable, but there is nothing to compute on. Every

zone (6), every rider (17) and every applicant (8) in the fixture is Riyadh; exactly one captain of thirteen is Jeddah. The metric would correctly return zero. It stays in the plan because it is the right instrument, but its readiness is **A to build, B to make meaningful** — the expansion question cannot be demonstrated until the fixture carries a second city's demand.

D

The subscription mechanic — four fields that decide the business

The first pass treated subscriptions as a count that goes up and down. The mechanics underneath are modelled in detail and rendered nowhere.

CANNOT ANSWER

- **Are subscribers using what they paid for?** `tripsIncluded` and `tripsCompleted` sit side by side on every subscription and no screen compares them. This is the central economics of a subscription: a rider using 2 of 20 included trips is high margin **and** about to churn; a rider using 20 of 20 is loyal **and** possibly unprofitable. Those are opposite interventions and today they look identical.
- **Why do people leave?** `cancellationReason` is captured on every cancelled subscription and aggregated nowhere.
- **How often does a save work?** `frozenUntil` and `planFrozenUntil` exist. A freeze is a churn *deflection* — neither a loss nor a renewal — and it is counted as neither.

ADD

METRIC	THE DECISION IT DRIVES	READY
Plan utilisation — `tripsCompleted ÷ tripsIncluded`, distributed	Plan design and pricing. The two tails are two different businesses: under-users churn, over-users erode margin. A mean would hide both, so this must ship as a distribution.	A both fields on every subscription.

Churn reasons, ranked, by plan	The single most actionable table in this document. It converts "we lost 12" into "we lost 12, nine for the same fixable reason".	A `cancellationReason`.
Freeze rate, and what happens after a freeze	Whether freezing saves subscriptions or merely delays the cancellation. Determines whether to offer it more or less.	A `frozenUntil`, then status at expiry.
Refund rate and refund reasons, by destination	`RefundRecord` carries `reasonCode` and `destination` (instrument vs wallet). Refunds currently appear as one SAR line in the giveback list; the reason distribution is the part you can act on.	A
Included-trip breakage — trips paid for and never taken	Revenue quality. Breakage flatters margin today and predicts churn tomorrow, and finance should know how much of the margin is breakage.	A `tripsIncluded − tripsCompleted`.

E

Time — the grain the product prices in and cannot report

This is the sharpest structural finding of the second pass.

The product sets prices by hour and by day. `SurgeWindow` carries `startHour`, `endHour`, `days` and a `multiplier`. The working week is Sunday–Thursday, and `WEEK_START_DOW` is a deliberate constant with **Q-RB-3 still unanswered.**

And **every one of the 14 measures declares `minGrain: 'day'`.** `'hour'` exists in `GRAIN RANK` and no measure supports it, so it is always illegal.

`ReportResult.buckets` is typed `IsoDate[]` — an hourly bucket has nowhere to put its hour, which is a contract change rather than a config flag. There is no time-of-day dimension and no day-of-week dimension anywhere.

So: **you price by hour, and you cannot report by hour.** For a commuter subscription business whose whole product is the morning and evening leg, that is the gap most likely to be costing money silently.

ADD

METRIC	THE DECISION IT DRIVES	READY
Demand and supply by hour of day	Whether the surge windows are pointed at the right hours. Today they are set by judgement and never checked.	B `Trip.startedAt` carries the hour; `buckets` must widen to `IsoDateTime[]`.
Day-of-week profile, Sunday-first	A commuter product lives on the working week. Thursday and Friday behave nothing like Monday, and one weekly average hides both.	B needs a day-of-week dimension; also settles **Q-RB-3**.
Peak concentration — share of trips in the top two hours	Fleet sizing. A fleet sized for the peak is idle all day; one sized for the mean fails twice daily.	B
On-time attainment by hour	Whether lateness is a captain problem or a rush-hour problem. Same number, two completely different remedies.	B

F

Pricing levers with no feedback loop

Three levers are fully built and none reports its own effect.

CANNOT ANSWER

- **Does surge work?** A multiplier is configured per window. Nothing measures whether it brought supply in or drove demand away — the two outcomes look the same in a trip count.
- **What did the last price change do?** `RateCardSimulation` models `riderBeforeHalalas`, `riderAfterHalalas` and `deltaPercent` **before** a rate card goes live. Nothing measures what actually happened after. There is no elasticity estimate anywhere in the product.
- **Do steer offers and incentives pay for themselves?** Spend is recorded; outcome is not attributed.

ADD

METRIC	THE DECISION IT DRIVES	READY
Surge effectiveness — supply response and demand drop per window	Whether to widen, narrow, or retire each window. Currently a pure judgement call.	B depends on §E's hour grain.
Price-change outcome, before vs after, per rate-card version	Closes the loop on the simulation the product already runs. `RateCard.effectiveFrom` gives an exact cut point.	B needs history across a version change.
Implied elasticity by vehicle class	The input to every future pricing decision.	B
Cancellation-fee incidence	`cancelFeeHalalas` and `freeWaitMin` are configured; nothing reports how often the fee actually lands, or on whom. A fee that fires constantly is a policy problem.	A trips and pricing fixtures.

G

Judgement — the boards mostly cannot say whether a number is good

A number without a target or a trend is not a decision input. Counted across the 57 seeded metrics:

- **5** carry a target.
- **36** carry no comparison at all — `kind: 'none'` — and **34** of those give the reason `no-history`.

So on most tiles the product shows a figure and declines to say whether it is good, bad, better or worse. **Targets are the cheapest fix in this entire document**: they are a business input, not a data problem, and they need no history to work.

Alerting has the mirror problem. `AlertComparator` is `gt | gte | lt | lte` against a **fixed number**. On a growing business an absolute volume threshold either fires forever or never fires, and it cannot express the alert you actually want — *"cancellations are up 40 % on the same day last week."* `PeriodComparison` already offers `previous-year`, against 30 days of history.

ADD

METRIC	THE DECISION IT DRIVES	READY
A target on every tile that can carry one	Turns 36 bare numbers into 36 judgements. Nothing else in this document buys as much for as little.	C the targets are yours to set; the field already exists.
Percent-change and week-over-week comparators on alert rules	The alert a subscription business actually needs. An absolute threshold cannot express "up 40 % on the same weekday".	A no new data; a comparator vocabulary change.
Seasonal-aware	Kills the false alarms that	B needs history

baselines rather than fixed lines	make an alerting system get ignored.	depth.
Forward projection on known future events	**Nothing in the product forecasts anything.** Renewal dates, document expiries and rota gaps are all *known in advance* and all reported in the past tense.	A for the arithmetic — `endsOn` , `expiresOn` , rota are all future-dated already.
Holdout groups for promos and incentives	Without a control group every promo is measured against "before", which confounds the promo with season and growth. Every ROI number in the Growth board inherits this flaw.	C a capability decision, not a metric.

H

Controls, governance and the audit trail

Every money-moving action is already audited with an actor, an amount and a reason code — `payout.pay` , `refund.issue` , `deduction.waive` , `wallet.adjust` , `posting.reverse` , `gateway.toggle` , and `permission.denied` among them. **None of it is turned into an indicator.** The audit log is a table you read after something goes wrong, not a control you watch.

Three integrity counters are worse off than that: `failedPayoutCount` , `unlinkedCreditNoteCount` and `escalatedCashReportCount` sit on `FinancialsSummary` , are served, and **appear on no screen.** (`refusedPostingCount` and `trialBalanceBalanced` do render — credit where due.)

ADD

METRIC	THE DECISION IT DRIVES	READY
Goodwill and	The classic control metric. An	A

waivers per operator, with reason-code mix	operator issuing five times the median goodwill is either your best support agent or your largest leak, and you cannot currently tell.	`AuditEntry.actorId`, `amountHalalas`, `reasonCode`.
Reversal rate — actions later undone	Measures decision quality, and a rising rate is a training signal.	A the `.reverse` actions are their own audit type.
Denied-permission attempts by operator and by page	Either people are trying to do their job through a wall, or someone is probing. Both matter and neither is visible.	A `permission.denied`.
The three unrendered integrity counters, surfaced	Failed payouts and unlinked credit notes are live financial defects. They are counted and shown to nobody.	A already on the summary.
Four-eyes coverage on high-value actions	Governance. Which large money movements were made by a single operator with no second approval.	B needs an approver field.

I

Trust in the numbers

A board that reports a figure should also report how much of it is solid. Three fields already grade their own reliability and none reaches a screen.

- **`Trip.stateDesynced`** — the trip record disagrees with itself. Every revenue and on-time number silently includes these rows.
- **`LegAcknowledgement.weight`** — `strong` (app), `attested` (phone, WhatsApp), `weak` (**assumed**). So a share of the on-time promise the product prints on the plan card rests on *assumed* pickups, and no screen says how large that share is.
- **`uncodedContactShare`** — already on the Support board, and the only

~~`uncodedContactShare`~~ already on the support board, and the only member of this family that made it to a tile. It should be the pattern, not the exception.

ADD

METRIC	THE DECISION IT DRIVES	READY
Evidence quality on the on-time promise — share strong / attested / assumed	Whether 91 % on-time is a measurement or an assumption. This is the number to check before printing the promise on a plan card.	A `LegAckWeight` is already graded.
Desynced-trip rate	A data-integrity defect that silently contaminates revenue and service metrics.	A `stateDesynced`, currently rendered nowhere.
Coverage rate per metric — rows with the field populated	Distinguishes "this is low" from "we barely measured it". `renewalRatePercent` is `null` for riders with no history and would read as 0 % to anyone summing naively.	A
A freshness stamp that reads as data, not decoration	Every metric already carries `asOf`. Under a widened snapshot, a stale board should say so loudly rather than showing yesterday's number as today's.	A the field exists on every metric.

J

The people who run it

Three operational surfaces measure their own execution nowhere.

ADD

METRIC	THE DECISION IT DRIVES	READY

Safety protocol adherence — contact / verify / act / document	`SafetyProtocolStep` records `done` and `completedAt` per step. Adherence rate and per-step completion time are the only evidence that the protocol is followed rather than merely defined — and the first thing an investigator asks for.	A
Time-to-close by incident severity	Whether critical incidents actually move faster than normal ones, rather than being labelled as if they do.	A `openedAt` → `closedAt`.
Notification effectiveness — unread-critical rate and time-to-read	Alert fatigue, measured. If criticals go unread you have an alerting problem wearing an operations problem's clothes.	A `read`, `priority`, `createdAt`.
Employee onboarding completion by role	You asked for role-based onboarding. `completedStepIds`, `skippedStepIds` and `dismissedAt` are recorded per user and nothing reports whether any of it lands.	A
The most-skipped onboarding step	A skipped step is a step that failed to explain itself. This is the cheapest product-improvement signal in the system.	A `skippedStepIds`.

K

Money in motion

The Financials overview reports **positions** — how much is held. It does not

The Financials overview reports **positions** — how much is held. It does not report **how long it has been held**, and in a captain-facing business the delay is the thing the captain feels.

ADD

METRIC	THE DECISION IT DRIVES	READY
Payout aging — days from due to paid, and the oldest unpaid	A captain waiting on money is a churn event in progress. `PayoutState` runs `due → processing → paid → failed → reversed` and no duration is reported across it.	A
Failed-payout recovery time	A failed payout that nobody chases is a captain who leaves.	A the state machine already distinguishes `failed`.
Escrow aging — how long held before release	Working capital, and a fairness question at the same time.	A
Corporate days-sales-outstanding	`invoiceDayOfMonth`, `lastInvoiceGeneratedAt`, `nextInvoiceOn` and `invoiceOverdue` are all modelled. B2B collections is a real cash line with no indicator.	A
Captain debt aging and recovery rate	`captainDebtHalalas` is a position tile. Debt that is 90 days old is a write-off, not an asset.	A

L

Supply, seen forward instead of backward

Everything about supply is reported in the past tense, and every input

needed to report it in the future tense is already future-dated.

ADD

METRIC	THE DECISION IT DRIVES	READY
Compliance expiry forecast — documents expiring in 7 / 30 / 60 days, by city	`ComplianceDoc.expiresOn` is known in advance. The board reports `complianceExpired` — **past tense** — so a captain suspended for a lapsed document is a supply outage you had every chance to prevent.	A
Renewal calendar — subscriptions ending in the next 30 days, by plan and value	The revenue you are about to re-earn or lose, visible before it happens rather than after.	A `Subscription.endsOn` .
Projected captain shortfall by city	`captainsNeeded` is today's shortfall. Combining it with the expiry forecast and the applicant pipeline gives next month's.	A three existing fixtures joined.
Recruitment funnel velocity	`recruitmentQueuedAt` records when a zone asked for captains; `Applicant.appliedAt` records when they arrived. The lag between them is the real recruitment lead time, and nothing measures it.	A