
Error Without CSRF Token

- Understanding CSRF (Cross-Site Request Forgery): CSRF is a type of attack that tricks the user into executing unwanted actions on a web application where they are authenticated. CSRF tokens are used to prevent such attacks by adding an extra layer of verification.
- Error Without CSRF Token:
 - When trying to make a POST, PUT, DELETE, or any state-changing request without a CSRF token, the server may respond with a 403 Forbidden error indicating a missing or invalid CSRF token.
 - This happens because CSRF protection is enabled by default in Spring Security for non-GET requests.

Project Structure:



login.html

login page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Please sign in</title>
  link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css"
       rel="stylesheet" integrity="sha384-
      /Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
      crossorigin="anonymous">
  <link href="https://getbootstrap.com/docs/4.0/examples/signin/signin.css" rel="stylesheet"</pre>
      integrity="sha384-
      oOE/3m0LUMPub4kaC09mrdEhIc+e3exm4xOGxAmuFXhBNF4hcg/6MiAXAf5p0P5
      6" crossorigin="anonymous"/>
 </head>
<body>
  <div class="container">
   <form class="form-signin" method="post" action="/login">
    <h2 class="form-signin-heading">Please sign in</h2>
    <div class="alert alert-success" role="alert">You have been signed out</div>
     <label for="username" class="sr-only">Username</label>
     <input type="text" id="username" name="username" class="form-control"</pre>
       placeholder="Username" required autofocus>
     <label for="password" class="sr-only">Password</label>
     <input type="password" id="password" name="password" class="form-control"</pre>
         placeholder="Password" required>
   <input name="_csrf" type="hidden"</pre>
      value="YxSzD99jndn06qhYNArI_UR0lYnZgdkkSZApPGiutUQZ9SdgUSXQPrtVq-
      zZ05hgDSf8ySJNuOu94-kJf_UeBV6ehXwpxhRV"/>
    <button class="btn btn-lg btn-primary btn-block" type="submit">Sign in</button>
  </div>
</body>
</html>
```



logout.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
 <meta name="description" content="">
 <meta name="author" content="">
 <title>Confirm Log Out?</title>
 link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css"
      'rel="stylesheet" integrity="sha384-
      /Y6pD6FV/Vv2HJnA6t+vs1U6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
      crossorigin="anonymous">
 k href="https://getbootstrap.com/docs/4.0/examples/signin/signin.css" rel="stylesheet"
      integrity="sha384-
      oOE/3m0LUMPub4kaC09mrdEhIc+e3exm4xOGxAmuFXhBNF4hcg/6MiAXAf5p0P5
      6" crossorigin="anonymous"/>
</head>
<body>
  <div class="container">
   <form class="form-signin" method="post" action="/logout">
    <h2 class="form-signin-heading">Are you sure you want to log out?</h2>
    <input name=" csrf" type="hidden" value="C-yWbXKOzTA1L-</pre>
      20Fnf48Gi4C4T0s9cHoVX-l-
      vTtY7s_uXjP9z1DhTs9QAYS97VJlrMw1jbJryV0LMqlzGYro21gb_bm9fQ" />
    <button class="btn btn-lg btn-primary btn-block" type="submit">Log Out</button>
 </div>
</body>
</html>
```



StudentController.java

```
@RestController
public class StudentController {

    @Autowired
    private StudentService studentService;

    @GetMapping("/students")
    public ResponseEntity<List<Student>> getStudents(){

        return ResponseEntity.ok(studentService.getStudents());

    }

    @PostMapping("/students")
    public ResponseEntity<Student> addStudent(@RequestBody Student student){
        if(studentService.addStudent(student)) {
            return ResponseEntity.ok(student);
        }else {
            return ResponseEntity.internalServerError().build();
        }
    }
}
```

StudentService.java

Student.java

```
package com.spring.security.entity;


import lombok.AllArgsConstructor;
import lombok.Data;
import lombok.NoArgsConstructor;

@Data
@NoArgsConstructor
@AllArgsConstructor
public class Student {

    private int id;
    private String name;
    private String tech;
}
```

Without token:

For POST method:





For GET method:



Browser

 \leftrightarrow

