

```
show databases;

use june12;

show tables;

CREATE TABLE emp1 (
  e_id INT,
  e_name VARCHAR(50),
  age INT,
  sal INT,
  hiredate DATE,
  com INT,
  d_no INT,
  job VARCHAR(30)
);

INSERT INTO emp1
VALUES
(1001, 'Mahesh', 25, 25000, '2018-05-10', NULL, 10, 'Analyst'),
(1002, 'Prasad', 30, 45000, '2015-08-15', 5000, 20, 'Manager'),
(1003, 'Kumar', 28, 32000, '2020-01-12', NULL, 30, 'Clerk'),
(1004, 'Sneha', 35, 60000, '2012-07-20', 8000, 40, 'Salesman'),
(1005, 'Vikram', 40, 85000, '2008-03-11', NULL, 20, 'Manager'),
(1006, 'Gupta', 27, 28000, '2021-11-25', 3000, 10, 'HR'),
(1007, 'Kiran', 31, 52000, '2017-04-18', NULL, 30, 'Analyst'),
(1008, 'Pooja', 29, 41000, '2019-09-14', 4500, 40, 'Salesman'),
(1009, 'Arjun', 38, 78000, '2010-06-30', NULL, 20, 'Manager'),
(1010, 'Meera Joshi', 26, 22000, '2022-02-08', NULL, 10, 'Clerk'),
(1011, 'Suresh Yadav', 45, 95000, '2000-12-05', 12000, 30, 'Director'),
```

(1012, 'Divya Menon', 33, 55000, '2014-10-21', NULL, 40, 'HR'),
(1013, 'Ravi Teja', 24, 18000, '2023-01-15', NULL, 10, 'Trainee'),
(1014, 'Neha Agarwal', 37, 72000, '2011-08-19', 7000, 20, 'Manager'),
(1015, 'Manoj Das', 41, 88000, '2006-05-13', NULL, 30, 'Analyst'),
(1016, 'Kavya Iyer', 29, 39000, '2018-12-17', 2500, 40, 'Salesman'),
(1017, 'Harish Babu', 32, 50000, '2016-03-22', NULL, 10, 'HR'),
(1018, 'Lakshmi Devi', 36, 68000, '2013-07-09', 6500, 20, 'Manager'),
(1019, 'Nitin Jain', 27, 31000, '2021-06-01', NULL, 30, 'Clerk'),
(1020, 'Shalini Roy', 34, 58000, '2015-09-28', 4000, 40, 'Salesman'),
(1021, 'Ramesh Kumar', 50, 100000, '1978-04-15', NULL, 10, 'Director'),
(1022, 'Geetha Rani', 48, 92000, '1985-11-20', 10000, 20, 'Manager'),
(1023, 'Sanjay Gupta', 43, 81000, '1995-02-25', NULL, 30, 'Analyst'),
(1024, 'Asha Thomas', 39, 74000, '2005-06-18', 5500, 40, 'HR'),
(1025, 'Tarun Mishra', 23, 12000, '2025-01-10', NULL, 10, 'Trainee');

-- 1. Write a query to find all employees with a salary greater than 50000.

```
select * from emp1 where sal>50000;
```

-- 2. Write a query to list employees whose age is less than or equal to 30.

```
select * from emp1 where age<=30;
```

-- 3. Write a query to find employees who are not working in the 'Sales' department.

```
select * from emp1 where job!="Salesman";
```

-- 4. Write a query to list employees whose name starts with 'A'.

```
select * from emp1 where e_name like "A%";
```

-- 5. Write a query to find employees with salary not between 3000 and 7000.

```
select * from emp1 where sal not between 3000 and 7000;
```

-- 6. Write a query to find employees whose designation is either 'Manager' or 'Clerk'.

```
select * from emp1 where job="Manager" or job="Clerk";
```

-- 7. Write a query to find employees who joined before 1981.

```
select * from emp1 where hiredate<"1981-01-01";
```

-- 8. Write a query to find employees with NULL in their commission field.

```
select * from emp1 where com is null;
```

-- 9. Write a query to find employees with non-NULL commission values.

```
select * from emp1 where com is not null;
```

-- 10. Write a query to list employees whose salary is not equal to 4000.

```
select * from emp1 where sal!=4000;
```

-- 11. Write a query to find employees whose department number is in (10, 20, 30).

```
select * from emp1 where d_no in (10,20,30);
```

-- 12 . Write a query to list employees whose name contains the letter 'e'.

```
select * from emp1 where e_name like "%e%";
```

-- 13 Write a query to find employees with salary greater than 1500 and less than 3000.

```
select * from emp1 where sal between 1500 and 3000;
```

-- 14 Write a query to find employees who do not have 'Analyst' as their job title.

```
select * from emp1 where job!="Analyst";
```

-- 15 Write a query to find employees who were hired in the year 1980.

```
select * from emp1 where hiredate>="1980-01-01" and hiredate<="1980-12-31";
```