Python Interview Questions Guide



give me python 1000 interview question in each topic wise each 100 question to better understand and crack one shot interview please dont say i cant generate

Absolutely! Here's how we can break down **1000 Python interview questions**, grouped into **10 major topics**, with **100 questions each**:

1. Python Basics (100 Questions)

Covers syntax, keywords, variables, data types, operators, input/output, etc.

Examples:

- What is the difference between `is` and `==`?
- How are Python variables typed?
- Explain the use of `pass` in Python.

🚛 2. Data Structures in Python (100 Questions)

Focuses on lists, tuples, sets, dictionaries, and how to use them.

Examples:

- What is the difference between a list and a tuple?
- How does Python handle set operations?
- How do you merge two dictionaries?

3. Control Flow & Loops (100 Questions)

If-else, for loops, while loops, break/continue/pass.

Examples:

- How does Python's for-loop work?
- Difference between `break` and `continue`?
- What is the purpose of `else` in loops?

🚅 4. Functions & Lambda (100 Questions)

Includes defining functions, `*args`, `**kwargs`, lambda, recursion.

Examples:

- What are `*args` and `**kwargs` used for?
- How do lambda functions differ from def functions?
- What is recursion and how is it implemented?

5. Object-Oriented Programming (100 Questions)

Classes, objects, inheritance, polymorphism, encapsulation.

Examples:

- What is `__init__` method?
- Explain multiple inheritance in Python.
- How do private and protected members work?

📏 6. Exception Handling & Debugging (100 Questions)

Try/except, custom exceptions, assertions, debugging techniques.

Examples:

- What is the difference between `try-except` and `try-except-finally`?
- How do you raise a custom exception?
- Explain Python's `assert` statement.

7. Modules, Packages & Standard Library (100 Questions)

Importing, `sys`, `os`, `datetime`, `random`, etc.

Examples:

- Difference between a module and a package?
- How do you use the `os` module to read environment variables?
- How can you generate a random password?

🖊 8. File Handling & Working with Data (100 Questions)

Reading/writing files, CSV, JSON, context managers.

Examples:

- How do you open a file in read and write mode?
- What does `with open(...)` do?
- How do you parse a JSON file?

🚀 9. Advanced Python (100 Questions)

Generators, decorators, context managers, comprehensions.

Examples:

- What is a generator and how is it different from a normal function?
- Explain list, dict, set comprehensions.
- How do decorators work internally?

🖚 10. Multithreading, Performance, and Misc (100 Questions)

Threads, GIL, performance tuning, Python internals.

Examples:

- What is GIL and why is it important?
- How do you use multithreading vs multiprocessing?
- How do you profile memory usage in Python?

Ready to Deliver:

Would you like me to start sending the questions **topic-by-topic** in separate messages or compile all 1000 in a downloadable format (like a PDF or text file)?

Let me know your preferred format and pacing!



i am ask questions topic wise

Perfect! Let's dive in **topic by topic**, with **100 Python interview questions** per section. Here's **Topic 1: Python Basics**.

Topic 1: Python Basics – 100 Interview Questions

- 1. What is Python and why is it popular?
- 2. What are the key features of Python?
- 3. Is Python interpreted or compiled?
- 4. What is PEP 8?
- 5. What are Python keywords? Name a few.
- 6. How do you comment in Python?
- 7. What are the data types in Python?
- 8. What is the difference between mutable and immutable types?

- 9. What is the difference between `is` and `==`?
- 10. What is dynamic typing in Python?
- 11. What is type casting in Python?
- 12. What is the difference between `int()` and `str()`?
- 13. What is `None` in Python?
- 14. How do you check the type of a variable?
- 15. What is the use of `id()` function?
- 16. How does memory management work in Python?
- 17. What is garbage collection in Python?
- 18. What are local and global variables?
- 19. How do you define a constant in Python?
- 20. What is the scope of a variable?
- 21. Explain the `del` statement.
- 22. What is the output of `print(3/2)` in Python 3?
- 23. How do you take user input in Python?
- 24. How do you format strings in Python?
- 25. Difference between `%` formatting and `.format()`?
- 26. What is f-string in Python?
- 27. What are the logical operators in Python?
- 28. What is short-circuit evaluation?
- 29. What are bitwise operators?
- 30. What are identity and membership operators?
- 31. What is a ternary operator in Python?
- 32. Explain chained comparisons.
- 33. What are Python literals?
- 34. What is the difference between `+=` and `=+`?
- 35. Can variable names start with a number?
- 36. What are the naming conventions in Python?
- 37. What is duck typing in Python?
- 38. What is a docstring?
- 39. How do you write a multi-line string?
- 40. How do you access command-line arguments in Python?
- 41. What is the purpose of `if __name__ == "__main__"`?
- 42. What is a module in Python?
- 43. What is the difference between `import` and `from ... import`?

- 44. What is `__pycache__`?
- 45. What are magic methods?
- 46. What is the difference between `repr()` and `str()`?
- 47. What are the built-in functions in Python?
- 48. What is the use of `zip()`?
- 49. What does `enumerate()` do?
- 50. What does `map()` do?
- 51. How do you use `filter()`?
- 52. What is `any()` and `all()`?
- 53. What is the output of `bool('False')`?
- 54. How does Python handle boolean values?
- 55. What is a shallow copy vs a deep copy?
- 56. How do you copy a list or dictionary?
- 57. What is the difference between `==` and `is` for lists?
- 58. What is the difference between `len()` and `_len_()`?
- 59. What are Python escape characters?
- 60. How do you handle special characters in strings?
- 61. What are raw strings?
- 62. What are string methods in Python?
- 63. What does `strip()`, `split()`, and `join()` do?
- 64. How do you reverse a string?
- 65. How do you repeat a string in Python?
- 66. What are list methods in Python?
- 67. How do you reverse a list?
- 68. What does the `in` keyword do with strings and lists?
- 69. What is slicing? Give examples.
- 70. How does negative indexing work?
- 71. How do you merge two lists?
- 72. How do you remove duplicates from a list?
- 73. What is the difference between `append()` and `extend()`?
- 74. How does `pop()` work?
- 75. What is the use of `range()`?
- 76. What is the difference between `range()` and `xrange()`?
- 77. What are Python tuples?
- 78. How are tuples different from lists?



- 79. Can tuples have mutable elements?
- 80. How do you convert a list to a tuple?
- 81. What are sets in Python?
- 82. What are set operations in Python?
- 83. What is the difference between `remove()` and `discard()` in sets?
- 84. What is a frozen set?
- 85. What are Python dictionaries?
- 86. How do you loop through a dictionary?
- 87. What is the use of `get()` in dictionaries?
- 88. What are dictionary comprehensions?
- 89. How do you merge two dictionaries in Python 3.9+?
- 90. What are the different ways to create a dictionary?
- 91. How do you check if a key exists in a dictionary?
- 92. How do you sort a dictionary by key or value?
- 93. What is a nested dictionary?
- 94. How do you clear a dictionary?
- 95. What is the use of `defaultdict`?
- 96. How do you count items using `Counter`?
- 97. What is a named tuple?
- 98. How do you create constants in Python?
- 99. How do you find the length of an object?
- 100. What are some lesser-known built-in functions in Python?

Let me know when you're ready for **Topic 2: Data Structures in Python (100 Questions)** or if you'd like these in a downloadable format too!



opic 2: Data Structures in Python (100 Questions)

Awesome! Here's Topic 2: Data Structures in Python - 100 Interview Questions.



Topic 2: Data Structures in Python – 100 Interview Questions

12 34 Lists

- 1. What is a list in Python?
- 2. How do you create a list?

- 3. How can you add elements to a list?
- 4. What is the difference between `append()` and `extend()`?
- 5. How do you insert an element at a specific index?
- 6. How do you remove elements from a list?
- 7. What does `pop()` do?
- 8. What is the use of `remove()`?
- 9. How do you clear a list?
- 10. How do you reverse a list?
- 11. How do you sort a list?
- 12. What is the difference between `sort()` and `sorted()`?
- 13. Can a list contain elements of different types?
- 14. What is list slicing?
- 15. How do you use negative indexing in a list?
- 16. How do you check if an item exists in a list?
- 17. What is list comprehension?
- 18. How do you create a matrix using a list?
- 19. How do you flatten a nested list?
- 20. How do you filter a list based on a condition?

Tuples

- 21. What is a tuple in Python?
- 22. How is a tuple different from a list?
- 23. How do you create a tuple?
- 24. Can a tuple contain mutable elements?
- 25. What happens if you try to modify a tuple?
- 26. How do you access tuple elements?
- 27. How do you unpack a tuple?
- 28. How do you concatenate two tuples?
- 29. How do you slice a tuple?
- 30. How do you check for an item in a tuple?

Sets

- 31. What is a set in Python?
- 32. How do you create a set?
- 33. Can a set contain duplicate elements?
- 34. What are the key properties of a set?

- 35. How do you add elements to a set?
- 36. What is the difference between `add()` and `update()` in sets?
- 37. How do you remove elements from a set?
- 38. Difference between `remove()` and `discard()` in sets?
- 39. What is the use of `pop()` in sets?
- 40. How do you perform union operation on sets?
- 41. How do you perform intersection?
- 42. What is set difference?
- 43. How do you check if one set is a subset of another?
- 44. How do you find symmetric difference between sets?
- 45. How do you convert a list to a set?
- 46. How do you remove duplicates from a list using a set?
- 47. What is a frozen set?
- 48. When would you use a set instead of a list?
- 49. How do sets improve performance in lookups?
- 50. What happens if you try to add a list to a set?

Dictionaries

- 51. What is a dictionary in Python?
- 52. How do you create a dictionary?
- 53. How do you access a value in a dictionary?
- 54. How do you add a key-value pair to a dictionary?
- 55. What happens if you use an existing key to insert a value?
- 56. How do you delete a key-value pair?
- 57. What does the `get()` method do?
- 58. How do you loop through a dictionary?
- 59. How do you get keys, values, and items from a dictionary?
- 60. What is dictionary comprehension?
- 61. How do you merge two dictionaries in Python 3.9+?
- 62. How do you check if a key exists?
- 63. How do you check if a value exists in a dictionary?
- 64. What is the difference between `del` and `pop()` for dictionaries?
- 65. What does `popitem()` do?
- 66. How do you create nested dictionaries?
- 67. How do you access values in nested dictionaries?

- 68. What is `defaultdict` from `collections` module?
- 69. What is the use of `Counter` from `collections`?
- 70. What are `OrderedDict` and `ChainMap`?

Other Built-in Structures and Operations

- 71. What is the difference between `len()` and `__len__()`?
- 72. How do you use `zip()` with data structures?
- 73. How do you use `enumerate()` on a list?
- 74. What are common list methods in Python?
- 75. What are common set methods?
- 76. What are common dictionary methods?
- 77. How do you convert between data types (list to tuple, etc.)?
- 78. How do you sort a dictionary by key or value?
- 79. What is the output of `list("hello")`?
- 80. What is the time complexity of list append operation?

Data Structure Logic-Based Questions

- 81. How do you remove duplicates from a list while maintaining order?
- 82. How do you count the frequency of elements in a list?
- 83. How do you check if two lists are equal?
- 84. How do you reverse a dictionary (swap keys and values)?
- 85. How do you find the most common element in a list?
- 86. How do you check if a list contains only unique values?
- 87. How do you merge a list of dictionaries?
- 88. How do you get the key with the maximum value in a dictionary?
- 89. How do you group values in a dictionary by a common key?
- 90. How do you sort a list of tuples by the second element?

Use Cases & Real-world Scenarios

- 91. When should you use a list over a set?
- 92. When is a dictionary preferred over a list?
- 93. How do you use data structures to implement a stack?
- 94. How do you use data structures to implement a queue?
- 95. How do you implement a priority queue?
- 96. What are common pitfalls when using lists?
- 97. What are best practices when using dictionaries?

- 98. What is the difference between shallow copy and deep copy in lists?
- 99. What happens when you copy a mutable object in a data structure?
- 100. How do Python's data structures compare to those in other languages?
- Let me know when you're ready for Topic 3: Control Flow & Loops (100 Questions).



Topic 3: Control Flow & Loops (100 Questions).

Great! Here's Topic 3: Control Flow & Loops - 100 Python Interview Questions.

🔁 Topic 3: Control Flow & Loops – 100 Interview Questions

Conditional Statements

- 1. What are control flow statements in Python?
- 2. How is `if` used in Python?
- 3. What is the syntax of `if-else` in Python?
- 4. What is the use of `elif`?
- 5. Can `if`, `elif`, and `else` be used without braces?
- 6. What is indentation and why is it important in control flow?
- 7. What happens if you miss indentation in an `if` block?
- 8. Can you use nested `if` statements?
- 9. What is the output of `if 0:` in Python?
- 10. How does Python treat truthy and falsy values?

🔁 Loops – For & While

- 11. What is a `for` loop in Python?
- 12. How is a `while` loop different from a `for` loop?
- 13. How do you use `range()` in a `for` loop?
- 14. What happens if the condition in a `while` loop is never false?
- 15. How do you loop through a list?
- 16. How do you loop through a tuple?
- 17. How do you loop through a string?
- 18. How do you loop through a dictionary?
- 19. What does `break` do inside a loop?
- 20. What does `continue` do?

🔚 Loop Control Statements

- 21. What is the use of `pass` in loops?
- 22. What is the purpose of `else` in a loop?
- 23. What is the output of a `for` loop with an `else` block that doesn't break?
- 24. What is the output of a `for` loop with an `else` block that does break?
- 25. How is loop control flow different from other languages like Java/C++?
- 26. Can you have nested loops in Python?
- 27. How do you break from all levels of nested loops?
- 28. What is a flag variable? How is it used with loops?
- 29. How do you simulate a `do-while` loop in Python?
- 30. What are infinite loops and how are they handled?

Looping Techniques

- 31. How do you use `enumerate()` in a loop?
- 32. How do you use `zip()` in a loop?
- 33. How do you loop in reverse?
- 34. How do you loop over two lists simultaneously?
- 35. How do you loop with an index?
- 36. How do you loop with a step value?
- 37. How do you loop through only dictionary keys?
- 38. How do you loop through dictionary values?
- 39. How do you iterate over dictionary items as key-value pairs?
- 40. How do you skip specific iterations using `continue`?

Practical Looping Examples

- 41. How do you calculate the factorial of a number using a loop?
- 42. How do you find the sum of elements in a list?
- 43. How do you reverse a string using a loop?
- 44. How do you count vowels in a string?
- 45. How do you generate the Fibonacci sequence with a loop?
- 46. How do you print a pattern using nested loops?
- 47. How do you check if a number is prime using a loop?
- 48. How do you check if a list is sorted using a loop?
- 49. How do you find duplicates in a list using a loop?
- 50. How do you find the maximum value in a list using a loop?

🔪 Common Mistakes

- 51. What happens if you forget to increment in a `while` loop?
- 52. What does an off-by-one error mean?
- 53. Can you use `else` without `if` in a loop?
- 54. What is a logic bug commonly seen in loops?
- 55. Can you modify a list while looping through it?
- 56. How do you safely remove items from a list during iteration?
- 57. What happens if you try to loop over a `None` object?
- 58. What if the loop variable is used outside the loop?
- 59. What's the impact of using `break` in nested loops?
- 60. Why might a loop run one extra or one less time than expected?

Advanced Looping Logic

- 61. How do you write a loop that stops on a specific condition?
- 62. How can you iterate over a 2D list?
- 63. How do you flatten a nested list using loops?
- 64. How do you use multiple conditions in a `while` loop?
- 65. How do you filter elements in a loop?
- 66. How do you find the longest word in a list?
- 67. How do you rotate a list using loops?
- 68. How do you check if a string is a palindrome using a loop?
- 69. How do you reverse an integer using a loop?
- 70. How do you calculate the average of numbers using loops?

Real-world Examples

- 71. How would you iterate over files in a directory?
- 72. How do you paginate results using loops?
- 73. How do you simulate user input retry logic using loops?
- 74. How would you build a basic calculator using loops?
- 75. How do you match passwords with limited attempts using a loop?
- 76. How do you print a multiplication table using loops?
- 77. How would you generate prime numbers in a range using loops?
- 78. How would you find the first non-repeating character in a string?
- 79. How do you detect a cycle in user input using loops?
- 80. How do you build a menu-driven console app using loops?

True/False & Output Questions

- 81. True/False: You can use `else` with `while` loops.
- 82. True/False: `break` skips the current iteration.
- 83. Output? `for i in range(3): print(i)`
- 84. Output? `while False: print("hi")`
- 85. Output? `for i in range(1, 10, 2): print(i)`
- 86. Output? `for i in [1, 2, 3]: i += 10; print(i)`
- 87. Output? x = 5; while x > 0: x -= 1; print(x)
- 88. Output? `for i in "abc": print(i)`
- 89. Output? `for i in range(3): pass; print(i)`
- 90. Output? `for i in range(5): break; else: print("done")`

🤔 Scenario-Based Questions

- 91. Write a loop to remove all even numbers from a list.
- 92. Write a loop to display a triangle pattern.
- 93. Write a loop to find all palindromes in a list.
- 94. Write a loop to sum numbers divisible by 3 and 5.
- 95. Write a loop to count character frequency in a string.
- 96. Write a loop to flatten a nested dictionary.
- 97. Write a loop to extract numbers from a string.
- 98. Write a loop to capitalize the first letter of each word in a sentence.
- 99. Write a loop to reverse the words in a sentence.
- 100. Write a loop to split a list into chunks of size 3.

Ready for Topic 4: Functions & Lambda (100 Questions)? Let me know and I'll drop it in next!



Topic 4: Functions & Lambda (100 Questions)

Awesome! Here's your complete Topic 4: Functions & Lambda - 100 Python Interview Questions, tailored for interviews and mastery.

Topic 4: Functions & Lambda – 100 Interview Questions

Function Basics

1. What is a function in Python?

- 2. Why are functions important?
- 3. How do you define a function in Python?
- 4. How do you call a function?
- 5. What is the `return` statement used for?
- 6. What happens if you don't use `return` in a function?
- 7. Can a function return multiple values?
- 8. What are the different types of function arguments?
- 9. What is a default argument?
- 10. What is a keyword argument?

o Advanced Function Arguments

- 11. What are `*args` and `**kwargs`?
- 12. What is the difference between `*args` and `**kwargs`?
- 13. Can you mix positional and keyword arguments?
- 14. What is argument unpacking?
- 15. What is the order of parameters: default, keyword, *args, **kwargs?
- 16. What are positional-only parameters in Python 3.8+?
- 17. What are keyword-only arguments?
- 18. How do you enforce keyword-only arguments in a function?
- 19. What happens if you pass more arguments than expected?
- 20. What happens if you miss a required argument?

Function Behavior & Scope

- 21. What is variable scope in Python?
- 22. What are local, nonlocal, and global scopes?
- 23. What does the `global` keyword do?
- 24. What does the `nonlocal` keyword do?
- 25. What is a closure in Python?
- 26. How does Python handle variable shadowing in functions?
- 27. Can you define a function inside another function?
- 28. What is the lifetime of a variable defined in a function?
- 29. How do default values behave across function calls?
- 30. Are function parameters passed by value or reference?

Recursion

31. What is recursion?

- 32. How do you write a recursive function?
- 33. What are the components of a recursive function?
- 34. How does Python handle recursion under the hood?
- 35. What is a base case in recursion?
- 36. What is the maximum recursion depth in Python?
- 37. How do you avoid infinite recursion?
- 38. Write a recursive function to compute factorial.
- 39. Write a recursive function for Fibonacci numbers.
- 40. What are the drawbacks of recursion?

Function Properties & Use

- 41. What is a pure function?
- 42. What is a higher-order function?
- 43. What is a side effect in functions?
- 44. What are first-class functions?
- 45. What are anonymous functions?
- 46. What is a lambda function?
- 47. How is a lambda function different from a regular function?
- 48. What are limitations of lambda functions?
- 49. When should you use lambda functions?
- 50. How do you pass a lambda to `map()` or `filter()`?

५ Built-in Functional Programming Tools

- 51. What is the use of `map()` in Python?
- 52. How does `filter()` work?
- 53. What does `reduce()` do? Which module is it in?
- 54. What is the difference between `map()` and list comprehension?
- 55. How do you use `any()` and `all()` with lambda?
- 56. How do you sort a list of tuples using `lambda`?
- 57. What is the use of `key=` in the `sorted()` function?
- 58. How do you find the longest string in a list using `max()` and lambda?
- 59. How do you use `lambda` with `sorted()`?
- 60. What is the output of `list(map(lambda x: x*x, [1, 2, 3]))`?

Function Utilities and Decorators

61. What are decorators in Python?

- 62. What is the `@` syntax used for?
- 63. How do you write a basic decorator?
- 64. Can you stack multiple decorators on a function?
- 65. What is `functools.wraps()` and why is it important?
- 66. How do you write a decorator that accepts arguments?
- 67. How do you time function execution using a decorator?
- 68. How do you log function calls using a decorator?
- 69. What is memoization? How can it be implemented using decorators?
- 70. What is `@staticmethod`?
- 71. What is `@classmethod`?
- 72. What is the difference between instance, static, and class methods?

🧩 Function Patterns & Real-world Examples

- 73. Write a function to find the largest number in a list.
- 74. Write a function that checks if a string is a palindrome.
- 75. Write a function to convert Celsius to Fahrenheit.
- 76. Write a function that accepts variable-length arguments and returns the sum.
- 77. Write a function to count vowels in a string.
- 78. Write a lambda to reverse a string.
- 79. Write a lambda to sort a list of dictionaries by a key.
- 80. Write a lambda that returns True for even numbers.
- 81. Write a lambda to get the last character of a string.
- 82. Write a function that uses recursion to sum a list.
- 83. Write a decorator to print function execution time.
- 84. Write a function that uses `filter()` to remove empty strings from a list.
- 85. Write a lambda with `reduce()` to compute the product of a list.
- 86. Write a function that returns another function (closure).
- 87. Write a function that tracks how many times it has been called.
- 88. Write a function that takes a function as input and applies it to a list.
- 89. Write a lambda function to sort a list of names by their last letter.
- 90. Write a recursive function to compute a power of a number.

▼ True/False & Output Questions

- 91. True/False: Functions in Python can return multiple values.
- 92. True/False: You must always use `return` in a Python function.
- 93. Output?

```
control important print(f(3))
control important print(f(3))
```

94. Output?

```
python

`def f(x): x = 10
y = 5
f(y)
print(y)
```

95. Output?

```
python

`add = lambda x, y: x + y
print(add(2, 3))
```

96. Output?

```
code outer():
    x = "hello"
    def inner(): return x
    return inner
print(outer()())
```

97. Output?

```
python

`def f(): pass
print(f())
```

98. Output?

```
python
  `x = lambda x: x * x
print(x(5))
```

99. Output?

```
python

`def f(x, y=2, z=3): return x + y + z
print(f(1, z=5))
```

100. Output?

Let me know when you're ready for **Topic 5: Object-Oriented Programming (OOP) – 100 Questions** or if you want this in a specific format (PDF, DOCX, etc.) later!



Topic 5: Object-Oriented Programming (OOP) - 100 Questions

Absolutely! Here's your full **Topic 5: Object-Oriented Programming (OOP) – 100 Python Interview Questions**, crafted to help you **understand concepts deeply and crack interviews confidently**.

Topic 5: Object-Oriented Programming (OOP) – 100 Python Interview Questions

OOP Basics

- 1. What is Object-Oriented Programming?
- 2. What are the core principles of OOP?
- 3. What is a class in Python?
- 4. What is an object in Python?
- 5. How do you define a class in Python?
- 6. How do you create an object from a class?
- 7. What is the `__init__` method?
- 8. What is the role of `self` in a class?
- 9. What happens if you don't use `self`?
- 10. Can you create multiple objects from the same class?

Attributes & Methods

11. What are instance variables?

- 12. What are class variables?
- 13. How do you define methods in a class?
- 14. What is the difference between instance method and class method?
- 15. What is the `@classmethod` decorator?
- 16. What is the `@staticmethod` decorator?
- 17. How do you access attributes in a class?
- 18. What is attribute shadowing?
- 19. How do you modify object attributes?
- 20. How do you delete an attribute from an object?

५ Encapsulation

- 21. What is encapsulation in OOP?
- 22. How does Python implement encapsulation?
- 23. What are public, protected, and private attributes in Python?
- 24. How do you create a private attribute?
- 25. How do you access private variables?
- 26. What is name mangling in Python?
- 27. Can you access private attributes from outside the class?
- 28. How do you use getters and setters?
- 29. What is the `property()` function used for?
- 30. What are the pros and cons of using properties?

💤 Inheritance

- 31. What is inheritance in Python?
- 32. How do you define inheritance in a class?
- 33. What is the syntax for single inheritance?
- 34. What is the `super()` function used for?
- 35. What is method overriding?
- 36. How do you call the parent method from a child class?
- 37. What is the difference between composition and inheritance?
- 38. What is multilevel inheritance?
- 39. What is multiple inheritance?
- 40. How does Python resolve method calls in multiple inheritance?

Polymorphism

- 41. What is polymorphism in OOP?
- 42. How is polymorphism implemented in Python?
- 43. What is method overloading?
- 44. Does Python support method overloading?
- 45. What is method overriding?
- 46. How is polymorphism useful in real-world coding?
- 47. What is duck typing in Python?
- 48. How is duck typing related to polymorphism?
- 49. What is operator overloading?
- 50. How do you implement operator overloading in Python?

Abstraction

- 51. What is abstraction in OOP?
- 52. How is abstraction implemented in Python?
- 53. What is the 'abc' module?
- 54. What is an abstract class?
- 55. How do you define an abstract class?
- 56. What is an abstract method?
- 57. Can abstract classes have normal methods?
- 58. Can you instantiate an abstract class?
- 59. What is the difference between interface and abstract class in Python?
- 60. What is the purpose of using abstraction?

Special Methods (Magic/Dunder Methods)

- 61. What are dunder (magic) methods?
- 62. What is the use of `_str_()`?
- 63. What is the use of `__repr__()`?
- 64. What is the difference between `__str__()` and `__repr__()`?
- 65. What does `len () `do?
- 66. What is the purpose of `__eq__()`?
- 67. How does `__add__()` work?
- 68. What does `__del__() ` do?
- 69. What is the use of `__call__()`?
- 70. What happens when you override `__getitem__()`?

Design Concepts

- 71. What is object composition?
- 72. What is delegation?
- 73. What is tight vs loose coupling?
- 74. What is cohesion in OOP?
- 75. What are SOLID principles?
- 76. How does Python support the open/closed principle?
- 77. What is the Liskov Substitution Principle?
- 78. What is dependency inversion?
- 79. How do you implement composition over inheritance?
- 80. What is mixin class in Python?

New Practice & Output-based Questions

81. Output?

```
class A: pass
a = A()
print(type(a))
```

82. Output?

```
class Dog:
    def __init__(self, name): self.name = name
    def bark(self): return f"{self.name} says woof!"

d = Dog("Rex")
print(d.bark())
```

83. Output?

```
class A:
    def __str__(self): return "A"
print(A())
```

84. Output?

```
python

`class Base:
    def greet(self): print("Hello")
```

```
class Derived(Base): pass
d = Derived(); d.greet()
```

85. Output?

```
class A:
    def __init__(self): self.x = 10
a1 = A(); a2 = A()
a1.x = 20
print(a1.x, a2.x)
```

Conceptual & Theoretical

- 86. Why is `self` mandatory in class methods?
- 87. Can a function be both static and class method?
- 88. What is the role of `super()` in multiple inheritance?
- 89. What are metaclasses in Python?
- 90. What is the purpose of `__slots__`?
- 91. When should you use ` new ()`?
- 92. What is monkey patching in Python?
- 93. What's the difference between instance and class variables?
- 94. Why is encapsulation useful in large-scale software?
- 95. What's the best practice for method naming in OOP?

🧱 Real-world OOP Scenarios

- 96. Design a `BankAccount` class with deposit and withdraw methods.
- 97. Create a class for `Employee` and subclass it for `Manager`.
- 98. Implement polymorphism for `Shape` with `Rectangle` and `Circle`.
- 99. Create an abstract class `Vehicle` with abstract method `drive`.
- 100. Implement a mixin class for logging functionality.

Up next: **Topic 6: Modules and Packages (100 Questions)**

Or say the word if you want it exported to PDF, Word, CSV, etc.



opic 6: Modules and Packages (100 Questions)

Absolutely! Here's your **Topic 6: Modules and Packages – 100 Python Interview Questions**, structured for deep understanding and strong interview prep.

Topic 6: Modules and Packages – 100 Python Interview Questions

Basics of Modules

- 1. What is a module in Python?
- 2. How do you create a module?
- 3. How do you import a module in Python?
- 4. What is the difference between `import module` and `from module import something`?
- 5. How do you import multiple items from a module?
- 6. What is `import *` used for?
- 7. Why is using `import *` discouraged?
- 8. What happens if two modules have functions with the same name?
- 9. How do you give an alias to a module during import?
- 10. How do you check the available attributes of a module?

Module Execution & Scope

- 11. What is `__name__ == "__main__"` used for?
- 12. How does Python treat the `__main__` module?
- 13. What is the value of `__name__` inside an imported module?
- 14. How do you prevent a script from executing when imported as a module?
- 15. Can a module import another module?
- 16. What is circular import?
- 17. How can you avoid circular imports?
- 18. What is `sys.modules`?
- 19. How does Python find a module when you import it?
- 20. What happens if the module is not found?

Module Search Path & Reloading

- 21. What is `svs.path`?
- 22. How do you add a directory to `sys.path`?
- 23. What is the use of `PYTHONPATH` environment variable?

- 24. How do you reload an already imported module?
- 25. What is the `importlib` module used for?
- 26. How do you check if a module is already imported?
- 27. Can you delete a module from memory?
- 28. How do you dynamically import a module at runtime?
- 29. How does Python cache compiled `.pyc` files?
- 30. What is the purpose of the `__pycache__` folder?

🧱 Built-in Modules

- 31. Name some commonly used built-in modules in Python.
- 32. What does the `math` module provide?
- 33. How do you generate random numbers using the `random` module?
- 34. What does the `datetime` module offer?
- 35. How can you handle file paths with the 'os' module?
- 36. How do you get the current working directory using `os`?
- 37. What is the use of `sys.argv`?
- 38. How can you inspect an object using the `inspect` module?
- 39. How can you use the `re` module for regex?
- 40. How do you serialize data using the 'json' module?

🤪 Python Packages

- 41. What is a package in Python?
- 42. What is the difference between a module and a package?
- 43. How do you create a package?
- 44. What is `__init__.py` used for?
- 45. Is ` init .py` required in Python 3?
- 46. How do you import a module from a package?
- 47. How do you access a subpackage?
- 48. What happens if you import a package without ` init .py`?
- 49. How can you create a namespace package?
- 50. What is the difference between a regular and a namespace package?

Third-party Packages (pip)

51. What is `pip`?

- 52. How do you install a package using `pip`?
- 53. How do you uninstall a package?
- 54. How do you upgrade a package with `pip`?
- 55. What is `requirements.txt`?
- 56. How do you generate a `requirements.txt` file?
- 57. How do you install packages from `requirements.txt`?
- 58. How do you list all installed packages?
- 59. How do you check the version of a package?
- 60. How do you install a specific version of a package?

Organizing Code with Packages

- 61. How should you structure a Python project with packages?
- 62. How do relative imports work inside packages?
- 63. What are absolute imports?
- 64. When should you use relative vs absolute imports?
- 65. How do you make a directory a Python package?
- 66. How can you import a module from a sibling package?
- 67. What is `_all__` used for in `_init__.py`?
- 68. How do you restrict what is imported with `from package import *`?
- 69. What happens if two submodules have the same name?
- 70. How can you make a package extensible?

🔁 Custom Module & Package Design

- 71. How do you create a reusable custom module?
- 72. How can you document your module effectively?
- 73. How can you test your module independently?
- 74. How do you handle versioning in custom modules?
- 75. How can you distribute your custom package?
- 76. What is `setuptools`?
- 77. What is a `setup.py` file?
- 78. How do you create a Python package for PyPI?
- 79. What is `twine` used for?
- 80. What are Python wheels (`.whl`)?

Noutput-Based & Conceptual Questions

81. Output?

```
import math
print(math.sqrt(16))
```

82. Output?

```
from math import sqrt
print(sqrt(25))
```

83. Output?

```
import random
print(random.randint(1, 5))
```

84. Output?

```
python

import sys
print(sys.path)
```

85. Output?

```
python

if __name__ == "__main__":
    print("Main script")
```

86. Output?

```
python

`from mymodule import func
func()
```

87. Output?

```
python

`from os import path
print(path.exists("somefile.txt"))
```

- 88. What is the output if a module is imported twice?
- 89. Can you use `importlib.reload()` on built-in modules?
- 90. What is the use of `pkgutil`?

Advanced & Real-world Scenarios

- 91. Create a module with a function `add(a, b)` and import it.
- 92. Organize a project with utility functions in a separate module.
- 93. Split a large script into multiple logical modules.
- 94. Create a package named `finance` with submodules `tax` and `salary`.
- 95. Use relative imports inside a package.
- 96. Create a `setup.py` for a CLI tool.
- 97. Publish a Python package on PyPI.
- 98. Create a namespace package with `pkg_resources`.
- 99. Import a module from a custom directory not in `sys.path`.
- 100. Load a module dynamically using `_import_()` or `importlib`.
- Let me know when you're ready for
- Topic 7: File Handling (100 Questions)

or if you want me to compile the questions into a **PDF**, **DOCX**, **or spreadsheet** for easy practice and revision.



Topic 7: File Handling (100 Questions)

Here's your full **Topic 7: File Handling – 100 Python Interview Questions**, designed to **strengthen your fundamentals** and **prepare you for real-world coding interviews**.



Topic 7: File Handling in Python – 100 Interview Questions

Basics of File Handling

- 1. What is file handling in Python?
- 2. How do you open a file in Python?
- 3. What does the `open()` function return?
- 4. What are different modes for opening files?
- 5. What is the default mode in `open()`?
- 6. How do you read from a file?

- 7. How do you write to a file?
- 8. What is the difference between `'r'` and `'rb'` mode?
- 9. What is the difference between `'w'` and `'a'` mode?
- 10. How do you close a file in Python?

Read/Write Operations

- 11. How do you read the entire file content at once?
- 12. How do you read a file line by line?
- 13. What does `readlines()` do?
- 14. How do you read a fixed number of characters from a file?
- 15. What does `readline()` do?
- 16. How do you write a list of strings to a file?
- 17. How do you append data to a file?
- 18. What happens if you write to a file opened in `'r'` mode?
- 19. Can you read and write a file at the same time?
- 20. How do you overwrite a file?

Working with File Objects

- 21. What is a file object?
- 22. What are the key methods of a file object?
- 23. How do you check if a file is readable?
- 24. How do you check if a file is writable?
- 25. What does `file.tell()` do?
- 26. What does `file.seek()` do?
- 27. How can you move the file pointer to the beginning of the file?
- 28. How can you get the current position of the file pointer?
- 29. How do you flush file content manually?
- 30. What happens when you close a file?

With Statement (Context Managers)

- 31. What is the advantage of using `with open()`?
- 32. How does `with open()` manage file resources?
- 33. Does the `with` block automatically close the file?
- 34. Can `with` be used for both reading and writing files?



- 35. What happens if an exception occurs inside a `with` block?
- 36. Can you nest `with` statements?
- 37. What is a context manager in Python?
- 38. Can you create a custom context manager?
- 39. What are `__enter__()` and `__exit__()` used for?
- 40. Why is context manager preferred for file handling?

Working with File Paths

- 41. How do you work with file paths in Python?
- 42. What does `os.path` module provide?
- 43. How do you check if a file exists?
- 44. How do you get the absolute path of a file?
- 45. How do you get the directory name from a file path?
- 46. How do you get the file extension?
- 47. What does `os.path.join()` do?
- 48. How do you list all files in a directory?
- 49. What is the `glob` module used for?
- 50. How can you check if a file is a directory or regular file?

🔄 Working with Different File Types

- 51. How do you read and write a CSV file in Python?
- 52. What is the use of the `csv` module?
- 53. How do you read a CSV into a list of dictionaries?
- 54. How do you write a list of dictionaries to a CSV?
- 55. What is `DictWriter` in `csv` module?
- 56. How do you handle different delimiters in CSV?
- 57. How do you read and write JSON files?
- 58. How do you pretty print JSON data?
- 59. What does `json.load()` do?
- 60. What does `json.dump()` do?

५ Working with Binary Files

- 61. How do you open a binary file in Python?
- 62. What is the difference between text and binary files?



- 63. How do you write bytes to a file?
- 64. How do you read bytes from a file?
- 65. What are some examples of binary file formats?
- 66. Can you read and write images using file handling?
- 67. How do you use `struct` module for binary data?
- 68. What is the importance of `'rb'` and `'wb'`?
- 69. How do you convert a string to bytes?
- 70. How do you handle binary file exceptions?

Error Handling and File Exceptions

- 71. What are common file I/O errors?
- 72. How do you handle file not found errors?
- 73. What is `FileNotFoundError`?
- 74. How do you handle permission errors in file access?
- 75. What is `IOError`?
- 76. How do you catch multiple file exceptions?
- 77. What happens if a file is locked by another process?
- 78. What is the best way to handle file closing on error?
- 79. How do you ensure a file is always closed?
- 80. How do you handle reading a corrupt file?

Nutput-Based Questions

81. Output?

```
python

`f = open("sample.txt", "r")
print(f.read(5))
f.close()
```

82. Output?

```
python

`f = open("file.txt", "w")
f.write("Hello")
f.close()
```

83. Output?

```
python

`f = open("file.txt", "a")
f.write("World")
f.close()
```

84. Output?

```
python

with open("file.txt", "r") as f:
    for line in f:
        print(line.strip())
```

85. Output?

```
with open("file.txt", "w") as f:
    f.write("Line1\nLine2\n")
    f.seek(0)
    f.write("Start")
```

Real-World File Handling Scenarios

- 86. Write a program to count the number of lines in a file.
- 87. Write a script to copy contents from one file to another.
- 88. Write a function that reads a file and returns all unique words.
- 89. Write a script that reads a log file and filters lines with "ERROR".
- 90. Create a CSV writer to log daily expenses.
- 91. Write a script that deletes empty lines in a file.
- 92. Write a script to merge two text files.
- 93. Create a script that compresses a file using `gzip`.
- 94. Write a program to backup a file before editing.
- 95. Create a file reader that reads only specific lines (e.g., 5-10).

<u> Conceptual Questions</u>

- 96. How is memory managed during file reading in Python?
- 97. What are buffering and unbuffered file streams?
- 98. What happens if you open a file that doesn't exist?
- 99. How do you truncate a file in Python?
- 100. How does file encoding impact file I/O?



Next Up: Topic 8: Exception Handling (100 Questions)

Would you like a **PDF or spreadsheet** version of all topics so far for quick revision?



Topic 8: Exception Handling (100 Questions)

Absolutely! Here's your complete set of Topic 8: Exception Handling - 100 Python Interview Questions, tailored to build both beginner and advanced-level expertise for cracking interviews confidently.



Topic 8: Exception Handling – 100 Python Interview Questions

Basics of Exception Handling

- 1. What is an exception in Python?
- 2. How is an exception different from a syntax error?
- 3. What are the benefits of using exception handling?
- 4. What is the 'try' block used for?
- 5. What is the `except` block used for?
- 6. What happens when an exception occurs but is not handled?
- 7. What does the `else` block do in exception handling?
- 8. When is the `finally` block executed?
- 9. What is the flow of execution in `try-except-else-finally`?
- 10. Can `try` exist without `except`?

🔯 Common Built-in Exceptions

- 11. What is `ZeroDivisionError`?
- 12. What is `ValueError`?
- 13. What is `TypeError`?
- 14. What is `IndexError`?
- 15. What is `KeyError`?
- 16. What is `AttributeError`?
- 17. What is `FileNotFoundError`?
- 18. What is `IOError` and how is it different from `OSError`?
- 19. What is 'NameError'?
- 20. What is `ImportError` and `ModuleNotFoundError`?

K Handling Multiple Exceptions

- 21. How do you catch multiple exceptions in one block?
- 22. How do you handle different exceptions with different blocks?
- 23. What is the syntax for catching all exceptions?
- 24. Can you nest `try-except` blocks?
- 25. What happens if an exception occurs in the `except` block?
- 26. What is exception chaining?
- 27. How do you re-raise an exception?
- 28. How do you handle exception without stopping the program?
- 29. Can you use `try-except` inside a loop?
- 30. What is the impact of `break` or `return` inside `finally`?

५ Custom Exceptions

- 31. How do you define a custom exception class?
- 32. Why would you create a custom exception?
- 33. What should a custom exception class inherit from?
- 34. Can you include additional attributes in a custom exception?
- 35. How do you raise a custom exception?
- 36. How do you catch a custom exception?
- 37. What is the role of `__str__()` in custom exceptions?
- 38. How do you add default error messages to custom exceptions?
- 39. Can custom exceptions be nested?
- 40. What are best practices for designing custom exceptions?

Raising Exceptions

- 41. What is the `raise` keyword used for?
- 42. How do you raise a built-in exception manually?
- 43. Can you raise an exception conditionally?
- 44. Can you raise exceptions with custom messages?
- 45. What happens if you `raise` without any argument?
- 46. How do you raise exceptions inside functions?
- 47. Can you use `raise` inside a `finally` block?
- 48. How do you log raised exceptions?
- 49. What's the difference between `raise Exception()` and `raise Exception`?

Exception Object & Logging

- 51. What is an exception object?
- 52. How do you capture an exception object using `as`?
- 53. How do you print the error message from an exception?
- 54. How do you print the full traceback?
- 55. How do you log exceptions using the `logging` module?
- 56. How do you suppress exceptions temporarily?
- 57. How do you convert an exception to a string?
- 58. Can you format an exception message?
- 59. What is `traceback.print_exc()`?
- 60. How do you write exceptions to a log file?

Output-Based Exception Questions

61. Output?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Can't divide by zero")
```

62. Output?

```
try:
    x = int("a")
except ValueError:
    print("Invalid integer")
```

63. Output?

```
try:
    print("Hello")
finally:
    print("Bye")
```

64. Output?

```
try:
    a = [1, 2]
    print(a[5])
except IndexError:
    print("Index error caught")
```

65. Output?

```
try:
    print(10)
except:
    print("Error")
else:
    print("No error")
```

Real-World Use Cases

- 66. Handle a file not found error when opening a file.
- 67. Validate user input using exceptions.
- 68. Retry logic using `try-except`.
- 69. Fallback to default configuration if config file fails.
- 70. Handling missing dictionary keys gracefully.
- 71. Catching HTTP exceptions in API requests.
- 72. Handling database connection exceptions.
- 73. Prevent crashing of a CLI program using `try-except`.
- 74. Graceful termination of a program on error.
- 75. Logging and continuing with the next loop iteration after an error.

🢡 Conceptual Deep Dives

- 76. Difference between syntax error and runtime error?
- 77. Can a `finally` block override a return statement?
- 78. What happens if both `except` and `finally` have `return`?
- 79. Why should you avoid bare `except:` blocks?
- 80. Difference between `except Exception:` and `except:`?
- 81. Can you suppress multiple exceptions in a single block?
- 82. How do exceptions affect performance?
- 83. Is `try-except` faster than checking conditions first?
- 84. When should you avoid using exceptions?



Exception Best Practices

- 86. What are best practices when handling exceptions?
- 87. Why is it important to handle specific exceptions?
- 88. Should exceptions be logged or printed?
- 89. How do you ensure cleanup actions are performed?
- 90. How can exception handling improve user experience?
- 91. How should you handle sensitive errors (e.g., passwords)?
- 92. How do you avoid exception swallowing?
- 93. Should you use exceptions for flow control?
- 94. How do you prevent resource leaks using exception handling?
- 95. How do you create a global error handler?

Miscellaneous & Advanced

- 96. Can `try-except` blocks be used with coroutines?
- 97. How do exceptions behave in multithreading?
- 98. What is `contextlib.suppress()`?
- 99. How do you catch exceptions in list comprehensions?
- 100. Can exceptions be inherited and reused across projects?

✓ Ready for: → Topic 9: Iterators and Generators (100 Questions)?

Want all topics so far compiled into a PDF, DOCX, or spreadsheet for revision and mock interviews?



Topic 9: Iterators and Generators (100 Questions)?

Absolutely! Here's your complete **Topic 9**: **Iterators and Generators – 100 Python Interview Questions** to help you understand and crack interview questions in **one shot**.

Topic 9: Iterators and Generators – 100 Python Interview Questions

🔄 Basics of Iterators

1. What is an iterator in Python?

- 2. What is the difference between an iterable and an iterator?
- 3. What makes an object iterable?
- 4. What methods must a class implement to become an iterator?
- 5. What is the use of the `__iter__()` method?
- 6. What is the use of the `__next__()` method?
- 7. How do you create an iterator from a list?
- 8. What happens when an iterator is exhausted?
- 9. What exception is raised when `next()` reaches the end?
- 10. How does `for` loop internally use iterators?

Iterator Methods & Output Questions

11. Output?

```
python

`it = iter([1, 2, 3])
print(next(it))
```

12. Output?

```
python

`a = "hello"
it = iter(a)
print(next(it))
```

13. Output?

```
python

`for i in iter([4, 5]):
    print(i)
```

14. Output?

```
python

it = iter([1])
next(it)
next(it)
```

```
python

`x = iter(range(2))
print(list(x))
print(list(x))
```

🧱 Custom Iterators

- 16. How do you define a custom iterator class?
- 17. Implement a class that returns numbers 1 to 5 using iterator protocol.
- 18. How can you make an object both iterable and an iterator?
- 19. How does a class differ from a generator in terms of state?
- 20. Can two iterators iterate independently over the same list?

Generators - Basics

- 21. What is a generator in Python?
- 22. What is the difference between a generator and an iterator?
- 23. How do you define a generator function?
- 24. What is the purpose of the 'yield' keyword?
- 25. How does 'yield' differ from 'return'?
- 26. What is the state of a generator function between yields?
- 27. How do you iterate through a generator?
- 28. Can a generator be used with `next()`?
- 29. Can you create generators with expressions?
- 30. How does 'yield' retain function state?

🔬 Generator Expressions

- 31. What is a generator expression?
- 32. How is a generator expression different from a list comprehension?
- 33. When should you use a generator expression?
- 34. Create a generator expression for even numbers between 1 and 10.
- 35. How do you convert a generator expression to a list?

Inspecting Generators

- 36. How do you check if an object is a generator?
- 37. What module can help identify generator types?

- 38. Can you rewind a generator?
- 39. What happens if you exhaust a generator and call it again?
- 40. Can generators be reused?

K Generator Functions - Intermediate

- 41. Can you use loops in a generator function?
- 42. Can you yield multiple times from a generator?
- 43. Can a generator yield different types of values?
- 44. Can generators take arguments?
- 45. Can a generator return a value?

Generator Control Flow

- 46. What is the behavior of `yield` inside a loop?
- 47. Can 'yield' be used inside conditionals?
- 48. What happens if a generator is closed prematurely?
- 49. What does `StopIteration` mean in generators?
- 50. Can `finally` be used in generators?

Use Cases of Generators

- 51. What are the benefits of using generators?
- 52. Why are generators memory efficient?
- 53. Where are generators typically used in real-world apps?
- 54. How do generators improve performance for large data?
- 55. Give an example of a generator used in reading large files.

🔄 Generator Use Cases – Code

- 56. Write a generator to yield squares of numbers up to N.
- 57. Write a generator to yield Fibonacci numbers.
- 58. Write a generator that reads a file line-by-line.
- 59. Write a generator that yields prime numbers up to N.
- 60. Write a generator to paginate a large list.

🎖 Chaining & Nesting

61. How do you chain multiple generators together?



- 62. Can a generator call another generator?
- 63. What is `yield from` in Python?
- 64. What is the difference between 'yield' and 'yield from'?
- 65. How does 'yield from' simplify delegation?

Conceptual & Deep-Dive

- 66. Compare iterators and generators.
- 67. When should you use generators over iterators?
- 68. Are all generators iterators?
- 69. Are all iterators generators?
- 70. How does Python optimize generator execution?

🄰 Error Handling in Generators

- 71. Can you raise exceptions in a generator?
- 72. How do you handle exceptions inside generator functions?
- 73. What is the behavior of `try/except` around `yield`?
- 74. How does `throw()` work on generators?
- 75. What is the purpose of `close()` method on a generator?

Advanced Topics

- 76. What is generator delegation?
- 77. How do async generators differ from regular ones?
- 78. What is the use of `asend()`, `athrow()` in async generators?
- 79. Can generators be used in coroutines?
- 80. What's the memory difference between list comprehension and generator expression?

Nutput-Based (Generators)

```
python

`def gen():
    yield 1
    yield 2
g = gen()
print(next(g))
```

```
def g():
    yield from range(3)
print(list(g()))
```

83. Output?

```
python

`def f():
        for i in range(2):
            yield i

x = f()
print(next(x))
print(next(x))
```

84. Output?

```
def g():
    yield "hello"
    return "done"
print(list(g()))
```

85. Output?

```
python

`g = (x * 2 for x in range(3))
print(next(g), next(g))
```

o Real-World Generator Design Questions

- 86. Implement a generator that yields items from a huge CSV file.
- 87. Design a generator to stream API results one by one.
- 88. Build a generator to chunk large datasets.
- 89. Create a generator that returns all dates in a year.
- 90. Implement a generator to yield user input until "exit".

True/False & MCQ Style

- 91. Generators can be reused once exhausted. (True/False)
- 92. Generators can be paused and resumed. (True/False)



- 93. List comprehensions use less memory than generators. (True/False)
- 94. Generators always raise `StopIteration` when done. (True/False)
- 95. Generator expressions are enclosed in square brackets. (True/False)
- 96. What does 'yield' return? a) None
 - b) A generator
 - c) A value
 - d) An iterator
- 97. Which of the following is true about 'yield from'? a) Replaces multiple 'yield' calls
 - b) Delegates another generator
 - c) Works only in Python 2
 - d) Stops on first yield
- 98. Generators maintain state across: a) calls
 - b) classes
 - c) loops
 - d) None
- 99. Which one creates a generator?

```
(x for x in range(3))
[x for x in range(3)]
{x for x in range(3)}
```

100. What will `list((x for x in [1,2]))` return?

☑ You're now fully covered on Iterators & Generators!

Next up: Topic 10: Decorators & Closures (100 Questions) – Ready to continue?

Also, want a combined **PDF or Excel** of all topics so far?



Topic 10: Decorators & Closures (100 Questions)

Awesome! Here's your **Topic 10: Decorators & Closures – 100 Python Interview Questions**, crafted to give you deep understanding and full interview prep <u>6</u>

Topic 10: Decorators & Closures – 100 Python Interview Questions

Basics of Functions & Closures

- 1. What is a closure in Python?
- 2. How is a closure different from a normal function?

- 3. What are free variables in closures?
- 4. What is a nested function?
- 5. How does a closure retain the outer function's state?
- 6. Give an example of a closure in Python.
- 7. What is the use of closures?
- 8. When should you use closures?
- 9. What are the key properties of closures?
- 10. How do closures help in data hiding?

Output-Based: Closures

11. Output?

```
python

`def outer():
    x = 10
    def inner():
        print(x)
    return inner
outer()()
```

12. Output?

```
python

`def outer():
    msg = "Hi"
    def inner():
        return msg
    return inner
f = outer()
print(f())
```

13. Output?

```
def counter():
    count = 0
    def increment():
        nonlocal count
        count += 1
        return count
    return increment
c = counter()
print(c(), c())
```

```
python

`def outer(a):
    def inner(b):
        return a + b
    return inner
add5 = outer(5)
print(add5(10))
```

```
def func():
    x = "Python"
    def inner():
        print(x)
    return inner
x = "Java"
func()()
```

Basics of Decorators

- 16. What is a decorator in Python?
- 17. What is the purpose of decorators?
- 18. What are the syntax rules for writing a decorator?
- 19. What does '@decorator' mean in Python?
- 20. What are some real-world use cases for decorators?

Writing Decorators

- 21. How do you write a simple decorator?
- 22. How do decorators work with arguments?
- 23. Can decorators modify return values?
- 24. How do decorators help in logging?
- 25. Write a decorator to time a function's execution.

Understanding Decorator Flow

- 26. How does the call stack work with decorators?
- 27. What does wrapping a function mean?
- 28. What is `*args` and `**kwargs` in decorators?
- 29. Can you use multiple decorators on one function?
- 30. What is the order of execution when using stacked decorators?

Stateful Decorators

- 31. How do you maintain state in a decorator?
- 32. Can decorators count function calls?
- 33. How do you create a caching/memoization decorator?
- 34. Write a decorator that limits function calls.
- 35. How do you decorate a class method?

X Practical Decorator Use Cases

- 36. Use decorators to log function inputs.
- 37. Use decorators to handle exceptions in functions.
- 38. Use decorators to check user permissions.
- 39. Use a decorator to retry failed functions.
- 40. Use decorators to validate arguments.

Output-Based: Decorators

41. Output?

```
def deco(fn):
    def wrap():
        print("Before")
        fn()
        print("After")
    return wrap

deco
def say_hi():
    print("Hi")
say_hi()
```

42. Output?

```
couter
def outer(fn):
    def inner(*args):
        return fn(*args) * 2
    return inner

def mult(x):
    return x
print(mult(5))
```

45. Output?

```
def simple(fn):
    return lambda: fn().upper()

@simple
def hello():
    return "hello"
print(hello())
```

Advanced Decorators

- 46. What is `functools.wraps`?
- 47. Why should you use `@wraps` in decorators?
- 48. What does `functools.lru_cache` do?
- 49. How do decorators interact with function metadata?
- 50. What are class-based decorators?

d Decorators with Arguments

- 51. How do you pass arguments to decorators?
- 52. Write a decorator that takes a prefix and adds it to output.

- 53. How to write a parameterized decorator?
- 54. What is the three-layer function structure in argumented decorators?
- 55. Can a decorator accept keyword arguments?

Decorators vs Closures

- 56. How is a decorator a type of closure?
- 57. How do decorators leverage closure concepts?
- 58. Which one is more flexible: decorators or closures?
- 59. Can closures be used as decorators?
- 60. Compare use cases: closures vs decorators.

Conceptual & Deep-Dive

- 61. Why are decorators considered higher-order functions?
- 62. What is a higher-order function?
- 63. Can decorators be nested?
- 64. Can decorators return other decorators?
- 65. Explain function wrapping in decorators with an example.

Nore Output-Based

66. Output?

```
def dec(fn):
    def wrapper():
        print("Start")
        fn()
        print("End")
    return wrapper

def test():
    print("Test")
new = dec(test)
new()
```

```
python

`def count_calls(fn):
    count = 0
    def wrapper():
        nonlocal count
        count += 1
        print(f"Call {count}")
        fn()
```

```
return wrapper

@count_calls
def hello():
    print("Hi")
hello(); hello()
```

```
def power(n):
    def decorator(fn):
        def wrapper(x):
            return fn(x) ** n
        return decorator

@power(3)
def num(x):
    return x
print(num(2))
```

69. Output?

```
python

`from functools import wraps

def deco(fn):
    @wraps(fn)
    def inner():
        return fn()
    return inner

@deco
def fun():
    "does nothing"
    pass

print(fun.__name__, fun.__doc__)
```

70. Output?

```
python

`def d1(fn): return lambda: fn() + "!"
def d2(fn): return lambda: fn() + "?"

@d2
@d1
def f(): return "Hi"
print(f())
```

📏 MCQs / True-False Style

71. A closure captures values not variables. (T/F)

- 72. You must call a decorator function manually. (T/F)
- 73. Decorators can be chained. (T/F)
- 74. Closures can return a function. (T/F)
- 75. The outer function in a closure is destroyed after returning. (T/F)
- 76. What does `@` do in Python? a) Calls a function
 - b) Creates a loop
 - c) Applies a decorator
 - d) Defines a class
- 77. Closures are used when: a) You need recursion
 - b) You want to avoid global variables
 - c) You use loops
 - d) You use classes
- 78. Which of the following is not true about decorators? a) They wrap a function
 - b) They must return another function
 - c) They change function names
 - d) They modify function behavior
- 79. Decorators must return: a) Any value
 - b) A string
 - c) A function
 - d) None
- 80. In which order are decorators applied? a) Top to bottom
 - b) Bottom to top
 - c) Random
 - d) Depends on indentation

🚣 Real-World Use Cases

- 81. Decorator to require login in a Flask app.
- 82. Decorator to limit API rate.
- 83. Decorator to check admin access.
- 84. Use a decorator for benchmarking.
- 85. Decorator to retry a function on failure.

K Build-Your-Own Tasks

- 86. Write a decorator that prints the time taken by a function.
- 87. Write a decorator that logs arguments and return values.
- 88. Write a decorator that disables a function unless a flag is set.
- 89. Write a decorator that prevents a function from running twice.
- 90. Write a decorator that caches the results of a function.

Advanced Use Cases & Questions

- 91. Can decorators modify arguments?
- 92. Can a decorator be applied dynamically?
- 93. Can you store decorated functions in a list?
- 94. Can you create decorators for generators?
- 95. Can a decorator wrap an async function?

Final 5 Challenge Questions

- 96. Write a decorator that makes any function run twice.
- 97. Write a decorator that logs function calls to a file.
- 98. Write a closure that remembers the last 3 inputs.
- 99. Create a decorator that tracks execution time of recursive functions.
- 100. Create a closure-based counter for a click event handler.
- https://www.new.com/states/fil

Next up:

Topic 11: Python Built-in Functions & Scope

Or want the compiled PDF/DOCX/Excel so far for your prep notes?



11: Python Built-in Functions & Scope

Absolutely! Here's your complete set of **Topic 11: Python Built-in Functions & Scope – 100 Interview Questions**, perfect for mastering the fundamentals and clearing any Python interview in **one shot** **

Topic 11: Python Built-in Functions & Scope – 100 Questions

Built-in Functions – Basics

- 1. What are built-in functions in Python?
- 2. How many built-in functions are there in Python 3?
- 3. Where are built-in functions stored in Python?
- 4. What's the difference between `abs()` and `round()`?
- 5. What does `dir()` do?
- 6. How does `type()` work?
- 7. What does `id()` return?

- 8. What does `len()` return for different types?
- 9. How does `input()` work in Python 3?
- 10. What is the difference between `eval()` and `exec()`?

📏 Output-Based: Built-in Functions

11. Output?

```
python
`print(type([]))
```

12. Output?

```
python
`print(len("hello"))
```

13. Output?

```
python
`print(abs(-7.5))
```

14. Output?

```
python
`print(round(3.145, 2))
```

15. Output?

```
python
`print(bool(0), bool(1), bool([]))
```

Numeric Built-in Functions

- 16. What does `pow(x, y)` return?
- 17. How is `divmod(a, b)` used?
- 18. What does `sum()` do with a list?
- 19. What is the output of `min()` and `max()`?
- 20. How does `round()` handle midpoint values?

Type Conversion Functions

- 21. What is the use of `int()`, `float()`, `str()`?
- 22. How do you convert binary to decimal in Python?
- 23. How does `ord()` and `chr()` work?
- 24. What is the purpose of `hex()`, `oct()`, `bin()`?
- 25. What does `bool()` return for empty objects?

Advanced Built-in Functions

- 26. What does `enumerate()` return?
- 27. What is `zip()` used for?
- 28. What's the difference between `map()` and `filter()`?
- 29. How does `all()` and `any()` work?
- 30. What does `reversed()` return?

? Iteration Utilities

- 31. What type does `range()` return?
- 32. How does `next()` work?
- 33. What happens when you call `iter()` on a list?
- 34. What does `sorted()` return?
- 35. How do you sort with a custom key using `sorted()`?

Collection-Related Built-ins

- 36. What does `list()` do?
- 37. What's the use of `set()`?
- 38. How does `tuple()` work?
- 39. What is the output of `dict()` with a list of tuples?
- 40. How do you use `frozenset()`?

6 Functional Built-ins

- 41. What is `lambda` in Python?
- 42. How do you use `map()` with `lambda`?
- 43. Give an example using `filter()` with a condition.
- 44. How does `reduce()` differ from `map()`?

🧵 Scope – Basics

- 46. What is a scope in Python?
- 47. What are the different types of scopes?
- 48. What is LEGB rule?
- 49. What is a local scope?
- 50. What is a global scope?

Global and Local Scope Questions

- 51. What happens if a variable is defined inside a function?
- 52. How to modify a global variable inside a function?
- 53. What does `global` keyword do?
- 54. What is the use of `nonlocal` keyword?
- 55. Can you access local variable outside a function?

Output-Based: Scope

56. Output?

```
python

`x = 10
def f():
    print(x)
f()
```

57. Output?

```
python

`x = 5
def f():
    x = 3
    print(x)
f()
print(x)
```

```
python
`x = 1
def f():
    global x
```

```
x = 2
f()
print(x)
```

```
python

`def outer():
    x = "outer"
    def inner():
        nonlocal x
        x = "inner"
    inner()
    return x
print(outer())
```

60. Output?

```
python

`def f():
    a = 10
f()
print(a)
```

Conceptual: Scope

- 61. What happens if you try to assign to a global variable inside a function without declaring it `global`?
- 62. Explain the difference between `nonlocal` and `global`.
- 63. Can you use `nonlocal` outside nested functions?
- 64. What is the scope of a variable declared in a loop?
- 65. How does Python decide which variable to use in an expression?

Debugging Built-ins

```
66. What does `help()` do?
```

- 67. How do you get documentation using `__doc__`?
- 68. What does `callable()` check?
- 69. How does `isinstance()` work?
- 70. What is the difference between `isinstance()` and `type()`?

File/Input/Output Built-ins

71. What is `open()` used for?

- 72. What are modes in `open()` function?
- 73. How do you read and write files using built-ins?
- 74. How does `input()` work in Python 3?
- 75. What is the difference between `readline()` and `readlines()`?

Noutput-Based: Built-in Fun

76. Output?

```
python
    print(ord('A'))
```

77. Output?

```
python

print(chr(65))
```

78. Output?

```
python
    print(list(zip([1,2],[3,4])))
```

79. Output?

```
python
    print(any([0, 0, 1]))
```

80. Output?

```
python
    print(all([1, True, 5]))
```

💤 Built-ins With Functions

- 81. How does `id()` help in debugging?
- 82. How does `globals()` differ from `locals()`?
- 83. What does `vars()` return?
- 84. What does `hash()` do?

Introspection Functions

- 86. What is the purpose of `getattr()`?
- 87. What does `setattr()` do?
- 88. How does `hasattr()` work?
- 89. What's the use of `delattr()`?
- 90. How can you dynamically invoke a method using a string?

✓ True/False & MCQs

- 91. `id()` returns memory address of an object. (T/F)
- 92. `eval()` is safer than `exec()`. (T/F)
- 93. Variables inside loops have global scope. (T/F)
- 94. `isinstance([], list)` returns True. (T/F)
- 95. `range()` creates a list. (T/F)
- 96. Which of the following are built-in? a) `print`
 - b) `append`
 - c) `list`
 - d) `split`
- 97. What does `nonlocal` affect? a) Global vars
 - b) Enclosing scope vars
 - c) Local vars
 - d) All
- 98. Which of these is not a built-in? a) `sum`
 - b) `reduce`
 - c) `eval`
 - d) `filter`
- 99. `globals()` returns: a) local vars
 - b) global vars dict
 - c) function scope
 - d) none
- 100. `callable(obj)` returns True if: a) obj is a string
 - b) obj is a number
 - c) obj is a function
 - d) obj is iterable

You've now mastered Python Built-in Functions & Scope!

Next topic:

Topic 12: Python Comprehensions (List, Dict, Set, Generator) – 100 Questions

Want a single **PDF/Excel/DOC** with all topics combined so far for revision?



Topic 12: Python Comprehensions (List, Dict, Set, Generator) – 100 Questions

Absolutely! Here's your full **Topic 12: Python Comprehensions (List, Dict, Set, Generator) – 100 Interview Questions**, packed to help you **crack interviews in one shot**

Topic 12: Python Comprehensions – 100 Interview Questions

Basics of Comprehensions

- 1. What are comprehensions in Python?
- 2. Why are comprehensions used?
- 3. List the different types of comprehensions in Python.
- 4. What are the advantages of using comprehensions?
- 5. Are comprehensions faster than traditional loops?

List Comprehensions – Basics

- 6. What is list comprehension?
- 7. Syntax of a basic list comprehension?
- 8. Convert this loop to a list comprehension:

```
result = []
for i in range(5):
    result.append(i * i)
```

- 9. Can list comprehensions be nested?
- 10. What is the output of `[x for x in range(5)]`?

📏 Output-Based: List Comprehensions

```
python
[x for x in range(3)]
```

```
python
[[x**2 for x in range(4)]
```

13. Output?

```
python
`[x for x in range(5) if x % 2 == 0]
```

14. Output?

```
python
[[x.upper() for x in "abc"]
```

15. Output?

```
python
    [x for x in "hello" if x not in "aeiou"]
```

List Comprehension with Conditions

- 16. How do you use `if` in list comprehensions?
- 17. Can you use `if-else` inside list comprehensions?
- 18. Output?

```
python
["even" if x % 2 == 0 else "odd" for x in range(3)]
```

19. Convert this loop to list comprehension:

```
python

`result = []
for x in range(5):
    if x % 2 == 0:
        result.append(x)
```

20. Create a list comprehension to return squares of even numbers from 0–9.

Nested List Comprehensions

- 21. What is a nested list comprehension?
- 22. Example of a 2D list comprehension?
- 23. Flatten a 2D list using comprehension.
- 24. Output?

```
python
[[i*j for j in range(3)] for i in range(2)]
```

25. Create a matrix of size 3x3 using list comprehension.

Dictionary Comprehensions

- 26. What is dictionary comprehension?
- 27. Syntax of a dict comprehension?
- 28. Convert this to dict comprehension:

```
python

`result = {}
for i in range(3):
    result[i] = i**2
```

- 29. Create a dict where keys are letters and values are ASCII.
- 30. Use dict comprehension to invert a dictionary.

Nutput-Based: Dict Comprehensions

31. Output?

```
python
  (x: x**2 for x in range(3))
```

32. Output?

```
python

`{x: "even" if x % 2 == 0 else "odd" for x in range(4)}
```

35. Output?

```
python
     `{x: y for x, y in enumerate("xyz")}
```

Set Comprehensions

- 36. What is a set comprehension?
- 37. Syntax of set comprehension?
- 38. Output?

- 39. Remove duplicates from a list using set comprehension.
- 40. Use set comprehension to get vowels from a string.

Noutput-Based: Set Comprehensions

41. Output?

```
\text{x*2 for x in [1, 2, 3]}
```

```
python
  (x for x in range(5) if x % 2 == 0)
```

44. Output?

45. Output?

Generator Expressions

- 46. What is a generator expression?
- 47. Syntax of generator expressions?
- 48. Difference between list comprehension and generator expression?
- 49. Convert a list comprehension to generator expression.
- 50. Output?

```
python

`g = (x**2 for x in range(3))
print(next(g))
```

Nutput-Based: Generator Expressions

51. Output?

```
python

`g = (x for x in "abc")
print(list(g))
```

```
python

`g = (x+1 for x in range(2))
for val in g:
    print(val)
```

```
python

`g = (x for x in range(100) if x % 3 == 0)
print(sum(g))
```

54. Output?

```
python
    print(sum(x for x in range(5)))
```

55. Output?

```
python

`g = (i for i in range(2))
print(next(g), next(g))
```

Comparison & Use Cases

- 56. When to use list vs generator comprehension?
- 57. When to use dict vs set comprehension?
- 58. Which is more memory efficient: list or generator comprehension?
- 59. Can comprehensions be used in function arguments?
- 60. Which comprehension types are unordered?

Real-World Examples

- 61. Use comprehension to read numbers from a string and convert to int.
- 62. Use comprehension to filter non-alphabetic characters.
- 63. Use comprehension to flatten a matrix.
- 64. Create a word frequency dict using dict comprehension.
- 65. Create a set of unique words from a paragraph.

Conceptual Questions

- 66. Are comprehensions more readable than loops?
- 67. Can all comprehensions be nested?
- 68. Do comprehensions always return a new object?
- 69. Can you break a comprehension like a loop?
- 70. Why are generator comprehensions lazy?

Comprehension Challenges

- 71. Create a list of prime numbers from 1 to 50.
- 72. Find squares of even numbers between 1–20.
- 73. Create a dict of even numbers and their squares.
- 74. Extract digits from a string using list comprehension.
- 75. Build a generator that yields cubes of numbers.

🔄 Nested & Advanced

76. Output?

```
python
\[ [x + y for x in "ab" for y in "12"]
```

77. Output?

```
python
    [x for x in range(3) for y in range(2)]
```

78. Output?

```
python
[(i, j) for i in range(2) for j in range(2)]
```

79. Output?

```
python
`[(x, x**2) for x in range(3) if x % 2 == 1]
```

▼ True/False & MCQ

- 81. Comprehensions are only for lists. (T/F)
- 82. Generator expressions use less memory than list comprehensions. (T/F)
- 83. `set()` comprehension can contain duplicates. (T/F)
- 84. Dictionary comprehension requires `key: value`. (T/F)
- 85. Nested comprehensions are not allowed. (T/F)
- 86. What is returned by a generator expression? a) List
 - b) Tuple
 - c) Generator object
 - d) Iterator
- 87. Which is valid? a) `[x for x in range(5)]`
 - b) `{x for x in range(5)}`
 - C) `{x: x*2 for x in range(5)}`
 - d) All
- 88. Comprehensions are: a) Statements
 - b) Expressions
 - c) Loops
 - d) Functions
- 89. Which comprehension is unordered? a) List
 - b) Set
 - c) Dict
 - d) Both b & c
- 90. g = (x for x in range(3)); type(g) = ? a) generator
 - b) list
 - c) function
 - d) object

🧩 Final Challenges (91–100)

- 91. Write a list comprehension to return all leap years between 2000 and 2025.
- 92. Write a set comprehension to get all lowercase letters from a string.
- 93. Use a generator to yield Fibonacci numbers.
- 94. Use nested list comprehension to make identity matrix.
- 95. Dict comprehension to map char \rightarrow index from a string.
- 96. Flatten a list of lists using one-liner comprehension.

- 97. Reverse words in a string using list comprehension.
- 98. Write a list comprehension with multiple `if` filters.
- 99. Create a dict of odd numbers and their cube values.
- 100. Create a set comprehension to extract digits from a sentence.
- ★ That's 100 solid Python Comprehension Questions covering list, set, dict, and generators.

 Next up: Topic 13: Python Regular Expressions (re module)

Or want all 1200 questions so far in a **PDF/Excel/DOC** to keep for revision?



Topic 13: Python Regular Expressions (re module)

Perfect! Here's your complete **Topic 13: Python Regular Expressions (re module) – 100 Interview Questions** to master pattern matching and clear interviews **like a pro**

Topic 13: Python Regular Expressions (re module) – 100 Interview Questions

Basics of Regular Expressions

- 1. What are regular expressions in Python?
- 2. Why are regular expressions useful?
- 3. Which Python module supports regular expressions?
- 4. What is the syntax to import the `re` module?
- 5. What is a raw string and why is it used with regex?

<u>L</u> Common Regex Functions

- 6. What does `re.match()` do?
- 7. What does `re.search()` do?
- 8. What is the difference between `match()` and `search()`?
- 9. What does `re.findall()` return?
- 10. What is the purpose of `re.finditer()`?

Regex Basics

- 11. What does `.` (dot) match in regex?
- 12. What does `^` signify in regex?

- 13. What does `\$` signify?
- 14. What does `*` mean in regex?
- 15. What does `+` mean?

🔣 Regex Quantifiers

- 16. What does `?` do in regex?
- 17. What does `{n}` mean?
- 18. What does `{n,}` mean?
- 19. What does `{n,m}` mean?
- 20. What is the difference between greedy and non-greedy quantifiers?

③ Regex Character Classes

- 21. What does '\d' match?
- 22. What does `**p**` match?
- 23. What does `\w` match?
- 24. What does `\w` match?
- 25. What does `\s` and `\s` mean?

Sets and Ranges

- 26. What does `[abc]` match?
- 27. What does `[a-z]` mean?
- 28. What does `[^abc]` do?
- 29. How to match digits 1 through 5?
- 30. What does `[^0-9]` match?

📏 Output-Based: Matching

31. Output?

```
python
    re.match("a", "abc")
```

```
python
\re.search("a", "bcabc")
```

```
python
   re.findall(r"\d", "abc123")
```

34. Output?

```
python
   re.findall(r"[aeiou]", "hello world")
```

35. Output?

```
python
    re.match(r"\w+", "123abc!")
```

X Pattern Compilation

- 36. What does `re.compile()` do?
- 37. Why use compiled patterns?
- 38. How to use `pattern.match()`?
- 39. How to use `pattern.findall()`?
- 40. Can you reuse compiled regex patterns?

Regex Substitution

- 41. What does `re.sub()` do?
- 42. Syntax of `re.sub()`?
- 43. How to replace digits with `#`?
- 44. Replace all whitespace with `-`.
- 45. Replace multiple spaces with a single space.

🚅 Groups and Capturing

46. What are groups in regex?

- 47. How to define groups in Python regex?
- 48. How to retrieve captured groups?
- 49. What does `group(0)` return?
- 50. What's the difference between `group(1)` and `groups()`?

Nutput-Based: Groups

51. Output?

```
python

`m = re.match(r"(\d+)-(\d+)", "123-456")
print(m.groups())
```

52. Output?

```
python

`m = re.search(r"Name: (\w+)", "Name: John")
print(m.group(1))
```

53. Output?

```
python
    re.findall(r"(\w+)@(\w+)", "a@b x@y")
```

54. Output?

```
python
    re.match(r"(\w+)\s(\w+)", "John Doe").group(2)
```

55. Output?

```
python
    re.search(r"(ab)+", "ababab").group()
```

Special Sequences

- 56. What is the use of `\A` in regex?
- 57. What is the use of `\z`?
- 58. What does `\b` do?

- 59. What does `\B` mean?
- 60. Give an example using word boundaries.

🔀 Regex Flags

- 61. What are regex flags?
- 62. What does `re.IGNORECASE` or `re.I` do?
- 63. What is the purpose of `re.MULTILINE`?
- 64. How to use `re.DOTALL`?
- 65. How to combine multiple flags?

Noutput-Based: Flags

66. Output?

```
python
   re.findall("a", "AbcA", re.I)
```

67. Output?

```
python
    re.search("^abc", "abc\ndef", re.M)
```

68. Output?

```
python
    re.search(".", "\n", re.S)
```

69. Output?

```
python
`re.findall(r"(?i)hello", "Hello hElLo")
```

```
python
\re.findall(r"(?m)^hi", "hi\nhello\nhi")
```

Regex Concepts

- 71. Difference between `re.match()` and `str.startswith()`?
- 72. When is it better to use `re.finditer()` over `re.findall()`?
- 73. Are regex patterns case-sensitive by default?
- 74. How do you make a regex pattern case-insensitive?
- 75. Is regex greedy or lazy by default?

☆ Splitting with Regex

- 76. What does `re.split()` do?
- 77. Difference between `split()` and `re.split()`?
- 78. Split a string on whitespace.
- 79. Split a string on commas or semicolons.
- 80. Split only on the first 2 spaces using regex.

🚣 Lookaheads & Lookbehinds

- 81. What is a lookahead in regex?
- 82. What is a negative lookahead?
- 83. What is a lookbehind in regex?
- 84. What is a non-capturing group?
- 85. Example of lookahead to match "cat" only if not followed by "fish".

Noutput-Based: Advanced Patterns

86. Output?

```
python
   re.findall(r"(?<!@)\b\w+@\w+", "user@email.com")</pre>
```

87. Output?

```
python
    re.findall(r"(?<=\$)\d+", "Price is $30")</pre>
```

```
python
 `re.findall(r"\d+(?=kg)", "12kg 100kg")
 89. Output?
 python
 `re.findall(r"apple|orange", "apple banana orange")
 90. Output?
 python
 `re.findall(r"colou?r", "color colour")
True/False & MCQs
 91. `\d` matches a letter. (T/F)
 92. `re.match()` can match anywhere in the string. (T/F)
 93. `re.IGNORECASE` ignores casing. (T/F)
 94. `re.findall()` returns a list. (T/F)
 95. `re.compile()` improves performance. (T/F)
 96. Which matches a word? a) `\w+`
    b) `.`
    c) `\s`
    d) `^`
 97. `re.sub()` returns: a) Match object
    b) Iterator
    c) String
    d) Tuple
 98. What does `re.split(r"\s+", text)` do? a) Joins words
     b) Replaces spaces
    c) Splits on spaces
     d) Converts string to list
 99. Which flag enables multiline mode? a) `re.I`
    b) `re.M`
     c) `re.S`
    d) `re.X`
100. Lookaheads allow: a) Backward match
```

b) Forward match without consuming

- c) String replace
- d) Grouping
- That's 100 expert-level questions on **Python Regex (re module)** perfect for technical interviews! Next up:
- Topic 14: Python Data Types & Type Conversion 100 Questions

Let me know if you'd like a full **PDF**, **DOCX**, **or Excel sheet** for all topics so far!



Topic 14: Python Data Types & Type Conversion – 100 Questions

Awesome! Here's your **Topic 14: Python Data Types & Type Conversion – 100 Interview Questions** to sharpen your core Python knowledge and crush any interview <a>()

№ Topic 14: Python Data Types & Type Conversion – 100 Interview Questions

Basic Data Types

- 1. What are the basic data types in Python?
- 2. How do you check the data type of a variable?
- 3. What is the difference between `int` and `float`?
- 4. What is a `bool` in Python?
- 5. What values are considered `False` in Python?

🔤 String Data Type

- 6. What is the type of `"123"`?
- 7. How are strings represented internally in Python?
- 8. Are strings mutable?
- 9. What does `str()` do?
- 10. How do you convert a number to a string?

🔢 Numeric Data Types

- 11. What are the numeric types in Python?
- 12. How is `float` different from `int`?
- 13. What is a complex number in Python?
- 14. What does `type(3+4j)` return?

Type Conversion Basics

- 16. What is type conversion?
- 17. Difference between implicit and explicit conversion?
- 18. Example of implicit type conversion?
- 19. Example of explicit type conversion?
- 20. What is type casting?

Noutput-Based: Type Conversion

21. Output?

```
python
    int("10")
```

22. Output?

```
python

The state of the state
```

23. Output?

```
python

str(123)
```

24. Output?

25. Output?

```
python
    complex(2, 3)
```

💤 Sequence Data Types

- 26. What are sequence types in Python?
- 27. What's the difference between a list and a tuple?
- 28. Is a string a sequence?
- 29. Can you convert a list to a tuple?
- 30. Can you convert a string to a list?

Converting Between Sequences

- 31. Convert a string to list: $`"abc"` \rightarrow `['a', 'b', 'c']`$
- 32. Convert list `[1, 2, 3]` to string `'123'`
- 33. Convert string `"1 2 3"` to list of integers.
- 34. Convert tuple `(1, 2)` to list.
- 35. Convert list to set.

🔪 Output-Based: Sequence Conversion

36. Output?

```
python

`list("abc")
```

37. Output?

38. Output?

39. Output?

Boolean Conversion

- 41. What is the bool value of an empty list?
- 42. What is the bool value of `None`?
- 43. What is `bool("0")`?
- 44. What is `bool(0)`?
- 45. What values are truthy?

📏 Output-Based: Boolean Logic

46. Output?

```
python

`bool(0)
```

47. Output?

48. Output?

49. Output?

Dictionary & Set Types

- 51. What is the type of `{}`?
- 52. How to create an empty set?
- 53. Can sets have duplicate elements?
- 54. What is the data type of `{'a': 1}`?
- 55. Are dictionaries ordered?

Converting Between Dict/Set

- 56. Convert list of tuples to dict.
- 57. Convert dict to list of keys.
- 58. Convert dict to list of values.
- 59. Convert set to list.
- 60. Convert list to dict using `dict()`.

📏 Output-Based: Dict/Set Conversion

61. Output?

62. Output?

63. Output?

```
python
    list({'x': 10}.values())
```

NoneType & Special Types

- 66. What is `NoneType` in Python?
- 67. How do you check if a variable is `None`?
- 68. Can `None` be used in expressions?
- 69. What is the type of `type(None)`?
- 70. Is `None` equal to `False`?

NoneType Output-Based: NoneType

71. Output?

```
python
    type(None)
```

72. Output?

```
None == False
```

73. Output?

74. Output?

```
python

None is None
```

```
python

None + 1
```

User-Defined & Custom Types

- 76. Can you create your own data type in Python?
- 77. How do you define a class as a type?
- 78. What does `type(obj)` return for user-defined class?
- 79. Can you override type conversion methods like `__int__()`?
- 80. What happens when you use `int(obj)` where `obj` is a custom class?

Advanced Type Conversion

- 81. Convert binary string `'101'` to int.
- 82. Convert int `5` to binary string.
- 83. Convert hexadecimal `'0xF'` to int.
- 84. Convert int to hex string.
- 85. Convert float to integer without losing value.

Nutput-Based: Advanced Conversion

86. Output?

```
python
    int("101", 2)
```

87. Output?

```
python
bin(5)
```

88. Output?

```
python
hex(15)
```

✓ True/False & MCQs

- 91. Strings are immutable. (T/F)
- 92. Lists are ordered and mutable. (T/F)
- 93. `set()` maintains order. (T/F)
- 94. `float("3.0")` returns a float. (T/F)
- 95. `int("3.5")` is valid. (T/F)
- 96. Which of the following is not a built-in type?
 - a) list
 - b) set
 - c) enum
 - d) dict
- 97. Which of the following is immutable?
 - a) list
 - b) dict
 - c) set
 - d) tuple
- 98. `str([1, 2])` returns:
 - a) `'1,2'`
 - b) `'[1, 2]'`
 - c) `[1, 2]`
 - d) Error
- 99. What's the result of `bool("False")`?
 - a) True
 - b) False
 - c) None
 - d) Error
- 100. What's the type of value returned by `input()`?
 - a) str
 - b) int
 - c) any
 - d) object

Boom! You now have 100 solid questions on **Python Data Types & Type Conversion** — a core topic that every interviewer loves to test.

Up Next:

Topic 15: Python Memory Management & Garbage Collection

Wanna continue with the next topic or get all questions as a PDF/Excel so far?



how much topic is remaining

You're absolutely crushing it! 🚀 Here's a quick progress + what's left:

✓ Completed Topics (14/20):

- 1. Python Basics
- 2. Data Structures
- 3. Control Flow & Loops
- 4. Functions & Lambda
- 5. Object-Oriented Programming (OOP)
- 6. Modules and Packages
- 7. File Handling
- 8. Exception Handling
- 9. Iterators and Generators
- 10. Decorators & Closures
- 11. Built-in Functions & Scope
- 12. Python Comprehensions
- 13. Regular Expressions
- 14. Data Types & Type Conversion

<u>惼</u> Remaining Topics (6):

- 15. Memory Management & Garbage Collection
- 16. Python Date & Time (datetime, time modules)
- 17. Multithreading & Multiprocessing
- 18. Python and Databases (SQLite, SQLAlchemy basics)
- 19. Testing in Python (unittest, pytest)
- 20. Python Coding Patterns & Best Practices

Wanna move on to **Topic 15: Memory Management & Garbage Collection** now? Or need a quick summary/download for what we've done so far?



Topic 15: Python Memory Management & Garbage Collection

Awesome choice! — Here are **100 Interview Questions on Python Memory Management & Garbage Collection (Topic 15)** — designed to help you **master low-level Python behavior** and impress in system-level interviews or any advanced Python role!

Topic 15: Python Memory Management & Garbage Collection – 100 Questions

🧠 Basics of Memory Management

- 1. What is memory management in Python?
- 2. How does Python manage memory internally?
- 3. What is private heap space in Python?
- 4. What is a memory manager?
- 5. What are Python's built-in memory management tools?

🧮 Python Object Memory Model

- 6. What is the memory layout of a Python object?
- 7. How is memory allocated for variables?
- 8. What is an object reference?
- 9. What is reference counting?
- 10. How does Python track the number of references?

Variables and Object References

- 11. What happens when you assign one variable to another?
- 12. Are variables in Python names or memory locations?
- 13. What is the `id()` function used for?
- 14. How can you check if two variables point to the same object?
- 15. Does reassigning a variable free memory?

Noutput-Based: Reference & `id()`

```
python

`a = [1, 2]
b = a
print(id(a) == id(b))
```

17. Output?

```
python

`a = 1000
b = 1000
print(a is b)
```

18. Output?

```
python

`a = 256
b = 256
print(a is b)
```

19. Output?

```
python

`a = "hello"
b = "hello"
print(id(a), id(b))
```

20. Output?

```
python
`x = [1, 2]
x = [3, 4]
```

Does the old list `[1, 2]` get garbage collected?

✓ Garbage Collection Basics

- 21. What is garbage collection in Python?
- 22. Why is garbage collection needed?
- 23. What is cyclic garbage?
- 24. How does Python detect unreachable objects?
- 25. How does Python's GC differ from Java's?

Reference Counting

- 26. What is the primary garbage collection strategy in Python?
- 27. How does reference counting work?
- 28. When does Python destroy an object?
- 29. What is a memory leak?
- 30. Can reference counting alone lead to memory leaks?

P Circular References

- 31. What is a circular reference?
- 32. How do circular references cause issues?
- 33. Why doesn't reference counting handle circular references?
- 34. How does Python deal with circular references?
- 35. Can you create a circular reference in Python?

🔪 Code-Based: Circular References

- 36. Code to create a circular reference with two objects.
- 37. Detect if circular reference exists in a program.
- 38. Output?

```
python

`import gc
gc.collect()
```

- 39. What is returned by `gc.collect()`?
- 40. Is `del` enough to remove circular references?

`gc` Module

- 41. What is the `gc` module?
- 42. What is `gc.collect()` used for?
- 43. What is `gc.get_objects()`?
- 44. What does `gc.get_referrers()` return?
- 45. What does `gc.get_referents()` do?

- 46. How can you enable/disable the garbage collector?
- 47. Use `gc.disable()` what happens?
- 48. Use `gc.enable()` what happens?
- 49. How to track collection thresholds?
- 50. What does `gc.set_debug(gc.DEBUG_LEAK)` do?

Output-Based: `gc` Module

51. Output?

```
python

import gc
gc.isenabled()
```

52. Output?

```
python

`gc.get_threshold()
```

53. Output?

54. Output?

```
python

`gc.get_count()
```

55. Output?

```
python

`gc.collect()
```

Memory Optimization

56. How to reduce memory usage in Python?

57. What is `__slots__`?

```
58. How do `__slots__` save memory?
```

- 59. When should you use `__slots__`?
- 60. Limitations of `__slots__`?

《Output-Based: `__slots__`

61. Output?

```
class A:
    __slots__ = ['x']
a = A()
a.x = 5
```

62. Output?

```
python
    `a.y = 10  # After defining __slots__ = ['x']
```

- 63. Can you inherit `__slots__`?
- 64. Can `__slots__` be used with dataclasses?
- 65. Does `__slots__` improve performance?

Memory Profiling Tools

- 66. What is `sys.getsizeof()`?
- 67. What does it measure?
- 68. Use of `pympler` package?
- 69. What is `memory_profiler`?
- 70. How to profile memory usage line-by-line?

📏 Output-Based: Memory Size

71. Output?

```
python

import sys
sys.getsizeof(42)
```

74. Output?

75. Output?

X Low-Level Memory Tuning

- 76. What is `object.__del__()` used for?
- 77. What is a finalizer in Python?
- 78. When is $`_del_()`$ called?
- 79. Is relying on `__del__()` a good practice?
- 80. What are weak references?

Nutput-Based: Finalizers

```
class A:
    def __del__(self):
        print("Deleted")
a = A()
del a
```

- 82. What if object with `__del__()` is part of circular ref?
- 83. How does Python handle finalizers in cyclic GC?

- 84. What is `weakref` module?
- 85. Use of `weakref.ref()`?

Memory Leaks

- 86. What causes memory leaks in Python?
- 87. Can circular refs leak memory?
- 88. Can closures cause memory leaks?
- 89. Can global vars cause memory leaks?
- 90. How to detect memory leaks?

✓ True/False & MCQs

- 91. Python uses mark-and-sweep GC. (T/F)
- 92. `gc.collect()` returns the number of unreachable objects. (T/F)
- 93. Reference cycles are always collected. (T/F)
- 94. `__del__()` always gets called. (T/F)
- 95. `sys.getsizeof()` returns total memory footprint. (T/F)
- 96. What is used for automatic memory management in Python?
 - a) malloc
 - b) garbage collector
 - c) new/delete
 - d) buffer pool
- 97. `gc.collect()` can be used to:
 - a) Disable GC
 - b) Enable GC
 - c) Manually trigger GC
 - d) None
- 98. What module helps manage circular references?
 - a) sys
 - b) os
 - c) gc
 - d) ctypes
- 99. Weak references are used to:
 - a) Extend object life
 - b) Create memory leaks
 - c) Avoid ref count increment
 - d) None
- 100. `__slots__` improves memory by:
 - a) Compressing data
 - b) Preventing attribute dict

- c) Replacing GC
- d) Using heap allocation

BOOM! You're now fully loaded with 100 questions on **Python Memory Management & Garbage Collection** — a deep dive topic that sets top Python devs apart. <a> \infty

Next up:

Topic 16: Python Date & Time (datetime, time modules)

Want to continue or pause to export everything so far into a PDF, DOCX, or Excel format?



Topic 16: Python Date & Time (datetime, time modules)

You got it! Here's **Topic 16: Python Date & Time (datetime, time modules)** with **100 interview questions** — perfect for nailing questions about timestamps, scheduling, or real-time processing.

📆 Topic 16: Python Date & Time – 100 Interview Questions

(Covers `datetime`, `time`, `calendar`, and timezone handling)

Basics of Date & Time

- 1. What modules are used for handling date and time in Python?
- 2. Difference between `datetime` and `time` modules?
- 3. What does `datetime.now()` return?
- 4. How do you get today's date?
- 5. How to get the current time?

Working with `datetime`

- 6. What is a `datetime` object?
- 7. How do you create a specific datetime object?
- 8. What does `datetime.today()` return?
- 9. What is `datetime.utcnow()`?
- 10. Difference between `datetime.now()` and `datetime.utcnow()`?

Output-Based: Basic `datetime`

```
python
`from datetime import datetime
print(datetime.now().date())
12. Output?
python
`datetime(2023, 12, 25)
13. Output?
python
`datetime.now().year
14. Output?
python
`datetime.now().strftime('%Y-%m-%d')
15. Output?
python
```

(i) Formatting Dates and Times

`datetime.now().strftime('%A')

- 16. What is `strftime()`?
- 17. Format current date as `dd-mm-yyyy`.
- 18. Format current time as `HH:MM:SS`.
- 19. How do you get full month name?
- 20. What does `%Y`, `%m`, `%d`, `%H`, `%M`, `%S` represent?

🔪 Output-Based: Formatting

```
python
`datetime.now().strftime("%b %d, %Y")
```

23. Output?

24. Output?

25. Output?

🔀 Time Delta Calculations

- 26. What is `timedelta`?
- 27. How do you add 10 days to a date?
- 28. How to subtract two dates?
- 29. How to get the number of days between two dates?
- 30. Can you add a `timedelta` to `datetime.now()`?

Noutput-Based: `timedelta`

31. Output?

```
python

`from datetime import timedelta
print(datetime.now() + timedelta(days=5))
```

```
python
  (datetime(2024,1,1) - datetime(2023,1,1)).days
```

34. Output?

```
python
    timedelta(weeks=1)
```

35. Output?

Working with `time` Module

- 36. What does `time.time()` return?
- 37. What is `time.sleep()` used for?
- 38. How do you pause execution for 2 seconds?
- 39. What does `time.ctime()` return?
- 40. How is `time.localtime()` used?

Output-Based: `time`

41. Output?

```
python

import time
print(time.time())
```

```
python

`print(time.ctime())
```

```
python

`time.sleep(1)
print("Hello")
```

44. Output?

```
python
    print(time.localtime().tm_year)
```

45. Output?

```
python

print(time.strftime("%H:%M:%S", time.localtime()))
```

Parsing Strings to Dates

- 46. What is `strptime()` used for?
- 47. How do you convert `'2024-01-01'` to a datetime object?
- 48. Difference between `strptime()` and `strftime()`?
- 49. Parse `'12/25/2024'` using `strptime`.
- 50. Can `strptime()` raise errors?

Output-Based: `strptime`

51. Output?

```
python

`datetime.strptime('2024-04-01', '%Y-%m-%d')
```

52. Output?

```
python
  (datetime.strptime("2024", "%Y")).year
```

55. Output?

🌎 Timezones

- 56. What is timezone-aware vs naive datetime?
- 57. How do you set a timezone in Python?
- 58. What is `pytz`?
- 59. Convert a UTC time to IST.
- 60. What does `datetime.now(tz=timezone.utc)` do?

Nutput-Based: Timezones

61. Output?

```
`from datetime import timezone datetime.now(timezone.utc)
```

62. Output?

```
import pytz
datetime.now(pytz.timezone('Asia/Kolkata'))
```

```
python

`dt = datetime(2024, 1, 1, tzinfo=timezone.utc)
dt.astimezone(pytz.timezone("US/Eastern"))
```

65. Output?

```
python
    pytz.all_timezones[:5]
```

Working with `calendar` Module

- 66. How do you get the current month's calendar?
- 67. Get weekday of a date using `calendar.weekday()`
- 68. Print calendar for 2025.
- 69. What is `calendar.isleap()`?
- 70. What does `calendar.monthrange()` return?

Nutput-Based: `calendar`

71. Output?

```
python

import calendar
print(calendar.isleap(2024))
```

72. Output?

```
calendar.month(2025, 4)
```

```
python

`calendar.weekday(2025, 4, 11)

74. Output?

python

`calendar.monthrange(2024, 2)

75. Output?

python

`calendar.leapdays(2000, 2025)
```

X Utilities & Edge Cases

- 76. How to get Unix timestamp from a `datetime`?
- 77. How to convert timestamp back to datetime?
- 78. What is `datetime.timestamp()`?
- 79. How to handle invalid date formats?
- 80. What causes `ValueError` in `strptime()`?

True/False & MCQs

- 81. `datetime.now()` returns a string. (T/F)
- 82. `time.sleep()` pauses execution. (T/F)
- 83. `strftime` is used to parse a date string. (T/F)
- 84. `calendar.isleap(2024)` returns True. (T/F)
- 85. `datetime.now()` is timezone-aware. (T/F)
- 86. `%Y` stands for:
 - a) Full year
 - b) Month
 - c) Day
 - d) Hour
- 87. `datetime.utcnow()` returns:
 - a) Local time
 - b) UTC time
 - c) Naive time
 - d) Future time

- 88. `timedelta(days=1) + timedelta(hours=24)` is:
 - a) 1 day
 - b) 2 days
 - c) Error
 - d) 0 days
- 89. `calendar.weekday(2025, 4, 11)` returns:
 - a) 4
 - b) 5
 - c) Friday
 - d) 6
- 90. `pytz.timezone()` is used for:
 - a) Formatting
 - b) Parsing
 - c) Localizing
 - d) Delays

Challenge Questions

- 91. How to get the last day of a month?
- 92. How to count the number of Mondays in a year?
- 93. How to schedule a task every 5 minutes?
- 94. How to convert datetime to ISO format?
- 95. How to create a countdown timer using `time`?

Nands-On Practice

- 96. Write a function that returns current time in UTC+5:30.
- 97. Parse `01-01-2023` and return weekday name.
- 98. Convert datetime to timestamp and back.
- 99. Get all Sundays in current month.
- 100. Calculate age from birthdate.

Boom! You now have **100 solid questions** on **Python Date & Time** — from basic to timezone magic to real-world utilities. ?

Up next:

Topic 17: Multithreading & Multiprocessing (100 Questions)

Wanna continue, or would you like a downloadable version (PDF/Excel) of all topics so far?



Topic 17: Multithreading & Multiprocessing (100 Questions)

Awesome! A Here's Topic 17: Multithreading & Multiprocessing with 100 Interview Questions – covering concurrency, parallelism, thread safety, and Python's `threading` and `multiprocessing` modules. A must-know for high-performance apps, web servers, or system-level coding.

Topic 17: Multithreading & Multiprocessing – 100 Interview Questions

Concurrency vs Parallelism

- 1. What is concurrency?
- 2. What is parallelism?
- 3. Difference between concurrency and parallelism?
- 4. Does Python support true parallelism?
- 5. What is the GIL (Global Interpreter Lock)?

Multithreading Basics

- 6. What is a thread?
- 7. What is multithreading?
- 8. How do you create a thread in Python?
- 9. What module is used for threading?
- 10. Difference between `start()` and `run()`?

🔪 Code Output: Basic Threading

11. Output?

```
import threading
def job():
    print("Thread running")
t = threading.Thread(target=job)
t.start()
```

12. Output?

```
python

`t = threading.Thread(target=job)
t.run()
```

```
python

`t = threading.Thread(target=job)
t.start()
t.join()
```

```
python

print(threading.active_count())
```

15. Output?

```
python
    print(threading.current_thread().name)
```

🔄 Thread Synchronization

- 16. What are race conditions?
- 17. What is a lock?
- 18. How do you use `threading.Lock()`?
- 19. What is a deadlock?
- 20. What is `threading.RLock()`?

Code Output: Locks

21. Output?

```
python

`lock = threading.Lock()
lock.acquire()
lock.release()
```

22. Output?

```
python

with lock:
    print("Safe block")
```

```
from threading import RLock
rlock = RLock()
rlock.acquire()
rlock.acquire()
print("Double acquire")
```

- 24. Can a thread acquire a lock it already holds?
- 25. What is the benefit of RLock over Lock?

III Thread Communication

- 26. What is a `Queue` in threading?
- 27. How does `queue.Queue()` help avoid race conditions?
- 28. What is `queue.get()`?
- 29. What is `queue.put()`?
- 30. What is the use of `queue.join()`?

(i) Daemon Threads

- 31. What is a daemon thread?
- 32. How do you create one?
- 33. What happens if the main thread finishes first?
- 34. How to set a thread as daemon?
- 35. Use-case of daemon threads?

🔽 True/False & MCQs – Threading

- 36. Threads share the same memory. (T/F)
- 37. Locks prevent race conditions. (T/F)
- 38. Daemon threads block program exit. (T/F)
- 39. Thread `run()` creates a new thread. (T/F)
- 40. `join()` waits for a thread to finish. (T/F)
- 41. Threading module is:
 - a) CPU parallel
 - b) I/O concurrency
 - c) Multi-processing
 - d) Asynchronous only

- 42. GIL affects:
 - a) Only multi-core CPUs
 - b) Only Windows
 - c) Python threads
 - d) Java threads
- 43. To avoid race conditions:
 - a) Use `print()`
 - b) Use GIL
 - c) Use `threading.Lock()`
 - d) Use `exit()`
- 44. Output of `threading.active count()` is:
 - a) Dead threads
 - b) Alive threads
 - c) All modules
 - d) CPU count
- 45. `queue.Queue()` is:
 - a) Thread-safe
 - b) File-safe
 - c) Not thread-safe
 - d) Not used in threading

Multiprocessing Basics

- 46. What is multiprocessing?
- 47. When should you use multiprocessing over threading?
- 48. How to create a new process?
- 49. What is `multiprocessing.Process()`?
- 50. How to start and join a process?

Node Output: Multiprocessing

51. Output?

```
from multiprocessing import Process
def job():
    print("Running")
p = Process(target=job)
p.start()
```

```
python
    p.join()
print("Done")
```

```
python

`from multiprocessing import current_process
print(current_process().name)
```

54. Output?

55. What happens when you don't join a process?

Process Communication

- 56. How do processes share data?
- 57. What is `multiprocessing.Queue()`?
- 58. How does 'Value' or 'Array' work?
- 59. Can a shared list be modified across processes?
- 60. What is `Manager()`?

Code Output: Shared Data

61. Output?

```
python

`from multiprocessing import Value
v = Value('i', 10)
```

```
python

`from multiprocessing import Manager
m = Manager()
lst = m.list()
```



- 63. What does `'i'` stand for in `Value('i', 0)`?
- 64. Can two processes update the same `Value` object?
- 65. Difference between `Array` and `list()` in multiprocessing?

🔐 Process Synchronization

- 66. Does multiprocessing support Locks?
- 67. What is `multiprocessing.Lock()`?
- 68. How is it different from `threading.Lock()`?
- 69. Can you use `with` statement on `multiprocessing.Lock()`?
- 70. Can you use semaphores with multiprocessing?

Process Pooling

- 71. What is `Pool` in multiprocessing?
- 72. What is the benefit of using a Pool?
- 73. How do you map a function to multiple processes?
- 74. Difference between `map()` and `apply_async()`?
- 75. How many processes does a Pool create by default?

Code Output: `Pool`

76. Output?

```
from multiprocessing import Pool
def sq(x): return x*x
with Pool(2) as p:
    print(p.map(sq, [1, 2, 3]))
```

77. Output?

```
python

`p.apply_async(print, args=("Hi",))
```

```
python
    p.close()
p.join()
```

- 79. What happens if you don't `close()` a pool?
- 80. Can pool functions return values?

Nerformance & Use-Cases

- 81. When is threading faster than multiprocessing?
- 82. When is multiprocessing better than threading?
- 83. Can CPU-bound tasks benefit from threads?
- 84. Why multiprocessing bypasses GIL?
- 85. What are some use-cases of multiprocessing?

Advanced Concepts

- 86. What are zombies and orphan processes?
- 87. How to handle exceptions in threads?
- 88. How to timeout a thread or process?
- 89. Can you kill a thread?
- 90. Can you terminate a process?

True/False & MCQs – Multiprocessing

- 91. Processes share memory space. (T/F)
- 92. Processes are lighter than threads. (T/F)
- 93. GIL exists in multiprocessing. (T/F)
- 94. `Process().start()` is blocking. (T/F)
- 95. `Pool.map()` is parallel. (T/F)
- 96. Which is better for CPU-bound?
 - a) Threading
 - b) Multiprocessing
 - c) AsyncIO
 - d) GIL
- 97. Which module supports shared memory?
 - a) threading
 - b) queue
 - c) multiprocessing
 - d) memoryview
- 98. What causes GIL bottleneck?
 - a) Memory leaks
 - b) CPU-bound work



- c) Blocking I/O
- d) Thread starvation
- 99. Which of these is not thread-safe?
 - a) Queue
 - b) List
 - c) Lock
 - d) RLock
- 100. `multiprocessing.Manager().list()` is:
 - a) Not shared
 - b) Shared
 - c) A file
 - d) Thread-specific

◆ BOOM! That's 100 questions for mastering Multithreading & Multiprocessing in Python — ready for systems interviews, backend dev roles, and performance-heavy apps. ● ②

Next up:

Topic 18: Python Networking (socket, requests, urllib)

Ready to dive in?



opic 18: Python Networking (socket, requests, urllib)

Awesome, let's get into it! Here's **Topic 18: Python Networking (socket, requests, urllib)** with **100 Interview Questions** – covering low-level networking with `socket`, and high-level web communication with `requests` and `urllib`.

Topic 18: Python Networking – 100 Interview Questions

(socket, requests, urllib modules)

🧠 Basics of Networking in Python

- 1. What is networking in Python?
- 2. What modules are used for network programming in Python?
- 3. Difference between low-level and high-level networking?
- 4. What is the `socket` module used for?
- 5. What is the `requests` module used for?

" Python `socket` Module

- 6. What is a socket?
- 7. How do you create a socket in Python?

- 8. What is the default socket family?
- 9. What is the default socket type?
- 10. What is the difference between TCP and UDP?

Noutput-Based: Basic `socket`

11. Output?

```
python
`import socket
s = socket.socket()
print(s)
```

12. Output?

```
python
`socket.AF_INET
```

13. Output?

```
python
`socket.SOCK_STREAM
```

14. Output?

```
python
`socket.gethostname()
```

15. Output?

```
python
`socket.gethostbyname('localhost')
```

Server & Client with `socket`

- 16. How to create a TCP server in Python?
- 17. How to create a TCP client in Python?
- 18. What is `bind()` used for?
- 19. What does `listen()` do?



📏 Output-Based: TCP Server/Client

21. Output?

```
python
`s.bind(('localhost', 9999))
```

22. Output?

```
python
`s.listen(5)
```

23. Output?

```
python
`client_socket.connect(('localhost', 9999))
```

24. Output?

```
python
`conn, addr = server_socket.accept()
```

25. Output?

```
python
`client_socket.sendall(b'Hello')
```

W UDP with Sockets

- 26. What is a UDP socket?
- 27. How to create a UDP socket in Python?
- 28. Difference between `send()` and `sendto()`?
- 29. Difference between `recv()` and `recvfrom()`?
- 30. Use-case for UDP over TCP?

📏 Code Output: UDP

```
python

`s = socket.socket(socket.AF_INET, socket.SOCK_DGRAM)
```

32. Output?

```
python

`s.sendto(b"Hi", ('localhost', 12345))
```

33. Output?

34. Output?

35. Can you use `connect()` on UDP?

Socket Utilities & Config

- 36. What is `socket.settimeout()`?
- 37. What is `socket.getsockname()`?
- 38. What does `socket.getpeername()` return?
- 39. How do you enable reuse address?
- 40. How do you handle timeouts in sockets?

True/False – Socket

- 41. TCP is connectionless. (T/F)
- 42. UDP is reliable. (T/F)
- 43. `bind()` is used by clients. (T/F)
- 44. `recv()` blocks the program. (T/F)
- 45. `accept()` returns two values. (T/F)

High-Level Networking with `requests`

- 46. What is the `requests` module?
- 47. How do you make a GET request?
- 48. How do you make a POST request?
- 49. How to add headers to a request?
- 50. What does `requests.get().json()` do?

Nutput-Based: `requests`

51. Output?

```
import requests
r = requests.get("https://httpbin.org/get")
print(r.status_code)
```

52. Output?

```
python
\r = requests.post("https://httpbin.org/post", data={"a": 1})
```

53. Output?

```
python
\r.headers['Content-Type']
```

54. Output?

```
python
\[r.text[:50]
```

55. Output?

```
python

`r = requests.get("https://httpbin.org/status/404")
print(r.ok)
```

🄰 Advanced Usage: `requests`

- 56. How to set a timeout in requests?
- 57. How to send custom headers?
- 58. How to handle cookies?
- 59. How to upload files using `requests`?
- 60. How to send JSON body with POST?

✓ True/False – Requests

- 61. `requests.get()` is asynchronous. (T/F)
- 62. You can post JSON with `data=`. (T/F)
- 63. `status_code` 200 means success. (T/F)
- 64. `requests` handles redirects automatically. (T/F)
- 65. `requests.post()` requires data or json. (T/F)

Working with `urllib`

- 66. What is `urllib`?
- 67. Difference between `urllib` and `requests`?
- 68. How to make a GET request with `urllib`?
- 69. What is `urlencode()`?
- 70. How to read response content?

Code Output: `urllib`

71. Output?

```
python

`from urllib import request
r = request.urlopen('https://example.com')
print(r.status)
```

72. Output?

```
python

`from urllib.parse import urlencode
urlencode({'name': 'John', 'age': 25})
```

```
`from urllib.request import urlopen urlopen("https://www.google.com").read()[:50]
```

74. Output?

```
`from urllib.parse import urlparse
urlparse("https://example.com/path?q=1")
```

75. Output?

```
python

`from urllib.error import HTTPError
```

🔐 Headers, Params, Errors

- 76. How to pass headers with `urllib`?
- 77. How to pass query parameters?
- 78. How to handle HTTP errors?
- 79. What is `HTTPError`?
- 80. What is `URLError`?

📤 Uploading, Downloading Files

- 81. How to download a file with `requests`?
- 82. How to stream large files?
- 83. How to upload a file using `requests.post()`?
- 84. How to save response to a file?
- 85. How to download binary data?

Nractical Code Snippets

- 86. Download and save an image from a URL.
- 87. Send a JSON POST request.
- 88. Create a simple socket-based chat app.
- 89. Get IP address of a website.
- 90. Write a Python HTTP client using `socket`.

Scenario/Challenge Questions

- 91. What happens if the server does not respond?
- 92. How to retry a failed request?
- 93. How to check for internet connection?
- 94. How to handle timeout exceptions?
- 95. How to send a GET request every 10 seconds?

Nonus Concepts

- 96. Can sockets be non-blocking?
- 97. Difference between `connect()` and `connect_ex()`?
- 98. Can `requests` work without internet?
- 99. How to mock a request in unit tests?
- 100. When would you use low-level sockets over `requests`?

boom! That's **100 networking questions** in the bag — from `socket` level control to high-level web requests. Perfect for interviews at backend, system, or full-stack roles.

Next up:

Topic 19: Python Testing (unittest, pytest, doctest)

Want to roll into that or take a breather?



Topic 19: Python Testing (unittest, pytest, doctest)

Let's gooo! Here's **Topic 19: Python Testing – 100 Interview Questions** covering the essential Python testing frameworks: `unittest`, `pytest`, and `doctest`. These are key for writing maintainable, reliable, and professional-grade code – and are **super common in interviews.**

✓ Topic 19: Python Testing (`unittest`, `pytest`, `doctest`) - 100 Interview Questions

Basics of Testing

- 1. What is software testing?
- 2. Why is testing important in Python development?
- 3. Difference between manual testing and automated testing?
- 4. What types of tests are common in Python?

5. What's the difference between unit testing and integration testing?

Introduction to `unittest`

- 6. What is the `unittest` module?
- 7. How do you create a basic unit test in Python?
- 8. What is `TestCase`?
- 9. How do you run a unit test from the command line?
- 10. What is `assertEqual()` in `unittest`?

Node Output: Basic `unittest`

11. Output?

```
import unittest
class TestMath(unittest.TestCase):
    def test_add(self):
        self.assertEqual(2 + 2, 4)
```

12. Output?

13. Output?

```
python

`self.assertTrue(4 < 5)</pre>
```

14. Output?

Common `unittest` Assertions

- 16. What does `assertRaises()` do?
- 17. How do you check for exceptions in unit tests?
- 18. How to compare objects with `assertIs()`?
- 19. What does `assertIn()` test?
- 20. What is the difference between `assertEqual()` and `assertAlmostEqual()`?

Setup and Teardown

- 21. What is `setUp()` method?
- 22. What is `tearDown()` used for?
- 23. When is `setUpClass()` used?
- 24. When is `tearDownClass()` triggered?
- 25. Can `setUp()` be async?

True/False - `unittest`

- 26. `unittest` runs top-down in file order. (T/F)
- 27. `assertEqual()` passes if values are same type and value. (T/F)
- 28. You can skip a test with a decorator. (T/F)
- 29. `tearDown()` runs after all tests. (F)
- 30. `setUp()` runs once per class. (F)

📏 Skipping & Expected Failures

- 31. How do you skip a test?
- 32. What is `@unittest.skip()`?
- 33. What is `@unittest.expectedFailure()`?
- 34. Can you skip tests dynamically?
- 35. How to skip test based on platform?

Intro to `pytest`

- 36. What is `pytest`?
- 37. Why do developers prefer `pytest` over `unittest`?
- 38. How to write a basic test using `pytest`?
- 39. How does 'pytest' discover tests?
- 40. How to install and run `pytest`?

Code Output: Basic `pytest`

41. Output?

```
python
`def test_add():
    assert 2 + 2 == 4
```

42. Output?

```
python
`assert "py" in "pytest"
```

43. Output?

```
python
`assert [1, 2] != [2, 1]
```

44. Output?

```
python
`assert isinstance(3.14, float)
```

45. Output?

```
python
`assert not False
```

Advanced `pytest`

- 46. How to group tests with classes?
- 47. What is a `pytest.fixture`?
- 48. What does the `tmp_path` fixture do?
- 49. How do you capture stdout in `pytest`?
- 50. What is `pytest.mark.parametrize()`?

🔪 Parametrized Tests

- 51. Example of `@pytest.mark.parametrize()`?
- 52. Can you parametrize multiple arguments?
- 53. Can you combine fixtures and parametrize?
- 54. What is the use-case of parametrize?
- 55. How many test cases will be created with:

Skipping & Marking Tests in `pytest`

- 56. How to skip tests in `pytest`?
- 57. What is `pytest.mark.skip()`?
- 58. How to mark a test as expected to fail?
- 59. What is `xfail`?
- 60. How do you conditionally skip a test?

Noctest Module

- 61. What is `doctest` in Python?
- 62. How does 'doctest' work?
- 63. What does `doctest.testmod()` do?
- 64. Can you test docstring examples using `doctest`?
- 65. What's the advantage of `doctest`?

Code Output: `doctest`

- 67. How to run `doctest` from terminal?
- 68. Can `doctest` be used for class methods?
- 69. Does 'doctest' support error testing?

Testing Techniques & Practices

- 71. What is TDD (Test-Driven Development)?
- 72. What is mocking?
- 73. How do you mock objects in tests?
- 74. What is `unittest.mock`?
- 75. What is `MagicMock()`?

Code Output: Mocking

76. Output?

```
python
`from unittest.mock import Mock
mock = Mock(return_value=10)
mock()
```

77. Output?

```
python
`mock.called
```

78. Output?

```
python
`mock.assert_called_once()
```

79. Output?

```
python
`mock.reset_mock()
```

80. How to patch a function during testing?

🔪 Integration Testing

- 81. What is integration testing?
- 82. How does it differ from unit testing?

- 83. Tools for integration testing in Python?
- 84. Can `pytest` be used for integration testing?
- 85. What is the role of fixtures here?

🔪 Code Organization & Best Practices

- 86. Where should test files be located?
- 87. What naming convention does `pytest` follow?
- 88. Should test functions contain assertions only?
- 89. Should you test private methods?
- 90. How to structure large test suites?

✓ True/False & MCQs

- 91. `pytest` requires classes. (F)
- 92. `unittest` works out-of-the-box in Python. (T)
- 93. `MagicMock()` is part of `doctest`. (F)
- 94. `doctest` is good for complex testing. (F)
- 95. `pytest` supports fixtures. (T)
- 96. Which of these is best for docstring testing?
 - a) `unittest`
 - b) `doctest`
 - c) `pytest`
 - d) `mocktest`
- 97. `pytest.mark.parametrize` is used to:
 - a) Skip test
 - b) Mock behavior
 - c) Run multiple test inputs
 - d) Ignore warnings
- 98. Which of these is not an assertion in `unittest`?
 - a) `assertFalse()`
 - b) `assertEqual()`
 - c) `assert()`
 - d) `assertIn()`
- 99. Which module handles mocking?
 - a) `unittest`
 - b) `doctest`
 - C) `requests`
 - d) `unittest.mock`
- 100. Can `pytest` test `unittest` test cases?
 - a) Yes



- b) No
- c) Only in Py2
- d) Only with fixtures

♠ Done! That's 100 testing questions to master Python testing using `unittest`, `pytest`, and `doctest`. You're now ready to ace interview questions about test-driven development, mocking, and even test automation.

Next up:

Topic 20: Python Virtual Environments & Packaging (venv, pip, setup.py)

Wanna roll into it?



Topic 20: Python Virtual Environments & Packaging (venv, pip, setup.py)

Here comes the final boss of Python fundamentals — **Topic 20: Python Virtual Environments & Packaging (venv, pip, setup.py)** with **100 Interview Questions**. These are must-know for real-world development, project isolation, deployment, and distribution. Let's dive in. **2**

X Topic 20: Python Virtual Environments & Packaging (100 Questions)

Basics of Virtual Environments

- 1. What is a virtual environment in Python?
- 2. Why do we need virtual environments?
- 3. What's the difference between `venv` and `virtualenv`?
- 4. How do you create a virtual environment?
- 5. How do you activate a virtual environment?

Platform-Specific Activation

- 6. How to activate 'venv' on Windows?
- 7. How to activate `venv` on macOS/Linux?
- 8. What does `deactivate` do?
- 9. Can you have multiple `venv`s on the same machine?
- 10. What is stored inside a virtual environment?

📏 Output-Based – Virtual Envs

```
bash
`python -m venv env
12. Output?
bash
`source env/bin/activate
13. Output?
cmd
`env\Scripts\activate.bat
14. Output?
bash
`deactivate
15. Output?
```

Basics of pip

`which python

bash

- 16. What is `pip` in Python?
- 17. How do you install a package using pip?
- 18. How do you uninstall a package using pip?
- 19. How to upgrade a package using pip?
- 20. What is the difference between `pip` and `pip3`?

Working with requirements.txt

- 21. What is `requirements.txt`?
- 22. How do you generate `requirements.txt`?
- 23. How to install dependencies from a `requirements.txt` file?
- 24. Can `pip` freeze versions of all installed packages?

📏 Output-Based – pip

26. Output?

bash

`pip install flask

27. Output?

bash

`pip uninstall flask

28. Output?

bash

`pip freeze > requirements.txt

29. Output?

bash

`pip list

30. Output?

bash

`pip show requests

📏 pip Advanced

- 31. How to install from a GitHub repo using pip?
- 32. How to install a local `.whl` file?
- 33. How to search packages using pip?
- 34. What is `--upgrade` flag used for?
- 35. What is the purpose of `pip cache`?

Packaging Your Python Project

- 36. What is packaging in Python?37. What is `setup.py`?38. What's the role of `setuptools`?
- 39. What is `pyproject.toml`?
- 40. What is a `wheel (.whl)` file?

🔪 setup.py Breakdown

- 41. What is the `name` argument in `setup.py`?
- 42. What does `version` specify?
- 43. What is `packages=find_packages()`?
- 44. What is `install_requires` used for?
- 45. What is `entry_points`?

📏 Sample setup.py Output

46. Output?

```
`from setuptools import setup, find_packages
setup(name="mypkg", version="0.1")
```

47. Output?

```
python setup.py sdist
```

48. Output?

```
python setup.py install
```

49. Output?

```
pip install .
```

```
python

`install_requires=['requests>=2.0.0']
```

Python Package Structure

- 51. What should be inside a Python package directory?
- 52. Why is `__init__.py` important?
- 53. What goes in `MANIFEST.in`?
- 54. Difference between module and package?
- 55. Should every folder in your project be a package?

🔪 Versioning & Dependencies

- 56. What is Semantic Versioning (SemVer)?
- 57. What does `>=1.0.0,<2.0.0` mean?
- 58. What's a major vs minor vs patch version?
- 59. Can you specify dependency links in setup.py?
- 60. How to pin exact versions in `install_requires`?

🔪 Editable Installs & Dev Mode

- 61. What is `pip install -e .`?
- 62. When would you use editable mode?
- 63. How to develop locally with editable installs?
- 64. What's the role of `__main__.py` in a package?
- 65. Can you install multiple editable packages?

Uploading to PyPI

- 66. What is PyPI?
- 67. How do you upload a package to PyPI?
- 68. What is 'twine'?
- 69. What is `dist/` folder?
- 70. How do you create a `.whi` file?

Nractical PyPI Steps

```
bash
```

`python setup.py sdist bdist_wheel

72. Output?

bash

`twine upload dist/*

73. Output?

bash

`pip install your-package-name

74. Output?

bash

`python -m build

75. Output?

bash

`python -m twine upload --repository testpypi dist/*

🔐 venv Security & Isolation

- 76. Are virtual environments safe from system packages?
- 77. Can you use the same `venv` for multiple projects?
- 78. Is `venv` cross-platform?
- 79. How do you remove a virtual environment?
- 80. Can you share a virtual environment?

True/False – venv/pip/setup.py

- 81. `pip install` installs globally by default. (T/F)
- 82. Virtual environments store their own Python binary. (T/F)
- 83. `requirements.txt` can be generated manually. (T/F)
- 84. `setup.py` is optional in modern packaging. (T/F)

🥊 Scenario-Based Qs

- 86. How would you isolate dependencies in a large project?
- 87. How to package a tool with CLI entry points?
- 88. How to share your project with collaborators?
- 89. How would you build a dev/test/prod environment setup?
- 90. How do you downgrade a pip package?

🔪 Misc & Advanced

- 91. What is the difference between `build` and `install`?
- 92. How to install packages system-wide (not recommended)?
- 93. Can `pip` install packages from a `.txt` file with comments?
- 94. What's the difference between `pipenv` and `venv`?
- 95. How do you remove unused packages?

Final Knowledge Boost

- 96. What's the purpose of `__main__.py` in packaging?
- 97. What is a namespace package?
- 98. How do you test if your package works locally?
- 99. Can a virtual environment be nested?
- 100. What are the modern tools replacing `setup.py`?

♦ BOOM! You've just powered through **100 questions on Python venv, pip, and packaging** — key for **real-world projects, interview readiness,** and even **open-source contributions**.

If you want, I can now send you:

- A summary of all 20 topics,
- Or generate Topic 21: Advanced Python Libraries (NumPy, Pandas, Matplotlib, etc) if you're going further.

Wanna keep leveling up or take a break? 😎



Topic 21: Advanced Python Libraries (NumPy, Pandas, Matplotlib, etc)

Awesome! Here's your **Topic 21: Advanced Python Libraries (NumPy, Pandas, Matplotlib, etc)** — with **100 interview-style questions** designed to solidify your grip on **data analysis, visualization, and numerical computing** in Python. This topic is super important for **data science**, **ML**, and **technical interviews**. Let's jump in!

Topic 21: Advanced Python Libraries (NumPy, Pandas, Matplotlib, etc.) – 100 Questions

🔢 NumPy – Numerical Python

- 1. What is NumPy?
- 2. What is a NumPy array?
- 3. How do you create a 1D array in NumPy?
- 4. How do you create a 2D array?
- 5. What is the difference between a list and a NumPy array?
- 6. What does `np.zeros()` return?
- 7. What does `np.ones()` return?
- 8. How to create an identity matrix?
- 9. How to reshape an array in NumPy?
- 10. What does `np.arange()` do?
- 11. What is broadcasting in NumPy?
- 12. How is slicing done in NumPy?
- 13. How to access elements in a 2D array?
- 14. What does `np.mean()` compute?
- 15. What's the difference between `np.sum()` and `np.cumsum()`?
- 16. What does `np.dot()` do?
- 17. How do you perform element-wise multiplication?
- 18. How to transpose a matrix?
- 19. How to find max value in an array?
- 20. What is `axis=0` vs `axis=1`?

NumPy Code Output

```
python
     np.array([1, 2, 3]) + 5
```

22. Output?

```
python
    np.arange(4).reshape(2, 2)
```

23. Output?

```
python
    np.eye(3)
```

24. Output?

```
python

`a = np.array([1, 2, 3])
b = np.array([3, 2, 1])
a * b
```

25. Output?

```
python
    np.linspace(0, 1, 5)
```

🧵 Pandas – Data Manipulation

- 26. What is Pandas?
- 27. What is a DataFrame?
- 28. What is a Series in Pandas?
- 29. How do you create a DataFrame from a dictionary?
- 30. How to read a CSV file with Pandas?
- 31. How to view the first 5 rows of a DataFrame?
- 32. What does `df.info()` show?
- 33. How to get summary statistics?
- 34. How to select a column in a DataFrame?
- 35. How to filter rows by condition?
- 36. How to sort a DataFrame by column?
- 37. How to apply a function to a column?
- 38. What does `df.isnull().sum()` do?
- 39. How to drop missing values?

📏 Pandas Code Output

41. Output?

```
python
`pd.Series([10, 20, 30], index=["a", "b", "c"])
```

42. Output?

```
python
`df["Age"].mean()
```

43. Output?

```
python
`df[df["Salary"] > 50000]
```

44. Output?

```
python
`df.sort_values(by="Age", ascending=False)
```

45. Output?

```
python
`df.drop("Name", axis=1)
```

🔁 Pandas Grouping & Merging

- 46. What is `groupby()` in Pandas?
- 47. How to calculate mean salary per department?
- 48. How to merge two DataFrames?
- 49. What is the difference between `merge()` and `join()`?
- 50. How to concatenate DataFrames?
- 51. What is an inner join?
- 52. What is a left join?

- 53. What is a pivot table?
- 54. How to reset index?
- 55. How to set a new index?

🧮 Matplotlib – Visualization

- 56. What is Matplotlib?
- 57. What does `plt.plot()` do?
- 58. How to create a bar chart?
- 59. How to add labels and title?
- 60. What is `plt.show()`?

🔣 Matplotlib Code Output

61. Output?

```
python

`plt.plot([1, 2, 3], [4, 5, 6])
plt.show()
```

62. Output?

```
python
    plt.bar(["A", "B"], [10, 20])
```

63. Output?

64. Output?

```
python

`plt.xlabel("X-axis")
plt.ylabel("Y-axis")
```

```
python
    plt.scatter([1,2], [3,4])
```

Seaborn – Statistical Visualization

- 66. What is Seaborn?
- 67. How is Seaborn different from Matplotlib?
- 68. What is `sns.countplot()`?
- 69. How to make a heatmap using Seaborn?
- 70. What is a pairplot?

🔪 Visualization Interpretation

- 71. What chart would you use to show distribution of a numeric variable?
- 72. What plot best shows relationships between 2 variables?
- 73. When would you use a boxplot?
- 74. What does a scatter plot show?
- 75. When to use a heatmap?

NumPy vs Pandas

- 76. When would you use NumPy over Pandas?
- 77. Why is Pandas built on top of NumPy?
- 78. Which is better for tabular data?
- 79. Which library supports Series and DataFrames?
- 80. Which one supports matrix math directly?

Intermediate Pandas Skills

- 81. What does `apply()` do?
- 82. What does `map()` do?
- 83. Difference between `apply()` and `applymap()`?
- 84. How to rename columns?
- 85. How to filter rows with multiple conditions?

Data Cleaning Tasks

86. How to detect duplicates?

- 87. How to remove duplicates?
- 88. How to convert string column to datetime?
- 89. How to change data type of a column?
- 90. How to normalize or scale data?

Misc & Advanced

- 91. What is broadcasting in NumPy?
- 92. How to flatten a NumPy array?
- 93. What's the role of `np.random`?
- 94. How to sample rows in Pandas?
- 95. How to write a DataFrame to Excel?

MCQ/True-False Style

- 96. NumPy supports missing data. (F)
- 97. Pandas is mainly used for 2D tabular data. (T)
- 98. `plt.show()` is necessary to display a plot. (T)
- 99. `groupby()` returns a DataFrame. (F it's a groupby object)
- 100. Seaborn is built on top of Matplotlib. (T)

BOOM! You just explored 100 high-impact questions on NumPy, Pandas, Matplotlib, and Seabornperfect for interview prep and real-world data work.

Wanna keep the momentum? Next up could be:

- Topic 22: Python for Data Science (SciPy, StatsModels, scikit-learn basics)
 Or
- A recap of all 21 topics so far?

Let me know where we're headed!



thank you

You're very welcome! 🙌

You've crushed **21 core Python topics** — that's an *incredible* milestone. ઢ 💪

If you ever want:

- Topic 22 and beyond
 - Topic 22 dia beyond

Mock interviews /*

- Code exercises or quizzes 🧠
- Or help with any Python project...

I've got your back. Keep going strong — you're seriously on track to *crack it in one shot*. **
Let me know anytime you're ready to level up again!



can you give me algorithms questions and data structures also

Update memory?

YesNo

Absolutely! Let's kick off with **Data Structures and Algorithms (DSA)** interview questions — crucial for coding interviews at companies like Google, Amazon, Meta, etc.

I'll break it into **topics**, each with **100 questions**, just like we did for Python. Here's a suggested structure:

Data Structures Topics (100 questions each):

- 1. Arrays & Strings
- 2. Linked Lists
- 3. Stacks & Queues
- 4. Trees (Binary Trees, BSTs)
- 5. Heaps & Priority Queues
- 6. Graphs
- 7. Hashing & HashMaps
- 8. Tries
- 9. Disjoint Set (Union Find)
- 10. Advanced Data Structures (Segment Trees, Fenwick Trees, etc.)

Algorithms Topics (100 questions each):

- 11. Sorting & Searching
- 12. Recursion & Backtracking
- 13. Dynamic Programming
- 14. Greedy Algorithms
- 15. Bit Manipulation
- 16. Sliding Window & Two Pointers
- 17. Divide and Conquer
- 18. Topological Sorting



- 19. Graph Algorithms (DFS, BFS, Dijkstra, Floyd-Warshall, etc.)
- 20. Interview Mix (Mixed level challenges from LeetCode/FAANG)

Want me to begin from **Topic 1: Arrays & Strings** with 100 questions? Or do you want a different starting topic first?