




BOOT
R17
10K
U2
BOOT
NRST
BOOT0
NRST
PHYTEC_TX
PHYTEC_RX
LIMS_TX
LIMS_RX
STEPPER_PULSE
STEPPER_DIR
STEPPER_EN
NTC
PA0
PA1
PA2
PA3
PA4
PA5
PA6
PA7
PA8
PA9
PA10
PA11
PA12
TPM_TX
TPM_RX
SWDIO
SWCLK
PA13(SWDIO)
PA14(SWCLK)
PA15
PC13
PC14-OSC32_IN
PC15-OSC32_OUT
PF0-OSC_IN
PF1-OSC_OUT
VDDA
VDD
VSS
VSSA
PB0
PB1
PB2
PB3
PB4
PB5
PB6
PB7
PB8
PB9
PB10
PB11
PB12
PB13
PB14
PB15
DOP_SW
HOME
END
RPM
HX711_CLK_2
HX711_DATA_2
HX711_CLK_1
HX711_DATA_1
DOT_MAT_TX
DOT_MAT_RX
COOLING_FAN
STM32F030CCT6
VCC_3V3
0.1UF
C14
C15
C16
C17
R18
10K
NRST
C18
0.1UF
J8
SWCLK
SWDIO
PRG_4PIN_2.54MM_RM
J18
R16
120E
R14
10K
DOP_SW
J24
R41
120E
HOME
R37
120E
END
R42
120E
RPM
C44
10UF
CON9
R43
R44
R45
10K
J26
R48
R49
22E
PHYTEC_TX
PHYTEC_RX
WH_SCLAE_TX_RS232_PY
WH_SCLAE_RX_RS232_PY
UART_EXTENSION
J23
STEPPER_EN
STEPPER_DIR
STEPPER_PULSE
STEPPER_CONNECTOR
Title
Size
A
Document Number
<Doc>
Rev
V1
Date:
Monday, November 17, 2025
Sheet
1
of
2


VCC_3V3
J16
1
2
CON2
NTC
100NF
C41
R29
10K
VCC_5V
C45
1UF/16V
1
2
3
IN
GND
ENB
OUT
FB
U5
5
4
FP_PW_EN_GPIO5_1
SGM2019-ADJYN5G/TR
VCC_BIOMETRIC
1UF/16V
C46
R47
R46
VCC_BIOMETRIC
J17
1
2
3
4
5
6
BIOMETRIC_RX
BIOMETRIC_TX
TOUCH_OUTPUT_GPIO1_IO10
BIOMETRIC
VCC_3V3
VCC_3V3_RUGGED
VCC_5V_RUGGED
J21
R40
0E
FP_PW_EN_GPIO5_1
R35
0E
VCC_5V
J22
USB1_EXT
R39
10K
BIOMETRIC_RX
BIOMETRIC_TX
TOUCH_OUTPUT_GPIO1_IO10
R38
1K
X_GPIO1_4_BUZZER
R_LED
G_LED
B_LED
PPPC182LFBN-RC
COMPANY NAME
POWERN_SOLUTIONS
Title
TABLET_HARDNESS_TESTER
Size
A
Document Number
TH500_V0
Rev
Date:
Monday, November 17, 2025
Sheet
4
of
4



COMPANY NAME	**POWERN_SOLUTIONS**	
Title	TABLET_HARDNESS_TESTER	
Size A	Document Number TH500_V0	Rev
Date: Monday, November 17, 2025	Sheet 4 of 4	


J1
LOAD_CELL_E+
LOAD_CELL_E-
LOAD_CELL_A-
LOAD_CELL_A+
HX711
L14
BLM18AG601SN1D
VCC_5V
HX711_CLK_2
HX711_DATA_2
C1
0.1UF
L15
C43
BLM18AG601SN1D
10UF
J2
LOAD_CELL_2
J3
HX711
VCC_5V
BLM18AG601SN1D
L12
HX711_CLK_1
HX711_DATA_1
C2
0.1UF
10UF
L13
C42
BLM18AG601SN1D
COOLING_FAN
VCC_5V
D1
S1MF
J4
CON2
R2
R4
Q2
BC847
R_LED
R1
1K
Q1
BC847
G_LED
R3
1K
Q3
BC847
B_LED
R5
1K
Q4
BC847
J5
RGB LEDS
VCC_5V
D4
S1MF
LS2
BUZZER
X_GPIO1_4_BUZZER
R8
1K
Q5
BC847
R9
10K
VCC_24V
U1
R6
10E
VIN
OUT
FB
ON/OFF
GND TAB
L1
D3
IN5822
C3
470UF/35V
LM2576/D2PAK
VCC_5V
L16
BLM18AG601SN1D
C4
470UF/16V
L17
BLM18AG601SN1D
J6
CON2
J7
4PIN PHONIX_5.08MM
VCC_24V
D5
BRIDGE
AC1
AC2
IC1
VCC_5V
VIN
GND TAB
VOUT
LM1117/SO
VCC_3V3
C5
10UF
R7
1K
D6
LED
C6
10UF
24V DC TO 5V DC CONVERTER
COMPANY NAME
POWERN_SOLUTIONS
Title
TABLET_HARDNESS_TESTER
Size
A
Document Number
TH500_V0
Rev
Date:
Monday, November 17, 2025
Sheet
4
of
4