

HINDSIGHT x CASCADEFLOW HACKATHON

Content Submission Guide

Follow the prompts. Generate the content. Ship it.

You built something real with agent memory, runtime intelligence, or both.

Your work deserves an audience. Let's get you one.

Why This Content Matters (Probably More Than You Think)

Let's be straight with you. The code you wrote this weekend is great. But the thing that actually changes your career is the story you tell about it.

Most developers build cool stuff and never tell anyone. Their project sits in a GitHub repo with three stars and a README nobody reads. Don't let that be you.

This Is How You Get Noticed

Recruiters, founders, engineering leads, and the AI community at large are hungry for builders who can ship AND explain what they shipped. A published article, a sharp LinkedIn post, and a short video can become three portfolio pieces that will stand out on your profile.

We Are Here to Amplify You

Every single piece of content submitted will be promoted on social channels from Vectorize (Hindsight), Lemony (cascadeflow), and our partners. That means the technical article you spent an hour on tonight could end up in front of thousands of engineers, recruiters, and AI builders tomorrow. Use that. It is an unfair advantage and we are happy to give it to you.

It Is Easier Than You Think

We built a prompt-driven workflow that does most of the heavy lifting. Open Claude Code or Codex in your project repo, run the prompts in order, and the AI will look at your actual code and help you draft the article, the social post, and the video script. Your job is to pick the best options, add your voice, and hit publish. In about an hour, you can have three portfolio pieces ready to go.

Make It Sound Like You

The best articles, posts, and videos sound like a real person made them. Edit the AI output. Add the moment that made you laugh, the bug that nearly broke your team, the one thing you didn't expect the agent to do. That's the stuff that makes people stop scrolling.

Now let's turn your build into something the world actually sees.

Overview

This hackathon features two technologies. Your article should be about one or both:

Hindsight

Agent memory that persists across sessions. Retain, recall, and reflect.

Your agent remembers what it learned.

cascadeflow

Runtime intelligence for AI agents. Cost, latency, model routing, budget control.

Your agent runs smarter and cheaper.

Most articles should focus on one technology. A few can cover using them together. This way both Hindsight and cascadeflow get authentic, focused content that doesn't feel forced.

Where to Publish

Publish your article anywhere developers will find it. Pick the platform you are most comfortable with:

- **Dev.to** – Developer-native platform with built-in audiences.
- **Hashnode** – Technical blogging platform.
- **Medium** – Great discoverability for technical content. Free to publish.
- **Substack** – Good for longer technical write-ups. Easy to share.
- **LinkedIn Articles** – Reaches your professional network directly (look for the “Write Article” option on the New Post form).

All articles must be public and linkable.

What Good Looks Like

These are real articles from a previous hackathon. Read at least one before you start writing — they'll calibrate your expectations faster than any instructions:

- <https://dev.to/krishnakasaudhan0/pulse-how-i-built-a-health-agent-that-actually-remembers-you-2j2n>
- https://dev.to/nihan_nihuu/your-ai-linter-has-amnesia-heres-how-we-fixed-it-with-vector-memory-344
- <https://medium.com/@kavenfrosty/i-built-a-pipeline-that-learns-from-past-exploits-with-hindsight-f2448762cb90>

Notice: specific technical moments, honest failures, real code. That's the bar.

Content Contest

Teams where every member submits an article and social post along with one team video are eligible for the team content contest.

1 Article	1 Social Post	1 Video
Technical write-up (800–1,500 words)	LinkedIn post promoting your article	Short demo or walkthrough (2–5 min)
<i>Per team member</i>	<i>Per team member</i>	<i>1 per team</i>

Each person submits their own article and social post. You can cover the same project from different angles or focus on the parts you personally worked on. Everything must be in English.

Part 1: The Article

Write something an AI enthusiast and engineer would be excited to read. Find the most interesting aspect of your project or your experience building with Hindsight, cascadeflow, or both, and make it exciting. Think about how you can create an OpenClaw level of excitement about your project.

You can write your article yourself or use AI to do most of the hard work. The easiest way is to use AI with the instructions below.

Using AI to Generate a Good Article

You will run three prompts in Claude Code or Codex, directly inside your project repo. The AI will look at your actual code, understand your project, and help you generate each piece. You pick the best options, then it writes the draft.

Important

Open Claude Code or Codex at the root of your project repo before running these prompts. The AI will read your code, configs, and integrations to generate relevant content—you don't need to explain your project manually.

Pick Your Article Focus

Before running the prompts, decide which technology your article will center on:

Hindsight Article	cascadeflow Article	Combined Article
How memory changed your agent's behavior. Retain/recall/reflect in action.	How runtime intelligence saved cost, controlled latency, or enforced budgets.	How memory + runtime intelligence work together in your stack.

The prompts below will adapt to whichever focus you choose.

Step 1: Get Title Ideas

Your title should be about the idea or the result. It's best if you don't even mention the hackathon in your article. Make it something an engineer would click on in their feed.

Any articles that mention hackathon in the title or body, including hashtags, will be disqualified.

Good titles make you want to click:

- *"My AI agent just broke up with my girlfriend."*
- *"I built an agent to apply to jobs, it found ones that hadn't even been posted yet."*
- *"How We Built a _____ that _____ using Hindsight, _____, and _____."*
- *"Our agent burned through \$40 in 3 minutes. Here's how we got it to \$1."*
- *"We prevented our agents going rogue at runtime."*

Bad titles look like this:

- *"Our Hackathon Project"*
- *"Exploring Agent Memory with Hindsight"*
- *"A Deep Dive into Memory-Augmented AI Agents"*
- *"The Future of Agent Runtime Intelligence"*

Run this prompt:

PROMPT 1 – Title Ideas

You are an experienced software engineer who writes high-performing technical articles for skeptical developers on sites like Hacker News, Reddit, and personal blogs.

Your task: generate 20 possible article titles about the project in this repo.

Find a unique angle to highlight your work with either Cascadeflow or Hindsight.

DO NOT MENTION HACKATHON ANYWHERE IN THE ARTICLE TITLES.

Each title must:

- Mention Hindsight OR cascadeflow (nothing negative)
- Hint at a real story, failure, or insight
- Be about one specific idea, decision, or problem
- Make another engineer curious enough to think "I want to see what happened there."

Constraints:

- Audience: experienced engineers, not managers or marketers.
- Voice: first person ("I...", "What I learned...") where natural, but don't force it.
- Style: Short, concrete, specific. No more than 10 words.
- No hype, no clickbait, no buzzwords ("revolutionary",

"unlock", "smart", "AI-powered", etc.).

- Titles should sound like something a real engineer would post, not a brand.

Good patterns:

- "I built an agent that X, here's what I learned."
- "How I Did Y With Z"
- "Why I Stopped Doing X and Switched to Y"
- "How I Designed/Built/Debugged Z"

Avoid patterns like:

- "The Future of X"
- "Why X Will Change Everything"
- "A Comprehensive Guide to X"

Look through the code in this repository and identify potential candidates for the article's core topic.

Output:

- Return exactly 20 titles, one per line, no numbering, no extra commentary.
- Make them diverse: vary the verbs, angles, structures.

YOUR TURN: Pick the title you like best (or riff on one).

Step 2: Generate the Full Article

Now generate the complete draft. The AI already knows your project—this prompt gives it the structure and guidelines.

Any articles that mention hackathon in the title or body, including hashtags, will be disqualified.

PROMPT 2 – Full Article Draft

You are a senior software engineer who writes first-person, technical blog posts that other engineers actually want to read. You are looking at a real codebase and telling the story of what you built, why, and what you learned. No marketing voice, no hype.

You are going to write an article based on this repository.

DO NOT MENTION HACKATHON ANYWHERE IN THE ARTICLE.

Goal:

Given this repo, understand what the project does, how it's structured, and any interesting design decisions. Identify one clear, opinionated story to tell about building or using this system. Write a first-person article that would be credible and interesting to experienced engineers on Hacker News, Reddit, and personal blogs. Write it in a style that would be appropriate for CIO magazine, TheNewStack, or similar publications. Focus on making an interesting article about the project I'm working on in this repository. Assume

that by the time the article is published, any mock data, demo-quality implementations, placeholders have all been fully implemented with real production implementations. Do not position the project as a demo or hackathon project. Assume you are describing the future state fully completed project that this repository has the potential to become.

Voice and tone:

- First person: "I" / "we", not "the team" or "the product".
- Sound like a competent engineer who ships code and explains it clearly.
- Be concrete, specific, mildly opinionated.
- No buzzwords, no "revolutionary", no "unlocking value", no "smart agents".
- If something was painful, say so directly.
- Assume readers are technical and skeptical.

Structure (target 1,200-2,000 words):

1. Hook (first 1-2 sentences)
2. What the system does and how it hangs together
3. Core technical story – pick one through-line and go deep
4. Code-backed explanations with 2-4 small snippets from the repo
5. Results / behavior with concrete example interactions
6. Lessons learned – 3-5 reusable takeaways

Style rules:

- Prefer specifics over abstractions.
- Do not claim benchmarks or results not clearly implied by the code.
- Include aspects of the technology (Hindsight, cascadeflow, or both) as a major theme.

Include markdown links with SEO-optimized anchor text naturally embedded into the article's copy:

- Hindsight GitHub: <https://github.com/vectorize-io/hindsight>
- Hindsight docs: <https://hindsight.vectorize.io/>
- Vectorize agent memory: <https://vectorize.io/what-is-agent-memory>
- cascadeflow GitHub: <https://github.com/lemony-ai/cascadeflow>
- cascadeflow docs: <https://docs.cascadeflow.ai/>

Title: [PASTE YOUR CHOSEN TITLE]

Output format:

- Output only the finished article in Markdown.
- Single H1 title (# ...), sections with ## headings, code blocks for snippets.

Write the markdown to a file called: article.md

YOUR TURN: Edit the draft. Add your voice, fix details, and drop in screenshots.

Step 3: Add Screenshots and Images

Before you publish, add visuals. They make the article dramatically more compelling and easier to scan.

- **Project screenshots** – Show off your agent’s interface.
- **Terminal/code screenshots** – Show real retain/recall or cascadeflow routing calls in action.
- **Architecture diagram** – Show where Hindsight and/or cascadeflow sit in your stack. A simple box diagram is fine. You can also use tools like Nano Banana to generate architecture diagrams.
- **Team photo** – Optional but adds personality. A webcam shot during a hack session works.

Screenshot tips: macOS: Cmd+Shift+4. Windows: Win+Shift+S. Linux: Flameshot or gnome-screenshot. Save as PNG for code/UI, JPEG for photos. Crop tightly—no one needs to see your full desktop.

Step 4: Clean Up and Publish

- Claude Code, Codex, etc. will generate markdown for your articles. Make sure when you publish, the formatting for headers, links, etc. is correctly formatted for the platform you are publishing to.
- Your prompt should have generated links. Make sure they are present and correctly formatted:
 - The Hindsight GitHub repository: <https://github.com/vectorize-io/hindsight>
 - The documentation for Hindsight: <https://hindsight.vectorize.io/>
 - The agent memory page on Vectorize: <https://vectorize.io/what-is-agent-memory>
 - The cascadeflow GitHub repository: <https://github.com/lemony-ai/cascadeflow>
 - The cascadeflow documentation: <https://docs.cascadeflow.ai/>

Pre-Publish Checklist

- ☐ Title is about the idea/result, not the hackathon
- ☐ Problem explained in concrete terms
- ☐ Shows where and how you integrated Hindsight and/or cascadeflow
- ☐ At least one real code snippet from your project
- ☐ Screenshots/images included

Part 2: The Social Post

Once your article is published, promote it with a LinkedIn post that makes engineers stop scrolling. The goal: saves, reposts, and comments—not just clicks.

Any social posts that mention hackathon in the title or body, including hashtags, will be disqualified.

Generate Your LinkedIn Post

Please do not frame your social post around the hackathon. Talk about the cool thing you built with Hindsight and/or cascadeflow.

Run this prompt after your article is live and you have the URL.

PROMPT 3 – LinkedIn Post (Adjust if you prefer X)

You are an expert B2B LinkedIn copywriter known for creating technically credible and interesting posts that resonate with developers, AI engineers, and AI enthusiasts.

Write a single LinkedIn post about the project in this repository in a way that maximizes the value to the reader. Write it in the style of Andrej Karpathy.

Assume you have read the README, skimmed the code, and seen the article we wrote about this project. Ground the post in specific behaviors and outcomes that only make sense because the agent is using Hindsight for memory, cascadeflow for runtime intelligence, or both.

Requirements:

DO NOT MENTION HACKATHON ANYWHERE IN THE SOCIAL POST.

Hook (first 2 lines):

- Open with a bold, curiosity-driving statement or question.
- Speak to a real pain or misconception about agents.
- No hashtags or links in the first 2 lines.

Body:

- Short paragraphs (1-2 sentences), plenty of line breaks for mobile.
- Present 3-7 concrete, technical takeaways as a mini cheat sheet, step-by-step, or before/after contrasts.
- At least one takeaway should show a clear behavior change before vs after adding the technology.
- Focus on things a practitioner could actually copy tomorrow.
- Somewhere in the body positively mention the technology (Hindsight and/or cascadeflow) and the decision to use it.

Positioning:

- Credible, hands-on, slightly opinionated. Not salesy.
- Tie the project to a concrete outcome.

Links & hashtags:

- Add 3-5 relevant hashtags on the last line only:
 - #AIAgents, #AI, #Hindsight, #cascadeflow, #AgentMemory, #AIMemory, #LLM.

- Do not use #Hackathon or student-related tags.

Tone:

- Clear, direct, slightly opinionated. No fluff. No emojis unless they add clarity.

Frame the post around the cool project we built—do not mention it is a hackathon project.

Return only the final post text, under 800 characters.

YOUR TURN: Review the post, tweak the hook if needed, then publish it. Post the article URL as the first comment.

Here are some good examples from past Hackathons:

- <https://www.linkedin.com/feed/update/urn:li:activity:7449155863837167616/>
- <https://www.linkedin.com/feed/update/urn:li:activity:7449068622813036544/>
- <https://www.linkedin.com/feed/update/urn:li:activity:7449108681063038976/>

Add a Link to Your Project GitHub in the Main Post

Make sure you have a link to your hackathon project repo in your main post content. Post it.

Add Links in a Comment

Once your social post is live, add a comment with links to the relevant repos:

- *Here's a link to Hindsight if you want to check it out:*
<https://github.com/vectorize-io/hindsight>
- *Check out cascadeflow:* <https://github.com/lemony-ai/cascade-flow>
- *Want to learn more? Hindsight docs:* <https://hindsight.vectorize.io/> | *cascadeflow docs:*
<https://docs.cascadeflow.ai/>

Part 3: The Video

A short demo video shows what words can't. Keep it simple—screen recording with voiceover.

Any videos that mention hackathon in the title or content, including hashtags, will be disqualified.

Format

- **Length:** 2–5 minutes. Shorter is better.
- **Style:** Screen recording with voiceover. No fancy editing needed.
- **Resolution:** 1080p minimum. Record your screen, not your phone pointed at your screen.

What to Cover

1. **Quick intro (30 sec)** – Who you are, what you built, one sentence on why.
2. **The problem (30 sec)** – Show the agent failing or struggling without memory/runtime intelligence or running uncontrolled (token costs climbing, no routing logic, no budget enforcement).
3. **The demo (2–3 min)** – Walk through a real interaction. Show retain/recall or cascadeflow routing happening live. Highlight the before/after.
4. **Wrap up (30 sec)** – One key takeaway. What surprised you.

Generate a Video Script

PROMPT 4 – Video Script

Look at this project and write a 3-minute video script for a screen-recorded demo.

My name: [YOUR NAME]

Structure it as:

1. Quick intro (who I am, what this project does) - 30 sec
2. Show the problem (the agent without memory/intelligence, what goes wrong) - 30 sec
3. Live demo (show the technology in action, highlight the before/after moment) - 2 min
4. One key takeaway (what surprised me) - 30 sec

Include specific cues for what I should show on screen at each point. Reference actual files, commands, or endpoints from this project.

Keep the narration conversational—not scripted-sounding. A mid-level engineer should be able to follow along.

YOUR TURN: Practice once, then record. Don't aim for perfect—aim for authentic.

Recording Tips

- Use OBS (free), Loom, or QuickTime for screen recording
- Increase your terminal/editor font size before recording
- Close notifications and unrelated tabs
- A quick “Hi, I’m [name]” on camera adds personality but isn’t required
- If you make a mistake, keep going—authenticity beats polish
- Show the agent running live. Don’t demo a pre-recorded output or simulate it. Real-time demos are what make videos credible to technical audiences.

Quick Reference: All Prompts

Here's the complete workflow at a glance. Open Claude Code or Codex in your project repo and run these in order:

Step	What It Does	You Pick	Time
Prompt 1	Generates 20 title ideas from your code	Best title	5 min
Prompt 2	Writes the full 1,200–2,000 word article	Edit + screenshots	30–45 min
Prompt 3	Writes a LinkedIn post for your published article	Review + post	10 min
Prompt 4	Writes a video script based on your project	Record the video	20–30 min

Total time: about 90 minutes per person, with the AI doing the heavy lifting on first drafts. Your job is to pick the best options, add your real experience, drop in screenshots, and publish.

Resources

Hindsight

- Documentation: <https://hindsight.vectorize.io/>
- GitHub: <https://github.com/vectorize-io/hindsight>
- Hindsight Cloud: <https://ui.hindsight.vectorize.io>
- Agent memory overview: <https://vectorize.io/what-is-agent-memory>

cascadeflow

- Documentation: <https://docs.cascadeflow.ai/>
- GitHub: <https://github.com/lemony-ai/cascadeflow>
- Quick start: <https://docs.cascadeflow.ai/get-started/installation>
- Questions and bugs: <https://github.com/lemony-ai/cascadeflow/issues>

One last thing

The prompts give you a starting point—not a finished product. The best articles sound like a real person wrote them. Edit the AI output until it sounds like you.

Good luck, and happy hacking!