

Day 8: Dictionaries and Maps

Objective

Today, we're learning about Key-Value pair mappings using a *Map* or *Dictionary* data structure. Check out the [Tutorial](#) tab for learning materials and an instructional video!

Task

Given N names and phone numbers, assemble a phone book that maps friends' names to their respective phone numbers. You will then be given an unknown number of names to query your phone book for; for each *name* queried, print the associated entry from your phone book (in the form **name=phoneNumber**) or **Not found** if there is no entry for *name*.

Note: Your phone book should be a Dictionary/Map/HashMap data structure.

Input Format

The first line contains an integer, N , denoting the number of entries in the phone book. Each of the N subsequent lines describes an entry in the form of **2** space-separated values on a single line. The first value is a friend's *name*, and the second value is an 8-digit *phone number*.

After the N lines of phone book entries, there are an unknown number of lines of queries. Each line (query) contains a *name* to look up, and you must continue reading lines until there is no more input.

Note: Names consist of lowercase English letters and are *first names* only.

Constraints

- $1 \leq N \leq 10^5$
- $1 \leq \text{queries} \leq 10^5$

Output Format

On a new line for each query, print **Not found** if the name has no corresponding entry in the phone book; otherwise, print the full *name* and *phoneNumber* in the format **name=phoneNumber**.

Sample Input

```
3
sam 99912222
tom 11122222
harry 12299933
sam
edward
harry
```

Sample Output

```
sam=99912222
Not found
harry=12299933
```

Explanation

$N = 3$

We add the N subsequent *(Key, Value)* pairs to our map so it looks like this:

phoneBook = {(sam, 99912222), (tom, 11122222), (harry, 12299933)}

We then process each query and print **Key=Value** if the queried Key is found in the map, or **Not found** otherwise.

Query 0: **sam**

Sam is one of the keys in our dictionary, so we print **sam=99912222**.

Query 1: **edward**

Edward is not one of the keys in our dictionary, so we print **Not found**.

Query 2: **harry**

Harry is one of the keys in our dictionary, so we print **harry=12299933**.