# Rajalakshmi Engineering College

Name: Mahesh K

Email: 241801149@rajalakshmi.edu.in

Roll no: 241801149

Phone: null Branch: REC

Department: I AI & DS FC

Batch: 2028

Degree: B.E - AI & DS



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 2\_COD\_Updated

Attempt: 1 Total Mark: 50 Marks Obtained: 50

Section 1: Coding

#### 1. Problem Statement

As a junior developer working on a text analysis project, your task is to create a program that displays the consonants in a sentence provided by the user, separated by spaces.

You need to implement a program that takes a sentence as input and prints the consonants while skipping vowels and non-alphabetic characters using only control statements.

### **Input Format**

The input consists of a string representing the sentence.

## **Output Format**

The output displays space-separated consonants present in the sentence.

1,1801,149

Refer to the sample output for the formatting specifications.

### Sample Test Case

Input: Hello World! Output: H I I W r I d

#### Answer

```
# You are using Python
sen=input()
cons=""
for ch in sen:
   if 'a'<= ch <= 'z' or 'A'<=ch<='Z':
      if not ch in 'aeiouAEIOU':
        cons+=ch+' '
print(cons)</pre>
```

Status: Correct Marks: 10/10

#### 2. Problem Statement

Ethan, a curious mathematician, is fascinated by perfect numbers. A perfect number is a number that equals the sum of its proper divisors (excluding itself). Ethan wants to identify all perfect numbers within a given range.

Help him write a program to list these numbers.

#### **Input Format**

The first line of input consists of an integer start, representing the starting number of the range.

The second line consists of an integer end, representing the ending number of the range.

## **Output Format**

The output prints all perfect numbers in the range, separated by a space.

Refer to the sample output for formatting specifications.

## Sample Test Case

```
Input: 1
100
Output: 6 28

Answer

# You are using Python x=int(input())
y=int (input())
for i in range(x,y):
    if i>1:
        summ=0
        for j in range(1,i):
        if i%j==0:
            summ+=j
        if summ==i:
            print(i,end=' ')
```

Status: Correct Marks: 10/10

241801149

# 3. Problem Statement

John, a software developer, is analyzing a sequence of numbers within a given range to calculate their digit sum. However, to simplify his task, he excludes all numbers that are palindromes (numbers that read the same backward as forward).

Help John find the total sum of the digits of non-palindromic numbers in the range [start, end] (both inclusive).

Example:

Input:

10,10

20

Output:

55

## **Explanation:**

Range [10, 20]: Non-palindromic numbers are 10, 12, 13, 14, 15, 16, 17, 18, 19 and 20.

Digit sums: 1+0 + 1+2 + 1+3 + 1+4 + 1+5 + 1+6 + 1+7 + 1+8 + 1+9 + 2+0 = 241801149

55.

Output: 55

### **Input Format**

The first line of input consists of an integer, representing the starting number of the range.

The second line of input consists of an integer, representing the ending number of the range.

## **Output Format**

The output prints a single integer, representing the total sum of the digits of all non-palindromic numbers in the range.

241801149

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 10 20

Output: 55

## Answer

x=int(input()) # You are using Python

```
y=int(input())
    summ=0
for i in range(x,y+1):
      i1=str(i)
      if i1==i1[::-1]:
        continue
      for s in i1:
        summ+=int(s)
    print(summ)
```

Status: Correct Marks: 10/10

You work as an instructor at a math enrichment program, and your goal is to develop a program that showcases the concept of using content statements to manipulate. takes an integer 'n' as input and prints the squares of even numbers from 1 to 'n', while skipping odd numbers.

### **Input Format**

The input consists of a single integer, which represents the upper limit of the range.

## **Output Format**

The output displays the square of even numbers from 1 to 'n' separated by lines.

Refer to the sample output for the formatting specifications.

## Sample Test Case

```
Input: 10
    Output: 4
    16
    36
64
100
```

#### Answer

```
# You are using Python
x=int(input())
   for i in range(1,x+1):
      if pow(i,2)\%2==0:
        print(i*i)
```

Status: Correct Marks: 10/10

#### 5. Problem Statement

Emma, a mathematics enthusiast, is exploring a range of numbers and

Help Emma determine the count of non-Fibonacci numbers within the given range [start, end] using the continue statement.

#### **Input Format**

The first line of input consists of an integer, representing the starting number of the range.

The second line consists of an integer, representing the ending number of the range.

## **Output Format**

The output prints a single integer, representing the count of numbers in the range that are not Fibonacci numbers.

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 1 10

Output: 5

Answer

```
241801149
                                               24,80,14,9
                       241801149
   # You are using Python
   x=int(input())
y=int(input())
   a=0
   b=1
   c=0
   count=0
   while(c<=y):
     c=a+b
     if c>=x and c<=y:
       count+=1
     a=b
     b=c
                                               24,180,114,9
                       24,801,149
                                                                Marks : 10/10
   print(y+1-x-count)
Status : Correct
```

241801149

24,80,149

24,180,114,9

241801149

241801149

241801149

24,180,1140

241801149