A PROJECT REPORT ON:

WWW.MusicSpot.COM An ONLINE MUSIC STREAMING WEBSITE

PREPARED BY:

SINDHIYA MAHESH K.

JADEJA PARTHRAJSINH U.

PRINCIPAL:

Prof. Dipti N. Punjani

GUIDED BY:

Prof. Piyush D. Pitroda

FOR FULFILLMENT OF BCA-VI (2020-2021)

SUBMITTED TO:

SAURASHTRA

UNIVERSITY,

RAJKOT.

NATIONAL COMPUTER COLLEGE

4, OSWAL COLONY, SUNDARAM SOCIETY, SATYAM COLOTY ROAD, JAMNAGAR.

A PROJECT REPORT ON

WWW.MUSICSPOT.COM An ONLINE MUSIC STREAMING WEBSITE

PREPARED BY:

SINDHIYA MAHESH K.

JADEJA PARTHRAJSINH U.

PRINCIPAL:

Prof. Dipti N. Punjani

GUIDED BY:

Prof. Piyush D. Pitroda

FOR FULFILLMENT OF BCA-V (2018-2019)

SUBMITTED TO: SAURASHTRA UNIVERSITY, RAJKOT.

NATIONAL COMPUTER COLLEGE

4, OSWAL COLONY, SUNDARAM SOCIETY, SATYAM COLOTY

ROAD, JAMNAGAR.

PREFACE

This real life project is developed for submission of the course as a student of Bachelor of Computer Application. This Project deals with ONLINE MUSIC STREAMING. So, visit <u>"www.MusicSpot.com</u>."

With the help of this project, users can make their accounts and listen to new songs. And Artists can show their talent by uploading the songs in this Website. In Development we used SQLSERVER as back-End tool, which gives highest data security, which is necessary for the safe data security to any system.

As the student of BCA, we have to undergo in project, where we often have opportunity as a student to develop an Application area.

It also includes a dissertation to be submitted by each of the BCA student as a part of the curriculum.

This project report is submitted as a part of the three years course of BCA-V conducted by Bachelor of Computer Application from Saurashtra University, Rajkot.

Signature:

1.	
	Mahesh Sindhiya
2.	

Parthrajsinh Jadeja

ACKNOWLEDGEMENT

We are the student of BCA-VI, studying in the NATIONAL COPUTER COLLEGE, JAMNAGAR. Thanks to all

the people who has landed their support in shaping of the Information System.


We are thankful to PROF. PIYUSH D. PITRODA for giving us full guidance and co-operation in understanding the information system. We also thank them for their unconditional help in making of this project.

We have great deal of gratitude towards our Head of Department who encourage us in taking up this activity. We also thank our friends and family members for backing us and giving us the extra support that was very much needed.

Concluding, we thank that entire people who involved directly or indirectly in making of this project.

SINDHIYA MAHESH K.

JADEJA PARTHRAJSINH U.



NATIONAL COMPUTER COLLEGE

Oppo. 4-Oswal Colony, Sundaram Society, Satyam Colony Road, Jamnagar.

Phone no. (0288) 2711338

GUIDE CERTIFICATE

This is certify that the project report on ONLINE MUSIC STREAMING WEBSITE "www.MusicSpot.com" submitted by SINDHIYA MAHESH K. & JADEJA PARTHRAJSINH U. for the fulfilment of their work for the award of BCA-VI degree to Saurashtra university, Rajkot has been completed under my supervision & guidance.

To the best of my knowledge, the matter presented has not been copied downfrom any other source. Also, this report has not been submitted earlier for the award of any degree of diploma to Saurashtra University or any other university.

Date:

Place: Jamnagar

Prof. PIYUSH D. PITRODA

(Project Guide)

INDEX

Title	Page No.
SAURASHTRA UNIVERSITY	1
NATIONAL COMPUTER COLLEGE	2
Features of Project	3
Software Development Life Cycle	4
Software Used	5
About JSP(J2EE)	6
About SQLServer	7
Validations & Security	8
Data Flow Diagram	9
Data Dictionary	12
Snapshots	15
Codding	23
Bibliography	137
Conclusion	138

SAURASHTRA UNIVERSITY

The Saurashtra University is one of the most well known universities.

It was established on 23rd may, 1968. It was fairly reputed university in India conducting various courses regarding the dream of 21st century. The university in going day by day, this provides the student the courses level from the graduate to PH.D.

Shree Haribhai Trivedi and Shree Dolarbhai Mankad print the title magazine in 1958 the resolution passed and 16 August, 1960. It was accepted in the 3rd five year plan of Gujarat, which is started in 1961-62. In 1965 December, the rules regarding university got the permission and 23 august, 1966 certain section is implemented by the result of Saurashtra University started.

The Saurashtra University works officially at 23 may, 1967. At the same time 35 colleges and 2 permitted institutions were started Rajkot, Bhavnagar, Amreli, Junaghdh, and Surendranagar districts. The total students were about 18000. Then in the same year two colleges are permitted and 37 colleges existed.

NATIONAL COMPUTER COLLEGE

Oppo. 4-Oswal Colony, Sundaram Society, Satyam Colony Road, Jamnagar.

Phone no. (0288) 2711338

National Computer College is begun in year 2000. It is affiliated with Saurashtra University.

Two courses are available in National Computer College. They are Bachelor of Computer College (B.C.A), Bachelor of Business Administration (B.B.A).

As and when we surrounded by difficulties and problems, faculties always guide us and solve our problems. Our principal PROF. DIPTI PUNJANI always inspired us to go ahead though in most difficult situations. The authority persons and all the staff members of National Computer College are good care taking and always helped us in any situation. Each and every subject is explained very easily and indetails of that students can understand very easily and in details so that students can understand very easily. The faculties associated with the college are very helpful & co-operative.

Staff of National Computer College

Principal: Prof.Dipti Punjani

Faculties: Prof. Hasmukh Domadiya

Prof.Chirag Mehta


Prof.Piyush Pitroda

Prof.Rohit Pambhar

Features of Project

- ❖ The Features of project are described below:
- User can listen to New songs.
- User can make playlist of his picked songs.
- User can follow artists.
- User can give like to any song and have that song in his favorite songs.
- User has right to accept the request or reject friend requests.
- User can visit other Artist's profile.
- Artist can upload Song, make playlists, listen songs etc.
- Admin has Full wright on side he can Delete User or Artist or Song or Update them too.

Software Development Life Cycle



Software Used

Front End:

- Scripting Language : JAVA
- Language : JSP(J2EE)

Back End:

♣ MS SQL Server 2019

About JSP(J2EE)

❖ Introduction to JSP

- The full form of JSP is "Java Server Pages".
- Java Server Page is a technology for controlling the content or appearance of Web pages through the use of servlets,
- small programs that are specified in the Web page and run on the Web server to modify the Web page before it is sent to the user who requested it.
- Sun Microsystems, the developer of Java, also refers to the JSP technology as the Servlet application program interface (API).
- JSP is comparable to Microsoft's Active Server Page (ASP) technology.
- Whereas a Java Server Page calls a Java program that is executed by the Web server,
- an Active Server Page contains a script that is interpreted by a script interpreter (such as VBScript or JScript) before the page is sent to the user.

About SQLServer

- QL Server is a database server by Microsoft.
- The Microsoft relational database management system is a software product which primarily stores and retrieves data requested by other applications.
- These applications may run on the same or a different computer.
- Going more in-depth, in order to understand what a SQL Server is, you must first understand what SQL is.
- SQL is a special-purpose programming language designed to handle data in a relational database management system.
- A database server is a computer program that provides database services to other programs or computers, as defined by the client-server model.
- Therefore, a SQL Server is a database server that implements the Structured Query Language (SQL).

Validations & Security

Validation


- ➤ The password should contain only characters and numbers. User can not include special characters.
- > For login into website user must have fill all the details.

Security


- > Security is one of the special features of your website.
- ➤ Website will not allow you to access any of the administrative tools units you provide users name and password.


Data Flow Diagram


0 level DFD




1 level DFD









Data Dictionary

Database : Music

Tables:

1. Users:

Column Name	Data Type	Key
user_id	int	Auto increment
Username	varchar(50)	Primary Key
Password	varchar(50)	
Fname	varchar(50)	
Lname	varchar(50)	
Email	varchar(50)	
Dob	date	
Img	text	
Gender	varchar(50)	
Join_date	date	
flw_artist	text	
Plist_name	text	Foreign

2. Playlist:

Column Name	Data Type	Key
Plist_id	Int	Auto increment
Name	varchar(50)	Primary Key
Songs	Text	Foreign
user_name	varchar(50)	
img	text	

3. Songs:

Column Name	Data Type	Key
song_id	Int	Auto increment
name	varchar(50)	Primary Key
song_file	Text	
artistname	varchar(50)	foreign
language	varchar(50)	
img	Text	
category	varchar(50)	
Releas_date	Date	
num_likes	int	
Plist_name	text	

4. Admin:

Column Name	Data Type	Key
admin_id		Auto increment
admin_username		Primary Key
Password		
Fname		
Lname		
img		

5. Favorite:


Column Name	Data Type	Key
favorite_id	Int	Primary Key
user_name	varchar(50)	
song_name	text	Foreign

6. Artist:

Column Name	Data Type	Key
artist_id	Int	Auto increment
Artistname	varchar(50)	Primary Key
Password	varchar(50)	
Fname	varchar(50)	
Lname	varchar(50)	
Img	Text	
Email	varchar(50)	
Dob	Date	
Gender	varchar(50)	
About	Text	
Followers	Text	
num_followers	Int	
songs_name	Text	Foreign
num_songs	Int	
Plist_name	text	Foreign
Join_date	date	


Snapshots

1. Index:




privesy policy | About us | Contact us | Developer | Admin

2. Login:




All right reserved ©2020 by MusicSpot privesy policy | About us | Contact us | Developer | Admin

3. Register:



privesy policy | About us | Contact us | Developer | Admin

4. Home page:




All right reserved ©2020 by MusicSpot
privesy policy | About us | Contact us | Developer | Admin


5. Create New Playlist:



6. Playlists:




7. Admin Login:




privesy policy | About us | Contact us | Developer | Admin


8. Favorites:




9. Artist Profile page:




10. Upload Song:




11. Update Profile:




12. Admin home:



13. Edit or Delete users:



14. Edit of Delete songs:



15. Edit Song:



Codding

<!-- *********** update profile pic *************************

```
import java.io.File;
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.PreparedStatement;
import java.sql.SQLException;
import javax.servlet.ServletException;
import javax.servlet.annotation.MultipartConfig;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import\ javax. servlet. http. Http Servlet Response;
import javax.servlet.http.Part;
import DBConnect.JOConnction;
import javax.servlet.http.HttpSession;
@WebServlet("/update_profile_pic")
@MultipartConfig(fileSizeThreshold = 1024 * 1024 * 200, // 2MB
    maxFileSize = 1024 * 1024 * 1000, // 10MB
    maxRequestSize = 1024 * 1024 * 5000)
public class update_profile_pic extends HttpServlet {
  public static final String imgUPLOAD_DIR = "files/profile_pics/";
  public String imgDBFileName = "";
  @Override
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
      throws ServletException, IOException {
    HttpSession session=request.getSession();
    response.setContentType("text/html;charset=UTF-8");
    PrintWriter out = response.getWriter();
    String getartistname = "";
```

```
String admin = request.getParameter("admin");
             Part part = request.getPart("pro_pic");//
             String fileName = System.currentTimeMillis() + "_" + extractFileName(part);//file name
             File fileSaveDir = new File(savePath);//img file
             part.write(savePath + File.separator); //img file
             imgDBFileName = imgUPLOAD_DIR + File.separator + fileName; //Song file
             try {
                  if(session.getAttribute("artistname") != null ){
                          getartistname=(String)session.getAttribute("artistname");
                          JOConnction.JConnect();
                          Prepared Statement \ add Song To Artist Account = JO Connction. conn. prepare Statement ("update artists SET img = '"+img DBFile Name+"' in the prepared Statement ("update artists SET img = '"+img DBFile Name+"' in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = '"+img DBFile Name+" in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared Statement ("update artists SET img = ''+img DBFile Name+ in the prepared SET img = ''+img DBFile Name+ in the prepared SET img = ''+img DBFile Name+ in the prepared SET img = ''+img DBFile Name+ in the prepared SET img = ''+img DBFile Name+ in the prepared SET img = 
where artistname = ""+getartistname+"" ");
                          add Song To Artist Account. execute Update ();\\
                          if(admin != null ){
                                out.println("<script> alert('Profile Pic Updated Succesfully'); "
                                                 + "window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp?artist_name=" + getartistname +"'; </script>");
                          out.println("<script> alert('Profile Pic Updated Succesfully'); "
                                              + "window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp'; </script>");
           } catch (ClassNotFoundException | SQLException e) {
                   out.println(e);
            }
             try {
                  if(session.getAttribute("username") != null ){
                          getartistname=(String)session.getAttribute("username");
                          JOConnction.JConnect();
                          Prepared Statement\ add Song To Artist Account = JO Connction.conn.prepare Statement ("update\ users\ SET\ img\ =\ ""+img DBFile Name+""+img DBFile Name+" ("update\ users\ SET\ img\ =\ ""+img DBFile Name+" ("update\ users\ SET\ img\ =\ ""+img\ DBFile\ Name+" ("update\ users\ set\ users\ users\ set\ users\ set\ users\ user
where username = '"+getartistname+"' ");
                          addSongToArtistAccount.executeUpdate();
                          if(admin != null ){
                                out.println("<script> alert('Profile Pic Updated Succesfully'); "
                                                 + "window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp?user_name=" + getartistname +"'; </script>");
                          out.println("<script> alert('Profile Pic Updated Succesfully'); "
```

```
+ "window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp'; </script>");
      }
    } catch (ClassNotFoundException | SQLException e) {
      out.println(e);
    }
  private String extractFileName(Part part) {//This method will print the file name.
    String contentDisp = part.getHeader("content-disposition");
    String[] items = contentDisp.split(";");
    for (String s : items) {
      if (s.trim().startsWith("filename")) {
        return s.substring(s.indexOf("=") + 2, s.length() - 1);
      }
    return "";
  }
<!-- ************** update song img *************** -->
import java.io.File;
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.PreparedStatement;
import java.sql.SQLException;
import\ javax. servlet. Servlet Exception;
import javax.servlet.annotation.MultipartConfig;
import javax.servlet.annotation.WebServlet;
import\ javax. servlet. http. Http Servlet;
import javax.servlet.http.HttpServletRequest;
import\ javax. servlet. http. Http Servlet Response;
import javax.servlet.http.Part;
import DBConnect.JOConnction;
import javax.servlet.http.HttpSession;
@WebServlet("/update_song_img")
@MultipartConfig(fileSizeThreshold = 1024 * 1024 * 200, // 2MB
    maxFileSize = 1024 * 1024 * 1000, // 10MB
    maxRequestSize = 1024 * 1024 * 5000)
```

```
public class update_song_img extends HttpServlet {
 public static final String imgUPLOAD_DIR = "files/songs/song_img/";
 public String imgDBFileName = "";
 @Override
 protected\ void\ do Post (HttpServletRequest\ request,\ HttpServletResponse\ response)
     throws ServletException, IOException {
   HttpSession session=request.getSession();
   response.setContentType("text/html;charset=UTF-8");
   PrintWriter out = response.getWriter();
   String getartistname = "";
   String song_name = request.getParameter("song_name");
   String id = request.getParameter("id");
   Part part = request.getPart("simg");//
   String fileName = System.currentTimeMillis() + "_" + extractFileName(part);//file name
   File fileSaveDir = new File(savePath);//img file
   part.write(savePath + File.separator); //img file
   imgDBFileName = imgUPLOAD_DIR + File.separator + fileName; //Song file
   try {
     JOConnction.JConnect();
     PreparedStatement addSongToArtistAccount = JOConnction.conn.prepareStatement("update songs SET img = "'+imgDBFileName+"' where
song_id = ""+id+"" ");
     addSongToArtistAccount.executeUpdate();
     out.println("<script> alert('Song Image Updated Succesfully'); "
          } catch (ClassNotFoundException | SQLException e) {
     out.println(e);
   }
```

```
private String extractFileName(Part part) {//This method will print the file name.

String contentDisp = part.getHeader("content-disposition");

String[] items = contentDisp.split(";");

for (String s : items) {

    if (s.trim().startsWith("filename")) {

        return s.substring(s.indexOf("=") + 2, s.length() - 1);

    }

    return "";
}
```

<!-- ************ upload song file ********** -->

```
import java.io.File;
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.PreparedStatement;
import java.sql.SQLException;
import javax.servlet.ServletException;
import\ javax. servlet. annotation. Multipart Config;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import\ javax. servlet. http. Http Servlet Response;
import javax.servlet.http.Part;
import DBConnect.JOConnction;
import javax.servlet.http.HttpSession;
@WebServlet("/upload_song_file")
@MultipartConfig(fileSizeThreshold = 1024 * 1024 * 200, // 2MB
    maxFileSize = 1024 * 1024 * 1000, // 10MB
    maxRequestSize = 1024 * 1024 * 5000)
public class upload_song_file extends HttpServlet {
  public static final String imgUPLOAD_DIR = "files/songs/song_img/";
  public String imgDBFileName = "";
  @Override
```

```
protected void doPost(HttpServletRequest request, HttpServletResponse response)
     throws ServletException, IOException {
   HttpSession session=request.getSession();
   response.setContentType("text/html;charset=UTF-8");
   PrintWriter out = response.getWriter();
   String getartistname = "";
   String song_name = request.getParameter("song_name");
   String id = request.getParameter("id");
   Part part = request.getPart("song");//
   String fileName = System.currentTimeMillis() + "_" + extractFileName(part);//file name
   String savePath = "F:\\setup\\all\\project\\MusicSpot\\web\\files\\songs\\" + File.separator + fileName; //img file
   File fileSaveDir = new File(savePath);//img file
    part.write(savePath + File.separator); //img file
   imgDBFileName = imgUPLOAD_DIR + File.separator + fileName; //Song file
   try {
     JOConnction.JConnect();
     where song_id = ""+id+"" ");
     addSongToArtistAccount.executeUpdate();
     out.println("<script> alert('Song Image Updated Succesfully'); "
           + "window.location.href = 'http://localhost:8084/MusicSpot/admin/edit_song.jsp?song_name="+ song_name +"'; </script>");
   } catch (ClassNotFoundException | SQLException e) {
     out.println(e);
   }
 private String extractFileName(Part part) {//This method will print the file name.
   String contentDisp = part.getHeader("content-disposition");
   String[] items = contentDisp.split(";");
   for (String s: items) {
     if (s.trim().startsWith("filename")) {
       return s.substring(s.indexOf("=") + 2, s.length() - 1);
     }
   }
   return "";
```

```
1
```

<!-- ******** FILE UPLOAD (JAVA) ****************************

```
import java.io.File;
import java.io.IOException;
import java.io.PrintWriter;
import\ java.sql. Prepared Statement;
import java.sql.SQLException;
import javax.servlet.ServletException;
import\ javax. servlet. annotation. Multipart Config;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import\ javax. servlet. http. Http Servlet Request;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.Part;
import DBConnect.JOConnction;
import javax.servlet.http.HttpSession;
@WebServlet("/FileUploadServlet")
@MultipartConfig(fileSizeThreshold = 1024 * 1024 * 200, // 2MB
    maxFileSize = 1024 * 1024 * 1000, // 10MB
    maxRequestSize = 1024 * 1024 * 5000)
public class FileUploadServlet extends HttpServlet {
  public static final String UPLOAD_DIR = "files/songs/song_img/";
  public static final String SongUPLOAD_DIR = "files/songs/";
  public String dbFileName = "";
  public String SongdbFileName = "";
  @Override
  protected\ void\ doPost(HttpServletRequest\ request,\ HttpServletResponse\ response)
      throws ServletException, IOException {
    HttpSession session=request.getSession();
    response.setContentType("text/html;charset=UTF-8");
    PrintWriter out = response.getWriter();
    String admin = request.getParameter("admin");
    String id = request.getParameter("id");
```

```
String category = request.getParameter("scategory");
    session.setAttribute("category", category);
    String language = request.getParameter("Language");
    session.setAttribute("language", language);
    String songName = request.getParameter("sname");
    session.setAttribute("songName", songName);
    String lyrics = request.getParameter("writen_by");
    session.setAttribute("lyrics", lyrics);
    String getartistname=(String)session.getAttribute("artistname");
    int total_Songs = 0;
    try{
      JOConnction.JConnect();
      PreparedStatement getNumOfSongs = JOConnction.conn.prepareStatement("select * from artists where artistname =""+getartistname +""");
      getNumOfSongs.executeQuery();
      while(getNumOfSongs.getResultSet().next()){
        total_Songs = Integer.parseInt(getNumOfSongs.getResultSet().getString("num_songs"));
        total_Songs++;
      }
    \} catch (ClassNotFoundException \mid NumberFormatException \mid SQLException \ ex) \{
       out.println("Error...:"+ ex);
    }
    try {
      JOConnction.JConnect();
      if(admin != null){
        PreparedStatement pst = JOConnction.conn.prepareStatement("update songs set name = ""+songName+"", artistname = ""+ admin +"",
language = ""+ language +"", category = ""+ category +"" where song_id = ""+id+""");
        pst.executeUpdate();
        out.println("<script> alert('Song Uploaded Succesfully'); "
               + "window.location.href = 'http://localhost:8084/MusicSpot/admin/edit_song.jsp'; </script>");
      }
      try{
        JOConnction.JConnect();
        Prepared Statement Song Name Check = JOConnction.conn.prepare Statement ("select * from songs where name = ""+song Name + """); \\
        SongNameCheck.executeQuery();
        if (SongNameCheck.getResultSet().next()){
           out.println("<script> alert('Song name already exist'); "
               + "window.location.href = 'http://localhost:8084/MusicSpot/upload_song_form.jsp'; </script>");
```

```
out.println("<center><h1>Song name already exist</h1>");
                         out.println("<a href = 'upload_song_form.jsp'> Go back </a> </center>");
                         return;
                   }
              }catch(ClassNotFoundException | SQLException ex){
                    out.println("Error... song name :"+ ex);
              if(admin == null){
                    Prepared Statement \ add Song To Artist Account = JOConnction.conn.prepare Statement ("update artists SET songs_name = 1000 \ add to 1000 \ 
CONCAT(songs_name,"+songName+",'), num_songs = "'+total_Songs+"' where artistname = "'+getartistname+"' ");
                    addSongToArtistAccount.executeUpdate();
                    PreparedStatement pst = JOConnction.conn.prepareStatement("insert into songs(name, song_file, artistname, language, img, category)
values(?,?,?,?,?,?)");
                   pst.setString(1, songName);
                    pst.setString(2, SongdbFileName);
                    pst.setString(3, getartistname);
                    pst.setString(4, language);
                    pst.setString(5, dbFileName);
                    pst.setString(6, category);
                    pst.executeUpdate();
                   out.println("<script> alert('Song Uploaded Succesfully'); "
                                    + "window.location.href = 'http://localhost:8084/MusicSpot/upload_song_form.jsp'; </script>");
         } catch (ClassNotFoundException | SQLException e) {
              out.println(e);
    private String extractFileName(Part part) {//This method will print the file name.
         String contentDisp = part.getHeader("content-disposition");
         String[] items = contentDisp.split(";");
         for (String s: items) {
              if (s.trim().startsWith("filename")) {
                   return s.substring(s.indexOf("=") + 2, s.length() - 1);
         }
         return "";
    }
```

```
package DBConnect;
import java.sql.*;
public class JOConnction {
 public static Connection conn;
 public static Statement st;
 public static ResultSet rs;
 public static void JConnect() throws ClassNotFoundException, SQLException
   String userid = "root";
   String password = "root";
   Class.forName("com.microsoft.sqlserver.jdbc.SQLServerDriver");
   conn=Driver Manager.get Connection ("jdbc:sqlserver://localhost:1433; database Name=music", userid, password); \\
   st=conn.createStatement();
 }
<!-- ************* srting_to_array ***********************
package UserInfo;
import java.util.Arrays;
import java.util.List;
import java.util.stream.Collectors;
public class srting_to_array {
 public static String[] convertSTRtoARY(String commaSeparatedStr)
 {
   String[] commaSeparatedArr = commaSeparatedStr.split(",");
   return commaSeparatedArr;
 }
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
<%
 String getusername = "";
 String artist_name = "";
```

```
String print_img = "";
  String Fname = "";
  String Iname = "";
  String email = "";
  String dob = "";
  int num_fowl = 0;
  int num_songs = 0;
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  if(session.getAttribute("artistname") != null) \{ getusername = session.getAttribute("artistname").toString(); \} \\
  if(session.getAttribute("username") == null && session.getAttribute("artistname") == null){ response.sendRedirect("signin.jsp"); }
  try{
    if(session.getAttribute("artistname") != null){
      JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getusername+""");
      while(JOConnction.rs.next()){
        num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
        num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));
        print_img = JOConnction.rs.getString("img");
        Fname = JOConnction.rs.getString("fname");
        Iname = JOConnction.rs.getString("Iname");
        email = JOConnction.rs.getString("email");
        dob = JOConnction.rs.getString("dob");
    }
    if(session.getAttribute("username") != null){
      JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getusername+""");
      while(JOConnction.rs.next()){
        print_img = JOConnction.rs.getString("img");
        Fname = JOConnction.rs.getString("fname");
        Iname = JOConnction.rs.getString("Iname");
        email = JOConnction.rs.getString("email");
        dob = JOConnction.rs.getString("dob");
      }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
<% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%}%>
<% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <%}%>
<style>
    .upload {
```

```
display: grid;
  place-content: center;
  height: auto;
  margin-bottom: 100px;
}
.form_wreper {
  background: #566573;
  padding: 20px;
  height: 550px;
  width: 800px;
  display: grid;
  line-height: 48px;
  border-radius: 10px;
  place-content: center;
}
.form_wreper label, .up_btn {
  margin: 0 20px 0 0;
  background: #fca311;
  border: none;
  border-radius: 3px;
  padding: 3px 10px;
  cursor: pointer;
  color: white;
}
.upload .form_wreper img{
  top: 0px;
  left: 0px;
  width: 150px;
  height: 150px;
  object-fit: cover;
  margin-top: 25px;
  border: none;
  border-radius: 50%;
}
. upload . form\_wreper . firsr\_td1 \{
  width: 30%; padding-left: 10px;
. upload \ . form\_wreper \ . output \{
```

```
width: 30%; padding-left: 10px;
  }
  .upload .form_wreper .submit{
   width: 40%; padding-left: 10px;
  }
</style>
  <div class="main_right" style="color: #FF8A65;">
   <div class="breadcrumbs">
     <% if(session.getAttribute("artistname") != null){ %> <a href="artist_home.jsp">Home</a></d>
        Update Profile Details 
      </div>
    <div class="upload">
     <div class="form_wreper">
       Change profile Picture 
          <img src="<%=print_img%>" height="200px"> 
         <form action="update_profile_pic" method="POST" enctype="multipart/form-data">
            <input type="file" name="pro_pic" accept="image/*">
            <input type="submit" name="pro_pic_btn" class="up_btn" value="Upload">
           </form>
         Change First name 
          <%=Fname%> 
         <form action="execude_update.jsp" method="POST" >
            <input type="text" name="firs_tname" placeholder="First name....">
            <input type="submit" name="fname_btn" class="up_btn" value="Update">
           </form>
         Change Last name 
          <%=Iname%>
```

```
<form action="execude_update.jsp" method="POST" >
            <input type="text" name="lname" placeholder="Last name....">
            <input type="submit" name="Iname_btn" class="up_btn" value="Update">
           </form>
         Change Email 
          <%=email%> 
         <form action="execude_update.jsp" method="POST" >
            <input type="email" name="email" placeholder="Email....">
            <input type="submit" name="email_btn" class="up_btn" value="Update">
           </form>
         Change Birth Date 
          <%=dob%> 
         <form action="execude_update.jsp" method="POST" >
            <input type="date" name="dob" placeholder="Date Of Birth....">
            <input type="submit" name="dob_btn" class="up_btn" value="Update">
           </form>
         Change Password 
         <form action="execude_update.jsp" method="POST" >
            <input type="password" name="pswd" placeholder="New Password....">
            <input type="password" name="pswd2" placeholder="Conform Password....">
            <input type="submit" name="pswd_btn" class="up_btn" value="Update">
           </form>
         </div>
   </div>
</body>
```

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%
   String getartistname = "";
   if (session.get Attribute ("artistname") != null) \{ get artistname = session.get Attribute ("artistname").to String (); \} \\
// if(session.getAttribute("artistname") != null){ getartistname = session.getAttribute("artistname").toString();}
%>
<\% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%} %> <jsp:include page="main_left.jsp" /> 
<% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <%}%>
<style>
       .upload {
          display: grid;
           place-content: center;
       .form_wreper {
          background: bisque;
           padding: 20px;
          height: 450px;
          width: 500px;
           display: grid;
          line-height: 48px;
          border-radius: 10px;
           place-content: center;
       }
       .form_wreper label, input[type="submit"] {
           margin: 0 20px 0 0;
       }
    </style>
       <div class="main_right">
           <div class="breadcrumbs">
              <a href="artist_home.jsp">Home</a>
                       <a href="#">First link</a>
<!--
```

```
<a href="#">Second link</a>
          <a href="#">Another lengthier link</a>
          <a href="#">Final link in the hierarchy</a>-->
          Upload Song
         </div>
      <div class="upload">
        <div class="form_wreper">
          <center> <u> <h1> Upload Song </h1> </u> </center> <br>
          <form action="FileUploadServlet" method="POST" enctype="multipart/form-data">
           1 < label for="Simg">Song Image</label>
           <input type="file" name="simg" id="" accept="image/*" required> <br>
           2 < label for="sname">Song Name</label>
            <input type="text" name="sname" id="" value="<% if (session.getAttribute("songName") != null ) {</pre>
out.print(session.getAttribute("songName")); } %>" required> <br>
           3 < label for="category" name="Cetegory" required > Category < / label >
            <select name="scategory" id="" value="<% if (session.getAttribute("category") != null ) { out.print(session.getAttribute("category")); }</pre>
%>" required>
              <option value="Classical">Classical</option>
              <option value="Hip-hop">Hip-hop
              <option value="Rap">Rap</option>
              <option value="Pop">Pop</option>
              <option value="Bollywood Music">Bollywood Music
              <option value="Hollywood Music">Hollywood Music
            </select> <br>
           4 < label for="Language">Language</label>
            <select name="Language" id="" name="language" value="<% if (session.getAttribute("language") != null ) {</pre>
out.print(session.getAttribute("language")); } %>" required>
              <option value="English">English</option>
              <option value="Hindi">Hindi</option>
              <option value="Punjabi">Punjabi
              <option value="Gujrati">Gujrati
            </select> <br>
           5 < label for="Writen_By">write By/Lyrics by</label>
            <input type="text" name="writen by" id="" value="<% if (session.getAttribute("lyrics") != null ) {</pre>
out.print(session.getAttribute("lyrics")); } %>" required> <br>
           6 < label for="Upload Song">Upload Song</ label>
           <input type="file" name="song" id="song" accept="audio/*" required> <br>
            <input type="submit" value="Upload" name="UploadSong">
            <input type="reset" value="Cancle" name="Cancle">
```

```
</form>
</%

if(request.getParameter("Cancle") != null){

response.sendRedirect("artist_home.jsp");

}

%>
</div>
</div>
</div>
</div>
```

```
<%@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%
  String getusername = "";
  if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
  else{ response.sendRedirect("login.jsp"); }
<jsp:include page="left.jsp" />
<style>
  input[type="submit"] {
    background: tomato;
    margin: 25px 10px;
    padding: 3px 10px;
    border: none;
    color: white;
    border-radius: 3px;
  }
  .search_user {
    height: 80px;
    width: 100%;
  }
  . form 1 \, \{ \,
    height: 100%;
    width: 100%;
```

```
display: flex;
    align-items: center;
    justify-content: center;
 }
  input[type="search"] {
    height: 35px;
    width: 60%;
    padding: 5px;
    border: none;
    border-radius: 5px;
  .bottum \ .S\_list \ \{
    display: flex;
    width: 100%;
    position: relative;
    align-content: center;
    margin: 0 0 20px 0;
    justify-content: center;
 }
</style>
    <div class="main_right">
      <div class="werper">
        <div class="search_user">
           <form action="search_results.jsp" class="form1" method="POST">
             <input type="search" name="search_user" placeholder="Search User...">
             <input type="submit" name="search_btn_user" value="Search" style="background: blueviolet; height: 35px;">
           </form>
        </div>
        <div class="bottum">
        <%
          JOConnction.rs = JOConnction.st.executeQuery("select * from users ORDER BY user_id desc ");
          while(JOConnction.rs.next()){%>
             <div class="S_list" style="display: flex; margin-bottom:20px">
               <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
               <div class="detail">
                 <\!\!h2\!\!><\!\!\%=\!\!JOConnction.rs.getString("fname")\%\!\!><\!\!\%=\!\!JOConnction.rs.getString("lname")\%\!\!><\!\!/h2\!\!>
                 <h5> @<%=JOConnction.rs.getString("username")%> </h5>
```

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%
 String getusername = "";
 String print_img = "";
 String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  else{ response.sendRedirect("signin.jsp"); }
  try{
    JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getusername+"");
    while(JOConnction.rs.next()){
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
```

```
out.print("artist qur error...:" + ex);
 }
%>
<% if(session.getAttribute("artistname") != null){ %> <jsp:include page="artist_mainHeader.jsp" /> <%}%>
<% if(session.getAttribute("username") != null){ %> <jsp:include page="mainHeader.jsp" /> <%}%>
<div class="main_part">
  <div class="main_left">
        <div class="user_ing">
          <img src="<%=print_img%>" alt="User" style="max-height: 150px;">
          <h3> <b><%=Fname%> </b> <br><span>@<%=getusername%></bpan></h3>
        </div>
          <% if(session.getAttribute("artistname") != null){ %>
          <div class="upload_action">
            <a href="upload_song_form.jsp"> Upload Song </a>
          </div>
       <% } %>
        <div class="playlists">
          <a href="createPlayList.jsp"> <h4 style=" margin-bottom: 20px;"><img src="assets/images/plus.png" height="20px" > Add playlist
</h4> </a>
          <a href="palylist_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/plistBTN.png" alt="Music albums"</pre>
style="max-height: 20px;"> Play lists </h4></a>
          <a href="favorites_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/favorite.png" alt="Favorites" style="max-
height: 20px;"> Favorites </h4> </a>
          <a href="flw_artists_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/Artist 1.png" alt="Artists" style="max-
height: 20px;"> Artists you Follow </h4> </a>
        </div>
      </div>
```

```
<%@page import="java.sql.ResultSet"%>
<%@page import="java.sql.Statement"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<%
    String getusername = "";
    String getsong_name_rs = "";
    int song_id = 0;</pre>
```

```
if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString(); }
  if(session.getAttribute("username") != null){ getusername = session.getAttribute("username").toString(); }
  if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
  try{
    if(request.getParameter("song_id") != null){
      song_id = Integer.parseInt(request.getParameter("song_id"));
   }
  }catch(Exception ex){
    out.print("Uppler 22222222 half..: \n"+ ex);
 }
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title> </title>
  </head>
  <body>
    <%
     try{
        if(request.getParameter("Add") != null){
          String Pname_add = "";
          String songName_comm_add = "";
          String songName_plist_add = "";
          String songname_add = "";
          int song_id4 = Integer.parseInt(request.getParameter("song_id"));
          JOConnction.rs = JOConnction.st.executeQuery("select * from songs where song_id = ""+song_id4+""");
          while(JOConnction.rs.next()){
            songname_add = JOConnction.rs.getString("name");
          Pname_add = request.getParameter("plists");
          songName_comm_add = ","+songname_add+",";
          try{
            \label{local_condition} JOConnction.st. execute Query ("select * from Playlists where name = ""+Pname\_add+"""); \\
            while(JOConnction.rs.next()){
               songName_plist_add = JOConnction.rs.getString("songs");
            }
            if(songName_plist_add.contains(songName_comm_add)){ %>
               <script> alert("Song allredy present.... "); </script>
```

```
<%}
                                                   else{
                                                            \label{local_constraints} JOConnction.st.execute Update ("update Playlists set songs = CONCAT(songs, "+songname_add+",") where name = ""+Pname_add+"" and the properties of the constraints of the constr
");
                                                            JOConnction.st.executeUpdate("update songs set plist_name = CONCAT(plist_name,""+Pname_add+",') where name =
""+songname_add+"" ");
                                                %>
                                                            <script> alert("Song Added sucessfully.... "); </script>
                                                 <%}
                                         } catch (Exception ex){
                                                   out.print("add btn form :" + ex + "<br>");
                                         }
                                 }
                      }catch(Exception ex){
                               out.print("error: " + ex + "<br>");
                      }
              %>
               <%
                      try{
                               if(request.getParameter("addPlistBtn") != null){
                                           int song_id3 = Integer.parseInt(request.getParameter("song_id"));
                                          try{
                                                   JOConnction.rs = JOConnction.st.executeQuery("select * from Playlists where user_name = ""+getusername+"" ");
                                                   if(JOConnction.rs != null){ %>
                                                            < form\ name = "plist\_frm"\ action = "adddToPlist.jsp?song\_id = <\% = song\_id3\% > "\ method = "POST" > 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 1000 + 100
                                                                     <select name="plists" id="" required> <!-- -->
                                                                             <%while(JOConnction.rs.next()){ %>
                                                                                      <% } %>
                                                                     </select>
                                                                     <input type="submit" name="Add" name="addPlistBtn" value="Done" >
                                                            </form>
                                                   <%}
                                                   else{ %>
                                                            <script> alert("No play list found, Please Create playlist. "); </script>
                                                   <%}
                                          }catch (Exception ex){
                                                   out.print("add_to_plist :" + ex);
                                         }
```

```
}catch(Exception ex){
    out.print("error: " + ex + "<br>");
}
%>
<form name="plist_frm" action="adddToPlist.jsp?song_id=<%=song_id%>" method="POST" >
    <input type="submit" name ="addPlistBtn" value = "Add to Playlist" style="background: #fca311; border: none; border-radius: 3px; padding: 3px 10px; cursor: pointer; color: white;" >
    </form>
    </body>
</html</pre>
```

<!-- ********* ADMIN HOME ********* -->

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  String print_img = "";
  String Fname = "";
  String Iname = "";
  String num_artist = "";
  String num_songs = "";
  String num_user = "";
  String num_plist = "";
  if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
  else{ response.sendRedirect("login.jsp"); }
  try{
    \label{local_constraints} JOConnction.rs = JOConnction.st. execute Query ("select * from admin where admin_username = ""+getusername + """); \\
    while(JOConnction.rs.next()){
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
    JOConnction.rs = JOConnction.st.executeQuery("select COUNT(*) from artists");
    while(JOConnction.rs.next()){
      num_artist = JOConnction.rs.getString(1);
    }
    JOConnction.rs = JOConnction.st.executeQuery("select COUNT(*) from songs");
    while(JOConnction.rs.next()){
      num_songs = JOConnction.rs.getString(1);
```

```
}
    JOConnction.rs = JOConnction.st.executeQuery("select COUNT(*) from users");
    while(JOConnction.rs.next()){
      num_user = JOConnction.rs.getString(1);
    }
    JOConnction.rs = JOConnction.st.executeQuery("select COUNT(*) from playlists");
    while(JOConnction.rs.next()){
      num_plist = JOConnction.rs.getString(1);
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
  }
%>
<jsp:include page="left.jsp" />
<style>
  . art ist \, \{ \,
    background: #d5d5d5;
    height: 200px;
    padding: 20px;
    box-sizing: border-box;
    display: flex;
    width: 240px;
    border: none;
    border-radius: 5px;
    margin: 10px 0;
  }
  .1 {
    height: 100%;
    width: 65%;
    line-height: 90px;
  }
  .r {
    height: 100%;
    width: 5%;
    display: grid;
    place-content: center;
    opacity: 0.1;
  }
```

```
.wreper{
   padding: 20px;
   display: flex;
   flex-wrap: wrap;
   justify-content: space-evenly;
 .span{
   font-size: 22px; opacity: 0.5;
 }
</style>
    <div class="main_right">
     <div class="wreper">
       <div class="artist">
          <div class="l">
            <h1 style="font-size: 100px;"> <%=num_artist%> </h1>
            <span class="span"> Artist </span> </div>
            <\!\!div\;class="r"><\!\!img\;src="../assets/images/Artist\;1.png"\;height="140px"\;alt=""/><\!/div>
        </div>
        <div class="artist">
          <div class="I">
            <h1 style="font-size: 100px;"> <%=num_user%> </h1>
            <span class="span"> Users </span> </div>
            <\!\!div\;class="r"\!\!><\!\!img\;src="../assets/images/group.png"\;height="140px"\;alt=""/\!\!><\!\!/div>
        </div>
        <div class="artist">
          <div class="l">
            <h1 style="font-size: 100px;"> <%=num_songs%> </h1>
            <span class="span"> Songs </span> </div>
            <div class="r"> <img src="../assets/images/plistBTN.png" height="140px" alt=""/> </div>
       </div>
        <div class="artist">
          <div class="l">
            <h1 style="font-size: 100px;"> <%=num_plist%> </h1>
            <span class="span"> Playlists </span> </div>
```

```
</div>
                        <span style="margin: 0 25px"> Popular Songs </span>
                        <div class="bottum">
                               <%
                                       JOConnction.rs = JOConnction.st.executeQuery("select TOP(5)* from songs ORDER BY num_likes desc ");
                                       while(JOConnction.rs.next()){%>
                                               <div class="S_list" style="display: flex; margin-bottom:20px">
                                                       <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
                                                       <div class="detail">
                                                                <h2> <%=JOConnction.rs.getString("name")%> </h2>
                                                               @<%=getusername%>
                                                       </div>
                                                       <audio src="../<%=JOConnction.rs.getString("song_file")%>" controls></audio>
                                               </div>
                                        <%}
                        </div>
                       <span style="margin: 0 25px"> Popular Artists </span>
                        <div class="line-3">
                                <%
                                       JOConnction.rs = JOConnction.st.executeQuery("select TOP(6) * from artists ORDER BY num_songs desc ");
                                       while(JOConnction.rs.next()){%>
                                               <div class="conteiner-3">
                                                       <div class="werper">
                                                                <a href="../artist_profile.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>"><img</pre>
src="../<%=JOConnction.rs.getString("img")%>" alt=""></a>
                                                                       <\!\!\!\text{h4}\!\!><\!\!\!\text{s-JOConnction.rs.getString("fname")}\%\!\!><\!\!\!\text{s-JOConnction.rs.getString("Iname")}\%\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!><\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\text{h4}\!\!>>\!\!\!\texth4}\!\!>>\!\!\!\!h4}\!\!\!>
                                                       </div>
                                               </div>
                                        <%}%>
                       </div>
                </div>
        </body>
</html>
 <!-- ********** REGISTER *********** -->
<jsp:include page="header.jsp" />
```

</div>

```
<style>
  .form {
    background-color: #566573;
    height: 350px;
    width: 700px;
    color: white;
    margin-top: 5%;
    border-radius: 10px;
    line-height: 30px;
    padding-top: 50px;
    padding-bottom: 71px;
    margin-bottom: 5%;
  }
</style>
<center>
  <div class="form">
    <h1> Sign Up here... </h1><br> <br>
    <form action="register.jsp" method="POST">
      <label for="fname">First Name</label>
      <input type="text" name="fname" class="text" required value="<% if (session.getAttribute("fname") != null ) {</pre>
out.print(session.getAttribute("fname")); } %>"> <br>
      <label for="lname">Last Name</label>
      <input type="text" name="lname" class="text" required value="<% if (session.getAttribute("lname") != null ) {</pre>
out.print(session.getAttribute("Iname")); } %>"> <br>
      <label for="username">User Name</label>
      <input type="text" name="username" class="text" required value="<% if (session.getAttribute("uname") != null ) {</pre>
out.print(session.getAttribute("uname")); } %>"> <br>
      <label for="psws">Password</label>
      <input type="password" name="pswd" class="text" required value="<% if (session.getAttribute("pswd") != null ) {</pre>
out.print(session.getAttribute("pswd")); } %>"> <br>
      <label for="email">Email</label>
      <input type="email" name="email" class="text" required value="<% if (session.getAttribute("email") != null ) {</pre>
out.print(session.getAttribute("email")); } %>"> <br>
      <label for="DOB">Date of Birth</label>
      <input type="date" name="dob" id="dob" required value="<% if (session.getAttribute("dob") != null ) {</pre>
out.print(session.getAttribute("dob")); } %>"> <br>
      <label for="Gender">Gender</label>
      <input type="radio" name="gender" value="male" required> Male
```

```
<input type="radio" name="gender" value="female" required> Female <Br>
      <input type="submit" value="signup" name="signup"><br>
      <% if(request.getParameter("signup") != null)</pre>
      {%>
        <@page import="java.util.ArrayList"%>
        <%@page import="java.sql.*" %>
        <%@page import="DBConnect.JOConnction"%>
        <%
           String fname = request.getParameter("fname");
           session.setAttribute("fname", fname);
           String Iname = request.getParameter("Iname");
           session.setAttribute("Iname", Iname);
           String uname = request.getParameter("username");
           session.setAttribute("uname", uname);
           String pswd = request.getParameter("pswd");
           session.setAttribute("pswd", pswd);
           String email = request.getParameter("email");
           session.setAttribute("email", email);
           String dob = request.getParameter("dob");
           session.setAttribute("dob", dob);
           String gender = request.getParameter("gender");
//
            String pro_pic = "";
           ArrayList error_array = new ArrayList();
           int ans = 0;
          try
             JOConnction.JConnect();
             JOConnction.rs = JOConnction.st.executeQuery("select * from users where email=""+email+""");
             if (JOConnction.rs.next()) {%>
                 <Br><h4> <% out.print("Email already exist"); ans = 1; %> </h4> <%
             JOConnction.rs = JOConnction.st.executeQuery("select * from users where username=""+uname+""");
             if (JOConnction.rs.next()) {%>
                 <Br><h4> <% out.print("User name already exist"); ans = 1; %> </h4> <%</pre>
             }
             if(uname.length() < 4 | | uname.length() > 20){%>
                 <Br><h4> <% out.print("User Name Must be between 4 to 20 charectors"); ans = 1; %> </h4> <%</pre>
             }
             if(fname.length() < 4 \mid | fname.length() > 25){ %>
```

```
<Br><h4> <% out.print("First Name Must be between 4 to 25 charactors"); ans = 1; %> </h4> <%</pre>
            }
            if(lname.length() < 4 \mid | lname.length() > 25){ %>
              <Br><h4> <% out.print("Last Name Must be between 4 to 25 charectors"); ans = 1; %> </h4> <%</pre>
            }
            if(pswd.length() < 4 \mid \mid pswd.length() > 45){\%}
              <Br><h4> <% out.print("Password Must be between 4 to 40 charectors"); ans = 1; %> </h4> <%</pre>
            }
            if(ans == 0){
              String pro_pic = "";
              if(gender.equals("male")){
                pro_pic = "assets/images/male.png";
              }
              if(gender.equals("female")){
                pro_pic = "assets/images/female.png";
              JOConnction.st.executeUpdate("insert into users(username, password, Fname, Lname, email, dob, img, gender, Plist_name,
flw_artist) values("+uname+"', "'+pswd+"', "'+fname+"', "'+lname+"', "'+email+"', "'+dob+"', "'+pro_pic+"', "'+gender+"', '', ', ', ')");
              session.setAttribute("username", uname);
              response.sendRedirect("home.jsp");
          catch(Exception ex)
            System.out.println("Error :- " + ex);
        %>
    </form>
    <br>
    <center><a href="artist_register.jsp"> Artist ? Register here... </a></center>
  </div>
</center>
<jsp:include page="footer.jsp" />
<@page import="java.util.List"%>
<@page import="java.util.ArrayList"%>
```

```
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<%@page import="UserInfo.srting_to_array"%>
  String getusername = "";
  String getPlistname = "";
  String pimg = "";
  String pname = "";
  String user = "";
  String[] song_ary = {};
  String songs = "";
  int i =0;
  getPlistname = request.getParameter("getPlistname");
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  if(session.getAttribute("artistname") != null)
    getusername = session.getAttribute("artistname").toString();
  if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
    Statement st = JOConnction.conn.createStatement();
    ResultSet rs = st.executeQuery("select * from Playlists where name = ""+getPlistname+""");
  }catch (Exception ex){
    out.print("playlist qur error...:" + ex);
 }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
  <%
    if(request.getParameter("rmv_Plist_btn") != null){
      String getPLname = request.getParameter("PList_name");
      String getusernm = "";
      String art_plists = "";
      String rp_plists = "";
      if(session.getAttribute("username") != null){ getusernm = session.getAttribute("username").toString();}
      if(session.getAttribute("artistname") != null) { getusernm = session.getAttribute("artistname").toString(); }
        JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getusernm+"" ");
```

```
while(JOConnction.rs.next()){
          art_plists = JOConnction.rs.getString("plist_name");
       }
       rp_plists = art_plists.replace(getPLname,",");
       JOConnction.st.executeUpdate("delete from Playlists where name = ""+getPLname+"" ");
       JOConnction.st.executeUpdate("update artists set plist_name = ""+rp_plists+"" where artistname = ""+getusernm+"" ");
        <script>
          alert("palylist removed Sucessfully...");
          window.location.href = 'http://localhost:8084/MusicSpot/palylist_page.jsp';
        </script>
     <%}catch (Exception ex){
       out.print("rmv Plist : " + ex + "<br>");
     }
   }
 %>
<@page import="java.util.List"%>
<@page import="java.util.ArrayList"%>
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.srting_to_array"%>
 String getusername = "";
 String getPlistname = "";
 String getsongNM = "";
 getPlistname = request.getParameter("getPlistname");
 if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
 if(session.getAttribute("artistname") != null)
    getusername = session.getAttribute("artistname").toString();
 if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
 try{
    getsongNM = request.getParameter("song_name");
   Statement st = JOConnction.conn.createStatement();
```

```
ResultSet rs = st.executeQuery("select * from Playlists where name = ""+getPlistname+""");
                  out.print("songname top: " + getsongNM + "<br>");
         }catch (Exception ex){
                  out.print("playlist qur error...:" + ex);
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
         <%
                  try{
                  if(request.getParameter("remove_song") != null){
                          String get_PlistnamesFromSongsTable = "";
                           String Plistname_comm = "";
                           String remove_PlistNameFromSongsTable = "";
                           String PlistTable_songs = "";
                           String rp_songsFromPlistTable = "";
                           String get_songName = request.getParameter("song_name");
                           String songNameComm = "," + get_songName + ",";
                                 String getusernm = session.getAttribute("artistname").toString();
//
                           String getPLname = session.getAttribute("getPlistname").toString();
                            Plistname_comm = "," + getPLname + ",";
                                   JOConnction.rs = JOConnction.st.executeQuery("select * from Playlists where name = ""+getPLname+"" ");
                                    while(JOConnction.rs.next()){
                                            PlistTable_songs = JOConnction.rs.getString("songs"); // Getting Songs from Playlist Table
                                    rp_songsFromPlistTable = PlistTable_songs.replace(songNameComm,","); // removeing song name from Playlist
                                    \label{local_prop_sol} \begin{subarray}{ll} JOConnction.st.execute Update ("update Playlists set songs = '''+rp\_songs From Plist Table+''' where name = '''+get PL name+''' ''); //updating for the property of the property
playlist Table
                                    JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name = ""+get_songName+""");
                                    while(JOConnction.rs.next()){
                                            {\tt get\_PlistnamesFromSongsTable = JOConnction.rs.getString("plist\_name"); // \ Getting \ Playlist \ names \ for \ song \ playlist \ names \ playl
                                    remove_PlistNameFromSongsTable = get_PlistnamesFromSongsTable.replace(Plistname_comm,","); //Removing Playlistname from Song
                                   \label{local_constraints} JOConnction.st. execute Update ("update songs set plist\_name = ""+remove\_PlistNameFromSongsTable+"" where name = ""+remove\_PlistNameFromSongsTable+" where name = "+remove\_PlistNameFromSongsTable+" where name = ""+remove\_PlistNameFromSongsTable+" where name = ""+remove\_PlistNameFromSongsTabl
""+get_songName+"" "); //updating Songs Table
```

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  if (session.get Attribute ("admin") != null) \{ \ get username = session.get Attribute ("admin").to String (); \} \\
  else{ response.sendRedirect("login.jsp"); }
%>
<jsp:include page="left.jsp" />
<style>
  input[type="submit"] {
    background: tomato;
    margin: 25px 10px;
    padding: 3px 10px;
    border: none;
    color: white;
    border-radius: 3px;
  .search_user {
    height: 80px;
    width: 100%;
```

```
}
  . form1 \, \{ \,
    height: 100%;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
 }
 input[type="search"] {
    height: 35px;
    width: 60%;
    padding: 5px;
    border: none;
    border-radius: 5px;
  .bottum \ .S\_list \ \{
    display: flex;
    width: 100%;
    position: relative;
    align-content: center;
    margin: 0 0 20px 0;
    justify-content: center;
 }
</style>
    <div class="main_right" >
      <div class="bottum">
          if(request.getParameter("search_btn_user") != null) \{ \ \% >
            <div class="breadcrumbs">
               <a href="user.jsp"> Go Back </a>
                </div>
           <% String get_search = request.getParameter("search_user");</pre>
            JOConnction.rs = JOConnction.st.executeQuery("select * from users where username like '%"+get_search+"%' ORDER BY user_id
desc ");
            while(JOConnction.rs.next()){%>
```

```
<div class="S_list" style="display: flex; margin-bottom:20px">
      <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
      <div class="detail">
        <h2> <%=JOConnction.rs.getString("fname")%> <%=JOConnction.rs.getString("lname")%> </h2>
        <h5> @<%=JOConnction.rs.getString("username")%> </h5>
      </div>
      <form action="delete.jsp?user_name=<%=JOConnction.rs.getString("username")%>" method="POST">
        <input type="submit" name="delete_btn" value="Delete User" >
      </form>
      <form action="edit.jsp?user_name=<%=JOConnction.rs.getString("username")%>" method="POST">
        <input type="submit" name="edit_btn" value="Edit User" style="background: blueviolet;">
      </form>
    </div>
  <%}
 }
%>
  if(request.getParameter("search_song_btn") != null){ %>
    <div class="breadcrumbs">
      <a href="song.jsp"> Go Back </a>
       </div>
    <%String get_search = request.getParameter("search_song");</pre>
    JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name like '%"+get_search+"%' ORDER BY song_id desc ");
    while(JOConnction.rs.next()){%>
    <div class="S_list" style="display: flex; margin-bottom:20px">
      <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
      <div class="detail">
        <h2> <%=JOConnction.rs.getString("name")%> </h2>
        @<%=getusername%>
      </div>
      <audio src="../<%=JOConnction.rs.getString("song_file")%>" controls></audio>
      <\!form\ action="delete.jsp?song\_name=<\!\%=\!JOConnction.rs.getString("name")\%\!>"\ method="POST">
```

```
<input type="submit" name="delete_btn_song" value="Delete Song" >
              </form>
              <form action="edit_song.jsp?song_name=<%=JOConnction.rs.getString("name")%>" method="POST">
                <input type="submit" name="edit_btn_song" value="Edit Song" style="background: blueviolet;">
              </form>
            </div>
          <%}
         }
        %>
          if(request.getParameter("search_artist_btn") != null){ %>
            <div class="breadcrumbs">
                <a href="artist.jsp"> Go Back </a>
                 </div>
            <% String get_search = request.getParameter("search_artist");</pre>
            JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname like '%"+get_search+"%' ORDER BY artist_id
desc ");
            while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
              <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
              <div class="detail">
                <h2> <%=JOConnction.rs.getString("fname")%> <%=JOConnction.rs.getString("lname")%> </h2>
                <h5> @<%=JOConnction.rs.getString("artistname")%> </h5>
              </div>
              <form action="delete.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>" method="POST">
                <input type="submit" name="delete_btn" value="Delete Artist" >
              </form>
              <form action="edit.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>" method="POST">
                <input type="submit" name="edit_btn" value="Edit Artist" style="background: blueviolet;">
              </form>
            </div>
          <%}
```

```
%>
     </div>
   </div>
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <%}%>
   <div class="main_right" >
     <div class="bottum">
       <%
        String get_search = request.getParameter("search_btn");
        JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name like '%"+get_search+"%' ORDER BY song_id desc ");
        while(JOConnction.rs.next()){%>
          <div class="S_list" style="display: flex; margin-bottom:20px">
            <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
            <div class="detail">
              <h2> <%=JOConnction.rs.getString("name")%> </h2>
              @<%=JOConnction.rs.getString("artistname")%>
            </div>
            <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
            <iframe src='like.jsp?song_id=<%=JOConnction.rs.getString("song_id")%>' style='border: 0px;height: 30px;width: 70px;position:
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
            <iframe src='adddToPlist.jsp?song_id=<%=JOConnction.rs.getString("song_id")%>' style='border: 0px;height: 30px;width:
190px;position: relative;top: 25px;' scrolling='no'></iframe> <!-- -->
            <!--<img id="plist" src="assets/images/plistBTN.png" alt="" onclick="plistbtn()">-->
          </div>
        <%}
      %>
    </div>
   </div>
       <@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
```

```
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
     String getusername = "";
      String print_img = "";
      String Fname = "";
      String Iname = "";
      int num_fowl = 0;
      int num_songs = 0;
      if(session.getAttribute("username") != null ){
             getusername = session.getAttribute("username").toString();
      if(session.getAttribute("artistname") != null){
             getusername = session.getAttribute("artistname").toString();
      if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
             JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getusername+""");
             while(JOConnction.rs.next()){
                    num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
                   num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));
                   print_img = JOConnction.rs.getString("img");
                   Fname = JOConnction.rs.getString("fname");
                    lname = JOConnction.rs.getString("Iname");
             }
      }catch (Exception ex){
             out.print("artist qur error...:" + ex);
     }
%>
<\% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%} \%> <jsp:include page="main_left.jsp" /> <%} %> <jsp:include page="main_left.jsp" /> <main_left.jsp" /> <main_left.jsp"
<\% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <\%} \%> <jsp:include page="user_main_left.jsp" /> <%} %> <jsp:include page="user_main_left.jsp" /> 
<style>
      .plist_form {
             height: 200px;
             width: 400px;
             background: bisque;
             padding: 20px;
             border-radius: 10px;
```

```
display: grid;
   margin: 100px 0 0 0;
   place-content: center;
   line-height: 30px;
 }
 .cover {
   height: 400px;
   width: 800px;
   display: grid;
   place-content: center;
   position: relative;
   top: -100px;
 }
</style>
<div class="main_right" >
 <div class="cover">
   <div class="plist_form">
     <form action="creatPlist" method="POST" enctype="multipart/form-data">
       <label for="plistName">PlayList Name :</label>
       <input type="text" name="plName" class="text" required > <br>
       <label for="pllmg">select Image : </label>
       <input type="file" name="plist_img"><br>
       <input type="submit" name="createPL" value="Create">
     </form>
   </div>
 </div>
</div>
<@page import="java.util.ArrayList"%>
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
 String getusername = "";
 if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
```

```
else{ response.sendRedirect("login.jsp"); }
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%--<jsp:include page="left.jsp" />--%>
    <div class="main_right">
      <div class="wreper">
        <%
          try{
            if(request.getParameter("delete_btn") != null){
              String username = request.getParameter("user_name");
              JOConnction.st.executeUpdate("delete from users where username = ""+username+"" ");
              JOConnction.st.executeUpdate("delete from playlist where user_name = ""+username+"" ");
              %>
              <script>
                alert("User removed Sucessfully...");
                window.location.href = 'http://localhost:8084/MusicSpot/admin/user.jsp';
              </script>
            <%}
          }catch (Exception ex){
            out.print("artist qur error...:" + ex);
          }
        <%
          try{
            if(request.getParameter("delete_btn") != null){
              String username = request.getParameter("artist_name");
              JOConnction.st.executeUpdate("delete from artists where artistname = ""+username+"" ");
              JOConnction.st.executeUpdate("delete from playlists where user_name = ""+username+"" ");
              %>
              <script>
                alert("Artist removed Sucessfully...");
                window.location.href = 'http://localhost:8084/MusicSpot/admin/artist.jsp';
              </script>
            <%}
          }catch (Exception ex){
```

```
out.print("artist qur error...:" + ex);
           }
         %>
         <%
           try{
             String plist = "";
             String[] plist_ary = {};
             String PlistTable_songs = "";
             String rp_songsFromPlistTable = "";
             int i = 0;
             String getPlistS = ",";
             if(request.getParameter("delete_btn_song") != null){
                String songname = request.getParameter("song_name");
                String songNameComm = "," + songname + ",";
                JOConnction.rs = JOConnction.st.executeQuery("select * from Playlists where songs like '%"+ songname +"%"");
                while(JOConnction.rs.next()){
                 plist = JOConnction.rs.getString("name");
                  getPlistS = getPlistS + plist + ",";
                }
                plist_ary = srting_to_array.convertSTRtoARY(getPlistS);
                String plist_name = "";
                for(i=0;i<plist_ary.length;i++)
                {
                  plist_name = plist_ary[i];
                  JOConnction.rs = JOConnction.st.executeQuery("select * from Playlists where name = ""+plist_name+"" ");
                  while(JOConnction.rs.next()){
                    PlistTable\_songs = JOConnction.rs.getString("songs"); // Getting Songs from Playlist Table
                 }
                  rp_songsFromPlistTable = PlistTable_songs.replace(songNameComm,","); // removeing song name from Playlist
                  \label{local_potential} JOConnction.st. execute Update ("update Playlists set songs = `"+rp\_songsFromPlistTable+"' where name = ""+plist\_name+"' ");
//updating playlist Table
                JOConnction.st.executeUpdate("delete from songs where name = ""+songname+"" ");
                %>
                <script>
                 alert("Song removed Sucessfully...");
                  window.location.href = 'http://localhost:8084/MusicSpot/admin/song.jsp';
                </script>
             <%}
           }catch (Exception ex){
```

```
out.print("rmv Plist : " + ex + "<br>");
}
%>
</div>
</div>
</body>
</html>
```

<!-- ******** EDIT BTN (ADMIN) ********** -->

```
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
 String getusername = "";
 if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
 else{ response.sendRedirect("login.jsp"); }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%--<jsp:include page="left.jsp" />--%>
<style>
  . upload \, \{
    display: grid;
    place-content: center;
    height: auto;
    margin-bottom: 100px;
  . form\_wreper\, \{
    background: #566573;
    padding: 20px;
    height: 550px;
    width: 800px;
    display: grid;
    line-height: 48px;
    border-radius: 10px;
```

```
place-content: center;
  . form\_wreper\ label,\ .up\_btn\ \{
    margin: 0 20px 0 0;
    background: #fca311;
    border: none;
    border-radius: 3px;
    padding: 3px 10px;
    cursor: pointer;
    color: white;
 . upload \ . form\_wreper \ img \{
    top: 0px;
    left: 0px;
    width: 150px;
    height: 150px;
    object-fit: cover;
    margin-top: 25px;
    border: none;
    border-radius: 50%;
  }
  .upload .form_wreper .firsr_td1{
    width: 30%; padding-left: 10px;
  }
  .upload .form_wreper .output{
    width: 30%; padding-left: 10px;
  }
  . upload . form\_wreper . submit \{\\
    width: 40%; padding-left: 10px;
  }
</style>
    <div class="main_right" style="color: #FF8A65;">
      <div class="wreper">
        <%
           try{
             String print_img = "";
             String Fname = "";
```

```
String Iname = "";
String email = "";
String dob = "";
if(request.getParameter("user_name") != null){
  String username = request.getParameter("user_name");
  session.setAttribute("username", username);
  {\sf JOConnction.rs = JOConnction.st.executeQuery("select*from users where username = ""+username+""");}
  while(JOConnction.rs.next()){
    print_img = JOConnction.rs.getString("img");
    Fname = JOConnction.rs.getString("fname");
    lname = JOConnction.rs.getString("Iname");
    email = JOConnction.rs.getString("email");
    dob = JOConnction.rs.getString("dob");
  }
}
if(request.getParameter("artist\_name") \; != null) \{\\
  String artistname = request.getParameter("artist_name");
  session.set Attribute ("artistname", artistname);\\
  \label{eq:joconnection} JOConnction.st. execute Query ("select * from artists where artistname = ""+artistname+"""); \\
  while(JOConnction.rs.next()){
    print_img = JOConnction.rs.getString("img");
    Fname = JOConnction.rs.getString("fname");
    lname = JOConnction.rs.getString("Iname");
    email = JOConnction.rs.getString("email");
    dob = JOConnction.rs.getString("dob");
  <div class="breadcrumbs">
    <% if(session.getAttribute("artistname") != null){ %>  <a href="artist.jsp"> Go Back</a>  <% } %>
      <% if(session.getAttribute("username") != null){ %> <a href="user.jsp"> Go Back </a> <% } %>
     </div>
  <div class="upload">
    <div class="form_wreper">
```

```
Change profile Picture 
  <img src="../<%=print_img%>" height="200px"> 
 <form action="../update_profile_pic?admin=admin" method="POST" enctype="multipart/form-data">
    <input type="file" name="pro_pic" accept="image/*">
    <input type="submit" name="pro_pic_btn" class="up_btn" value="Upload">
  </form>
 Change First name 
  <%=Fname%> 
 <form action="execude_update.jsp" method="POST" >
    <input type="text" name="firs_tname" placeholder="First name....">
    <input type="submit" name="fname_btn" class="up_btn" value="Update">
  </form>
 Change Last name 
  <%=Iname%> 
 <form action="execude_update.jsp" method="POST" >
    <input type="text" name="Iname" placeholder="Last name....">
    <input type="submit" name="Iname_btn" class="up_btn" value="Update">
  </form>
 Change Email 
  <%=email%> 
 <form action="execude_update.jsp" method="POST" >
    <input type="email" name="email" placeholder="Email....">
    <input type="submit" name="email_btn" class="up_btn" value="Update">
   </form>
```

```
Change Birth Date 
                  <%=dob%> 
                 <form action="execude_update.jsp" method="POST" >
                     <input type="date" name="dob" placeholder="Date Of Birth....">
                     <input type="submit" name="dob_btn" class="up_btn" value="Update">
                   </form>
                 Change Password 
                 <form action="execude_update.jsp" method="POST" >
                     <input type="password" name="pswd" placeholder="New Password....">
                     <input type="password" name="pswd2" placeholder="Conform Password....">
                     <input type="submit" name="pswd_btn" class="up_btn" value="Update">
                   </form>
                 </div>
           </div>
         <%
       }catch (Exception ex){
         out.print("artist qur error...:" + ex);
       }
      %>
    </div>
   </div>
 </body>
</html>
    *********** <u>EDIT SONG</u> *****************************
<%@page import="java.sql.ResultSet"%>
```

```
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
  else{ response.sendRedirect("login.jsp"); }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%--<jsp:include page="left.jsp" />--%>
<style>
  .upload {
    display: grid;
    place-content: center;
    height: auto;
    margin-bottom: 100px;
  . form\_wreper \, \{ \,
    background: #566573;
    padding: 20px;
    height: 550px;
    width: 800px;
    display: grid;
    line-height: 48px;
    border-radius: 10px;
    place-content: center;
  }
  .form_wreper label, .up_btn {
    margin: 0 20px 0 0;
    background: #fca311;
    border: none;
    border-radius: 3px;
    padding: 3px 10px;
    cursor: pointer;
    color: white;
 . upload \ . form\_wreper \ img \{
    top: 0px;
```

```
left: 0px;
    width: 150px;
    height: 150px;
    object-fit: cover;
    margin-top: 25px;
    border: none;
    border-radius: 50%;
  }
  .upload .form_wreper .firsr_td1{
    width: 30%; padding-left: 10px;
  . upload . form\_wreper . output \{ \\
    width: 30%; padding-left: 10px;
  }
  . upload . form\_wreper . submit \{\\
    width: 40%; padding-left: 10px;
  }
</style>
    <div class="main_right" style="color: #FF8A65;">
      <div class="wreper">
        <%
           try{
             String print_img = "";
             String name = "";
             String category = "";
             String language = "";
             String song = "";
             String artist = "";
             int id = 0;
             String song_name = request.getParameter("song_name");
             if(request.getParameter("song_name") != null){
//
                 session.setAttribute("artistname", artistname);
               JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name = ""+song_name+""");
               while(JOConnction.rs.next()){
                 print_img = JOConnction.rs.getString("img");
                 name = JOConnction.rs.getString("name");
```

```
category = JOConnction.rs.getString("category");
                                         language = JOConnction.rs.getString("language");
                                          song = JOConnction.rs.getString("song_file");
                                          artist = JOConnction.rs.getString("artistname");
                                          id = Integer.parseInt(JOConnction.rs.getString("song_id"));
                    %>
                                    <div class="breadcrumbs">
                                          <a href="song.jsp"> Go Back </a>
                                             </div>
                                    <div class="upload">
                                          <div class="form_wreper">
                                               Change Song Image 
                                                           <img src="../<%=print_img%>" height="200px"> 
                                                         < form\ action="../update\_song\_img?song\_name = < \%=song\_name \% > \&id = < \%=id \% > "\ method="POST" = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% = 100 \% =
enctype="multipart/form-data">
                                                                    <input type="file" name="simg" accept="image/*" >
                                                                     <input type="submit" name="update_song_btn" class="up_btn" value="Upload">
                                                               </form>
                                                         Change Song file 
                                                          <audio src="../<%=song%>" controls></audio> 
                                                         <form action="../upload_song_file?song_name=<%=song_name%>&id=<%=id%>" method="POST"
enctype="multipart/form-data">
                                                                    <input type="file" name="song" accept="audio/*" >
                                                                    <input type="submit" name="update_song_btn" class="up_btn" value="Upload">
                                                               </form>
```

```
Change Song name 
                   <%=name%> 
                  <form action="../FileUploadServlet?admin=<%=artist%>&id=<%=id%>" method="POST" enctype="multipart/form-
data">
                     <input type="text" name="sname" value="<%=name%>">
                  Change category 
                   <%=category%> 
                  <select name="scategory" id="" >
                       <option value="Classical" <%if(category.equals("Classical")) { out.print("selected"); }%> >Classical
                       <option value="Hip-hop" <%if(category.equals("Hip-hop")) { out.print("selected"); }%>>Hip-hop
                       <option value="Rap" <%if(category.equals("Rap")) { out.print("selected"); }%> >Rap</option>
                       <option value="Pop" <%if(category.equals("Pop")) { out.print("selected"); }%> >Pop</option>
                       <option value="Bollywood Music" <%if(category.equals("Bollywood Music")) { out.print("selected"); }%>
>Bollywood Music</option>
                       <option value="Hollywood Music" <%if(category.equals("Hollywood Music")) { out.print("selected"); }%>
>Hollywood Music</option>
                     </select>
                  Change language 
                   <%=language%> 
                  <select name="Language" id="" name="language" >
                       <option value="English" <%if(language.equals("English")) { out.print("selected"); }%> >English
                       <option value="Hindi" <%if(language.equals("Hindi")) { out.print("selected"); }%> >Hindi
                       <option value="Punjabi" <%if(language.equals("Punjabi")) { out.print("selected"); }%> >Punjabi
                       <option value="Gujrati" <%if(language.equals("Gujrati")) { out.print("selected"); }%> >Gujrati
                     </select>
                   <input type="submit"
name="update_song_btn" class="up_btn" value="Upload">
                   </form>
```

```
</div>
             </div>
           <%
         }catch (Exception ex){
           out.print("artist qur error...:" + ex);
        }
       %>
     </div>
   </div>
 </body>
</html>
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
<%
 String getusername = "";
 if (session.get Attribute ("admin") != null) \{ get username = session.get Attribute ("admin").to String (); \} \\
 else{ response.sendRedirect("login.jsp"); }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
 <head>
   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
   <title>Update User details </title>
   <style>
     .block {
       height: 90vh;
       width: 97%;
```

/* background: aqua; */

```
padding: 20px;
      display: grid;
      color: white;
      place-content: center;
    }
    .block_wr {
      background: #673ab7;
      height: 200px;
      width: 400px;
      display: grid;
      place-content: center;
      line-height: 40px;
      border: none;
      box-shadow: 10px 20px 30px #311b92;
      border-radius: 20px;
    input[type="password"] {
      height: 25px;
      padding: 5px;
      border: none;
      border-radius: 5px;
    }
    input.btns {
      height: 35px;
      border: none;
      border-radius: 5px;
      background: cornflowerblue;
      color: white;
    input.btns:hover \{
      background: #2b73f3;
    }
  </style>
</head>
<body>
  <%
    try{
      String get_fname = "";
```

```
String getUserName = "";
    get_fname = request.getParameter("firs_tname");
    if(request.getParameter("fname_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set fname= ""+get_fname+"" where artistname = ""+getUserName+"" "); %>
          alert("First name is updated to <%=get_fname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set fname= ""+get_fname+"' where username = ""+getUserName+"" "); %>
        <script>
          alert("First name is updated to <%=get_fname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
 try{
    String get_Iname = "";
    String getUserName = "";
    get_Iname = request.getParameter("Iname");
    if(request.getParameter("Iname_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set Iname= ""+get_Iname+"" where artistname = ""+getUserName+"" "); %>
          alert("Last name is updated to <%=get_Iname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
```

```
if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set Iname= ""+get_Iname+"" where username = ""+getUserName+"" "); %>
        <script>
          alert("Last name is updated to <%=get_Iname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
    }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
 try{
    String get_email = "";
    String getUserName = "";
    get_email = request.getParameter("email");
    if(request.getParameter("email_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set email= ""+get_email+"" where artistname = ""+getUserName+"" "); %>
        <script>
          alert("Email address is updated to <%=get_email%>");
          window.location.href = 'http://localhost: 8084/MusicSpot/admin/edit.jsp'; \\
        </script>
      <%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set email= ""+get_email+"" where username = ""+getUserName+"" "); %>
        <script>
          alert("Email address is updated to <%=get_email%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
```

```
}
%>
 try{
    String get_dob = "";
    String getUserName = "";
    get_dob = request.getParameter("dob");
    if(request.getParameter("dob_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set dob= ""+get_dob+"" where artistname = ""+getUserName+"" "); %>
        <script>
          alert("Date of Birth is updated to <%=get_dob%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set dob= ""+get_dob+"" where username = ""+getUserName+"" "); %>
        <script>
          alert("Date of Birth is updated to <%=get_dob%>");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
      <%}
    }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
<%
 try{
    if(request.getParameter("oldpswd_btn") != null){
      String getUserName = "";
      String getOldPswd = "";
      String setPSWD = "";
      String getPSWD = request.getParameter("oldpswd");
      out.print(getPSWD);
      setPSWD = request.getParameter("set_pswd");
```

```
if(session.getAttribute("artistname") != null){
    getUserName = session.getAttribute("artistname").toString();
    JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getUserName+"" ");
    while(JOConnction.rs.next()){
         getOldPswd = JOConnction.rs.getString("password");
    if(getPSWD.equals(getOldPswd)){
         JOConnction.st.executeLargeUpdate("update artists set password= ""+setPSWD+"" where artistname = ""+getUserName+"" "); %>
        <script>
            alert("Password has changed to <%=setPSWD%>");
            window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
    <%}
   else{ %>
   <script>
        alter("Password Does not Metch...");
        window.location.href = 'http://localhost:8084/MusicSpot/execude_update.jsp';
   </script>
    <%}
if(session.getAttribute("username") != null){
    getUserName = session.getAttribute("username").toString();
    JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getUserName+"" ");
    while(JOConnction.rs.next()){
         getOldPswd = JOConnction.rs.getString("password");
    }
    if(getPSWD.equals(getOldPswd)){
         \label{localization} JOConnction.st. execute Large Update ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"""); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+"" "); %> 1.00 ("update users set password= ""+set PSWD+"" where username = ""+get UserName+" ""+set PSWD+" where username = ""+set P
        <script>
            alert("Password has Changed to <%=setPSWD%>");
            window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
   <%}
   else{ %>
   <script>
        alter("Password Does not Metch...");
        window.location.href = 'http://localhost:8084/MusicSpot/execude_update.jsp';
    </script>
    <%}
```

```
}
   }catch (Exception ex){
      out.print("artist qur error...:" + ex);
   }
  %>
  <%
   try{
      String getUserName = "";
      String getPSWD1 = "";
      String getPSWD2 = "";
      if(request.getParameter("pswd_btn") != null){
        getPSWD1 = request.getParameter("pswd");
        getPSWD2 = request.getParameter("pswd2");
   if(getPSWD1.equals(getPSWD2)){ %>
    <div class="block">
      <div class="block_wr">
        <form action="execude_update.jsp?set_pswd=<%=getPSWD1%>" method="POST">
          <label for="oldpswd"> Enter Your old Password to set new password </label> <br>
          <input type="password" name="oldpswd" placeholder="Enter Old Password....">
          <input type="submit" name="oldpswd_btn" class="btns" value="Change Password">
        </form>
      </div>
    </div>
        <%}
        else{ %>
        <script>
          alert("Password Does not Metch...");
          window.location.href = 'http://localhost:8084/MusicSpot/admin/edit.jsp';
        </script>
        <%}
   }catch (Exception ex){
      out.print("artist qur error...:" + ex);
   }
</body>
```

<!-- ************ HOME ******************************

```
<@@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
    String getusername = "";
    if(session.getAttribute("username") != null){ getusername = session.getAttribute("username").toString();}
    if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString();}
          if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \} if(session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} if(session.getAttribute("artistname") == null) \} if(session.getAttribute("artistname") == null) \} if(session.getAttribute("artistname") ==
%>
<jsp:include page="user_main_left.jsp" />
          <div class="main_right" >
              <h3 style="font-size: 32px; color: #fd9a00; margin: 15px 0 0 25px;">Artists you may Like</h3>
              <div class="line-3">
                    <%
                        JOConnction.rs = JOConnction.st.executeQuery("select TOP(6) * from artists ORDER BY num_songs desc ");
                        while(JOConnction.rs.next()){%>
                              <div class="conteiner-3">
                                   <div class="werper">
                                        <a href="artist_profile.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>"><img</pre>
src="<%=JOConnction.rs.getString("img")%>" alt=""></a>
                                             <h4><%=JOConnction.rs.getString("fname")%><%=JOConnction.rs.getString("lname")%></h4>
                                   </div>
                              </div>
                         <%}%>
               </div>
               <div class="bottum">
                    <%
                        JOConnction.rs = JOConnction.st.executeQuery("select * from songs ORDER BY song_id desc ");
                         while(JOConnction.rs.next()){%>
                              <div class="S_list" style="display: flex; margin-bottom:20px">
                                   <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
```

```
<div class="detail">
                                        <h2> <%=JOConnction.rs.getString("name")%> </h2>
                                        @<%=JOConnction.rs.getString("artistname")%>
                                   </div>
                                   <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
                                   <iframe src='like.jsp?song_id=<%=JOConnction.rs.getString("song_id")%>' style='border: 0px;height: 30px;width: 70px;position:
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                   < if rame\ src='addd ToPlist.jsp?song\_id=<\%=JOConnction.rs.getString("song\_id")\%>'style='border:\ 0px;height:\ 30px;width:\ 10px;height:\ 10
195px;position: relative;top: 25px;' scrolling='no'></iframe><!-- -->
                                   <!--<img id="plist" src="assets/images/plistBTN.png" alt="" onclick="plistbtn()">-->
                             </div>
                         <%}
                   %>
               </div>
         </div>
    </div>
<jsp:include page="footer.jsp" />
<!-- **************** INDEX *********************************
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Welcome To MusicSpot</title>
    <link rel="stylesheet" href="assets/css/index_style.css">
    <link rel="stylesheet" href="assets/css/footer_style.css">
</head>
<body>
    <div class="benner" style="background-image: url(assets/images/wave.jpg); background-repeat: round; background-size: contain;">
          <header>
              <div class="logo" style="float: left;">
                   <img src="assets/images/logo.png" alt="MusicSpot" width="70px">
               </div>
               <div class="links">
                   <a href="index.jsp">Home</a> |
                   <a href="signin.jsp">Sign In</a> |
```

```
<a href="register.jsp">Sign Up</a> |
       <a href="#">About US</a> |
       <a href="#">feedback</a>
      </div>
    </header>
    <main>
     <div class="first">
       <div class="fs_wer">
         <h1> Welcome to World of <span>Music</span></h1>
       </div>
     </div>
 </div>
    </main>
  <footer>
    <div class="footer">
      <div class="footer_pages">
       <span style="padding-left: 60px;"> All right reserved �2020 by MusicSpot </span><br>
       <span> <a href="index.jsp">privesy policy</a> |
       <a href="signin.jsp">About us</a> |
       <a href="#">Contact us</a> |
       <a href="#">Developer</a> |
       <a href="admin/login.jsp"> Admin </a> </span>
      </div>
    </div>
 </footer>
</body>
</html>
<!-- ******** LEFT MENU BAAR (ADMIN) ********** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
 String getusername = "";
 String print_img = "";
 String Fname = "";
 String Iname = "";
```

```
int num_fowl = 0;
 int num_songs = 0;
 if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
 else{ response.sendRedirect("login.jsp"); }
 try{
   JOConnction.rs = JOConnction.st.executeQuery("select * from admin where admin_username = ""+getusername+"");
    while(JOConnction.rs.next()){
     print_img = JOConnction.rs.getString("img");
     Fname = JOConnction.rs.getString("fname");
     lname = JOConnction.rs.getString("Iname");
   }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
<jsp:include page="header.jsp" />
    <div class="main_part">
     <div class="main_left">
       <div class="user_ing">
         <img src="../<%=print_img%>" alt="User" style="max-height: 150px;">
         <h3> <b><%=Fname%> <%=Iname%> </b> <br><getusername%></span></h3>
       </div>
       <div class="playlists" style="margin: 50px">
         <a href="admin_home.jsp"> <h4 style=" margin-bottom: 20px;"><img src="../assets/images/dashboard.png" style="height: 20px;">
Dashboard </h4> </a>
         <a href="user.jsp"> <h4 style=" margin-bottom: 20px;"><img src="../assets/images/user.png" style="height: 25px;"> User </h4> </a>
         <a href="artist.jsp" ><h4 style=" margin-bottom: 20px;"><img src="../assets/images/Artist 1.png" style="max-height: 20px;"> Artists
</h4> </a>
         <a href="song.jsp" ><h4 style=" margin-bottom: 20px;"><img src="../assets/images/music-track.png" style="max-height: 20px;">Songs
</h4> </a>
       </div>
     </div>
```

```
<@page import="java.sql.ResultSet"%>
<@page import="java.sql.Statement"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
     String getusername = "";
     String plist_name = "";
     String userid = "";
     int song_id = 0;
     String songName = "";
     String getSongName = "";
     int num_song_like = 0;
     Statement stArtist_id = JOConnction.conn.createStatement();
     Statement stSongName = JOConnction.conn.createStatement();
     Statement stSongAction = JOConnction.conn.createStatement();
     Statement likeUpdate = JOConnction.conn.createStatement();
// int song_id = 0;
      try{
           if(session.getAttribute("artistname") != null){
                getusername = session.getAttribute("artistname").toString();
                ResultSet rs = stArtist_id.executeQuery("select * from artists where artistname = ""+getusername+""");
               while (rs.next()){
                     userid = rs.getString("artist_id");
           if(session.getAttribute("username") != null){
              getusername = session.getAttribute("username").toString();
               ResultSet\ rs = stArtist\_id.executeQuery("select\ *\ from\ users\ where\ username = ""+getusername+""");
               while (rs.next()){
                    userid = rs.getString("user_id");
              }
          if(session.getAttribute("username") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ \{ response.sendRedirect("signin.jsp"); \} \\ [ if(session.getAttribute("artistname") == null) \\ [ if(session.
     }catch(Exception ex){
          out.print("Uppler 1111111 half..: \n"+ ex);
     }
     try{
           if(request.getParameter("song_id") != null){
```

```
song_id = Integer.parseInt(request.getParameter("song_id"));
      ResultSet rs2 = stSongName.executeQuery("select * from songs where song_id = ""+song_id+""");
      while (rs2.next()){
        getSongName = rs2.getString("name");
        songName = ","+getSongName+",";
        num_song_like = Integer.parseInt(rs2.getString("num_likes"));
      }
    }
  }catch(Exception ex){
    out.print("Uppler 22222222 half..: \n"+ ex);
  }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link rel="stylesheet" type="text/css" href="assets/style.css">
    <style type="text/css">
      .S_list #like, #plist {
        cursor: pointer;
        height: 20px;
        width: 20px;
        margin: 0 10px;
        position: relative;
        top: 35px;
        filter: invert(100%) sepia(94%) saturate(929%) hue-rotate(183deg) brightness(121%) contrast(101%);
      . forms \{\\
        display: flex;
        justify-content: space-between;
      .btns{
        background: #fca311; border: none; border-radius: 3px; padding: 3px 10px; cursor: pointer; color: white;
      }
```

```
</style>
    </head>
    <body>
          <div class="forms">
                <%
                     try{
                            if(request.getParameter("like_song") != null){
                                 int song_id2 = Integer.parseInt(request.getParameter("song_id"));
                                 JOConnction.rs = JOConnction.st.executeQuery("select * from favorites where user_name = ""+getusername+""");
                                 if ( JOConnction.rs.next ()) \{\\
                                       \label{local_constraints} JOConnction.st. execute Update ("update favorites set song\_name = CONCAT (song\_name, "+getSongName+",") where user\_name = CONCAT (song\_name, "-fgetSongName+",") where user\_name = CONCAT (song\_name+",") where use
""+getusername+""");
                                }
                                 else{
                                  String qur = "insert into favorites(user_name, song_name) values(""+getusername+"",""+songName+"")";
                                  JOConnction.st.executeUpdate(qur);
                                  num_song_like++;
                                  like Update. execute Update ("update songs set num\_likes = ""+num\_song\_like+"" where name = ""+getSongName+"""); \\
                          <script> alert("Song Added to favorite succesfully :)"); </script>
                      <%
                          }
                     } catch(Exception ex){
                            out.print("Like Button...: " + ex);
                %>
                <%
                     try{
                       String rpsong = "";
                       String rp_song = "";
                       if(request.getParameter("unlike_song") != null)
                       {
                           int song_id2 = Integer.parseInt(request.getParameter("song_id"));
                           JOConnction.rs = JOConnction.st.executeQuery("select * from favorites where user_name = ""+getusername+"" ");
                           while(JOConnction.rs.next()){
                                 rpsong = JOConnction.rs.getString("song_name");
                          }
```

```
rp_song = rpsong.replace(songName, ",");
          String qur = "update favorites set song_name = ""+rp_song+"" where user_name = ""+getusername+"" ";
          JOConnction.st.executeUpdate(qur);
          num_song_like--;
          likeUpdate.executeUpdate("update songs set num_likes = ""+num_song_like+"" where name = ""+getSongName+""");
          <script>
            alert("Song removed from favorite succesfully:)");
          </script>
        <%}
        }catch(Exception ex){
          out.print("Unlike :" + ex);
        }
      %>
      try{
        String checkSong = "";
        ResultSet rsSongAction = stSongAction.executeQuery("select song_name from favorites where user_name = ""+getusername+"" ");
        while(rsSongAction.next()){
          checkSong = rsSongAction.getString("song_name");
//
            out.print(checkSong);
        }
        if(checkSong.contains(songName)){    //remove song from liked songs%>
           <form name="lick" action="like.jsp?song_id=<%=song_id%>" method="POST" >
             <input type="submit" class="btns" name ="unlike_song" value = "Unlike" >
           </form>
        <% }
        else{ //like Song%>
          <form name="lick" action="like.jsp?song_id=<%=song_id%>" method="POST" style="display: grid">
             <input type="submit" class="btns" name ="like_song" value = "Like" style="background: #3875C5;">
           </form>
        <%}
      }catch(Exception ex){
         out.print("\n hello...: \n" + ex);
      }
    <!--Add to play List Part-->
```

```
</div>
 </body>
</html>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*" %>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome To MusicSpot</title>
  <link rel="stylesheet" href="../assets/css/header_style.css">
  <link rel="stylesheet" href="../assets/css/footer_style.css">
  <link rel="shortcut icon" href="../assets/images/logo.png" type="image/x-icon">
  <link href="../assets/css/signin_style.css" rel="stylesheet" type="text/css"/>
</head>
<body>
    <header>
     <div class="logo" style="float: left;">
       <img src="../assets/images/logo.png" alt="MusicSpot" width="70px">
     </div>
     <div class="pages">
       <a href="index.jsp">Home</a> |
       <a href="signin.jsp">Sign In</a> |
       <a href="register.jsp">Sign Up</a> |
       <a href="#">About US</a> |
       <a href="#">feedback</a>
     </div>
    </header>
<body>
  <center>
  <div class="form">
   <h1> Admin Login.... </h1>
   <form action="login.jsp" method="GET">
```

```
<label for="username">Username</label><br>
    <input type="text" name="uname" id=""><br>
    <label for="pswd">Password</label> <br>
    <input type="password" name="pswd" id=""><br><br>
    <input type="submit" value="Login" name="login"><br>
    <% if(request.getParameter("login") != null)</pre>
     String uname = request.getParameter("uname");
     String pswd = request.getParameter("pswd");
     try
        JOConnction.JConnect();
        String qry = "select * from admin where admin_username=""+uname+"" and password=""+pswd+""";
        JOConnction.rs = JOConnction.st.executeQuery(qry);
        if(JOConnction.rs.next()){
          String admin = JOConnction.rs.getString("admin_username");
          session.setAttribute("admin", admin);
          response.sendRedirect("admin_home.jsp");
        }
        else{ %>
        <div id ="error">
          <Br><h4> <% out.print("Username or Password is incorect");%> </h4>
        </div>
        <%}
      }
      catch(Exception ex)
        System.out.println("Error :- " + ex);
      }
   }%>
  </form>
</div>
</center>
    <jsp:include page="../footer.jsp" />
```

```
<@page import="java.util.List"%>
<@page import="java.util.ArrayList"%>
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.srting_to_array"%>
  String getusername = "";
  String getPlistname = "";
  String pimg = "";
  String pname = "";
  String user = "";
  String[] song_ary = {};
  String songs = "";
  int i =0;
  getPlistname = request.getParameter("getPlistname");
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  if(session.getAttribute("artistname") != null) { getusername =
session.getAttribute("artistname").toString(); }
  if(session.getAttribute("username") == null && session.getAttribute("artistname") == null){    response.sendRedirect("signin.jsp"); }
  try{
    Statement st = JOConnction.conn.createStatement();
    ResultSet rs = st.executeQuery("select * from Playlists where name = ""+getPlistname+""");
    session.setAttribute("getPlistname", getPlistname);
    while(rs.next()){
      pimg = rs.getString("img");
      pname = rs.getString("name");
      user = rs.getString("user_name");
      songs = rs.getString("songs");
      song_ary = srting_to_array.convertSTRtoARY(songs);
  }catch (Exception ex){
    out.print("playlist qur error...:" + ex);
<% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%}%>
<% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <%}%>
<style>
  #btn {
```

```
padding: 5px 10px;
    background: #fca311;
    border: none;
    border-radius: 5px;
    color: white;
    cursor: pointer;
  #btn:hover{
    background: #ff253a;
 }
  .btns{
    background: #fca311; border: none; border-radius: 3px; padding: 3px 10px; cursor: pointer; color: white; position: relative; top: 35px;
 }
  . btns: hover \{\\
    background: #ff253a;
  .\mathsf{rmv}\_\mathsf{Plist}\,\{
    position: relative;
    top: 140px;
    left: 50px;
 }
</style>
  <%
    if(request.getParameter("rmv_Plist_btn") != null){
      String getPLname = session.getAttribute("getPlistname").toString();
      String getusernm = session.getAttribute("artistname").toString();
      String art_plists = "";
      String rp_plists = "";
      try{
        \label{local_condition} JOConnction.st. execute Query ("select * from artists where artistname = ""+getusernm+"""); \\
        while(JOConnction.rs.next()){
           art_plists = JOConnction.rs.getString("plist_name");
        rp_plists = art_plists.replace(getPLname,",");
        JOConnction.st.executeUpdate("delete from Playlists where name = ""+getPLname+"" ");
        JOConnction.st.executeUpdate("update artists set plist_name = ""+rp_plists+"" where artistname = ""+getusernm+"" ");
        %>
```

```
<script>
        alert("palylist removed Sucessfully...");
        window.location.href = 'http://localhost:8084/MusicSpot/palylist_page.jsp';
      </script>
    <%}catch (Exception ex){
      out.print("rmv Plist : " + ex + "<br>");
  }
%>
  <div class="main_right" style="color: #FF8A65;">
    <div class="breadcrumbs">
      <a href="artist_home.jsp">Home</a>
        <%=pname%>
       </div>
    <div class="upper">
      <img src="<%=pimg%>" alt="">
      <div class="detail">
        <h2> <%=pname%></h2>
        <h4>By @<%=user%></h4>
      </div>
      <div class="rmv_Plist">
        <form action="remove_plist.jsp?PList_name=<%=getPlistname%>" method="POST">
          <input type="submit" name="rmv_Plist_btn" id="btn" value="Remove Playlist" >
        </form>
      </div>
    </div>
    <div class="bottum">
     <%
       String song_name = "";
       try{
        for(i=0;i<song_ary.length;i++)
          song_name = song_ary[i];
          JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name = ""+song_name+""");
          while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
              <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
```

```
<div class="detail">
                                            <h2> <%=JOConnction.rs.getString("name")%> </h2>
                                            @<%=getusername%>
                                        </div>
                                        <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
                                        < if rame\ src='like.jsp?song\_id=<\%=JOConnction.rs.getString("song\_id")\%>'\ style='border:\ 0px; height:\ 30px; width:\ 70px; position:\ 10px; position:\ 10p
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                        <form action="RemoveSongFromPlist.jsp?song_name=<%=JOConnction.rs.getString("name")%>" method="POST" >
                                            <input type="submit" class="btns" name ="remove_song" value = "Remove Song" >
                                        </form>
                                   </div>
                             <%}
                        }
                   }catch (Exception ex){
                        out.print("song print ...:" + ex);
                   }
                    %>
              </div>
          </div>
     </div>
<!-- ********** SIGNIN ******************************
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*" %>
<!DOCTYPE html>
<jsp:include page="header.jsp" />
     <center>
     <div class="form">
          <div class="left_form">
                      <img src="assets/images/logo.jpg" alt=""/>-->
          </div>
          <div class="right_form">
              <form action="signin.jsp" method="GET">
                    <label for="role"> Are you a</label>
                    <U><input type="radio" name="role" value="user" required> User</u> or
                    <u><input type="radio" name="role" value="artist" required> Artist</u> ?<br><Br>
                    <label for="username">Username</label><br>
                    <input type="text" name="uname" id=""><br>
                    <label for="pswd">Password</label> <br>
                    <input type="password" name="pswd" id=""><br><br>
```

```
<input type="submit" value="Login" name="login"><br>
<% if(request.getParameter("login") != null)
{
 String uname = request.getParameter("uname");
 String pswd = request.getParameter("pswd");
 String role = request.getParameter("role");
 if(role.equals("user")){
    try
    {
       JOConnction.JConnect();
       String qry = "select * from users where username=""+uname+"" and password=""+pswd+""";
       JOConnction.rs = JOConnction.st.executeQuery(qry);
       if (JOConnction.rs.next()) \{\\
         String username = JOConnction.rs.getString("username");
         session.set Attribute ("username", username);\\
         response.sendRedirect("home.jsp");
       }
      else{ %>
      <div id ="error">
        <Br><h4> <% out.print("user name or Password is incorect");%> </h4>
      </div>
      <%}
    catch(Exception ex)
    {
      System.out.println("Error :- " + ex);
 }
 else{
    try{
      String qry2 = "select * from artists where artistname=""+uname+"" and password=""+pswd+""";
      JOConnction.rs = JOConnction.st.executeQuery(qry2);
      if(JOConnction.rs.next()){
        String artistname = JOConnction.rs.getString("artistname");
        session.setAttribute("artistname", artistname);
         response.sendRedirect("artist_home.jsp");
```

```
}
               else{ %>
               <div id ="error">
                <Br><h4> <% out.print("user name or Password is incorect");%> </h4>
               </div>
               <%}
            catch(Exception ex)
            {
              System.out.println("Error :- " + ex);
           }
          }
        } %>
      </form>
    </div>
  </div>
 </center>
<jsp:include page="footer.jsp" />
```



```
<%@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%
 String getusername = "";
 if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
 else{ response.sendRedirect("login.jsp"); }
%>
<jsp:include page="left.jsp" />
<style>
 input[type="submit"] {
    background: tomato;
    margin: 25px 10px;
    padding: 3px 10px;
    border: none;
    color: white;
```

```
border-radius: 3px;
  }
  . search\_user \, \{
    height: 80px;
    width: 100%;
  }
  . form1 \, \{ \,
    height: 100%;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
  }
  input[type="search"] {
    height: 35px;
    width: 60%;
    padding: 5px;
    border: none;
    border-radius: 5px;
  }
  .bottum .S_list {
    display: flex;
    width: 100%;
    position: relative;
    align-content: center;
    margin: 0 0 20px 0;
    justify-content: center;
  }
</style>
    <div class="main_right">
      <div class="werper">
        <div class="search_user">
           <form action="search_results.jsp" class="form1" method="POST">
             <input type="search" name="search_song" placeholder="Search User...">
```

```
<input type="submit" name="search_song_btn" value="Search" style="background: blueviolet; height: 35px;">
          </form>
        </div>
        <div class="bottum">
        <%
         JOConnction.rs = JOConnction.st.executeQuery("select * from songs ORDER BY num_likes desc ");
         while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
              <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
              <div class="detail">
                <h2> <%=JOConnction.rs.getString("name")%> </h2>
               @<%=getusername%>
              </div>
              <audio src="../<%=JOConnction.rs.getString("song_file")%>" controls></audio>
              <form action="delete.jsp?song_name=<%=JOConnction.rs.getString("name")%>" method="POST">
                <input type="submit" name="delete_btn_song" value="Delete Song" >
              </form>
              <form action="edit_song.jsp?song_name=<%=JOConnction.rs.getString("name")%>" method="POST">
                <input type="submit" name="edit_btn_song" value="Edit Song"</pre>
style="background: blueviolet;">
              </form>
            </div>
         <%}
       %>
      </div>
      </div>
    </div>
  </body>
</html>
<!-- ********** ARTIST (ADMIN) ***** ******** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
```

```
<@page import="UserInfo.user"%>
<%
  String getusername = "";
  if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
  else{ response.sendRedirect("login.jsp"); }
%>
<jsp:include page="left.jsp" />
<style>
  input[type="submit"] {
    background: tomato;
    margin: 25px 10px;
    padding: 3px 10px;
    border: none;
    color: white;
    border-radius: 3px;
  .search_user {
    height: 80px;
    width: 100%;
  }
  .form1 {
    height: 100%;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
  input[type="search"] {
    height: 35px;
    width: 60%;
    padding: 5px;
    border: none;
    border-radius: 5px;
  .bottum .S_list {
```

```
display: flex;
    width: 100%;
    position: relative;
    align-content: center;
    margin: 0 0 20px 0;
    justify-content: center;
 }
</style>
    <div class="main_right">
      <div class="werper">
        <div class="search_user">
          <form action="search_results.jsp" class="form1" method="POST">
            <input type="search" name="search_artist" placeholder="Search User...">
            <input type="submit" name="search_artist_btn" value="Search" style="background: blueviolet; height: 35px;">
          </form>
        </div>
        <div class="bottum">
        <%
          JOConnction.rs = JOConnction.st.executeQuery("select * from artists ORDER BY artist_id desc ");
          while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
               <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
               <div class="detail">
                 <h2> <%=JOConnction.rs.getString("fname")%> <%=JOConnction.rs.getString("lname")%> </h2>
                 <h5> @<%=JOConnction.rs.getString("artistname")%> </h5>
               <form action="delete.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>"
method="POST">
                 <input type="submit" name="delete_btn" value="Delete Artist" >
               </form>
               <form action="edit.jsp?artist_name=<%=JOConnction.rs.getString("artistname")%>" method="POST">
                 <input type="submit" name="edit_btn" value="Edit Artist" style="background: blueviolet;">
               </form>
            </div>
           <%}
```

<!-- ********* ARTIST HOME ************************

```
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  String print_img = "";
  String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
// if(session.getAttribute("username") != null){    getusername = session.getAttribute("username").toString();}
  if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString();}
  else{ response.sendRedirect("signin.jsp"); }
  try{
    JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getusername+""");
    while(JOConnction.rs.next()){
      num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
      num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
  }
<jsp:include page="main_left.jsp" />
    <div class="main_right" >
      <div class="upper_wreper">
```

```
<div class="profile_upper">
                              <img src="<%=print_img%>" alt="">
                              <div class="detail">
                                    <h2> <%=Fname%> <%=Iname%> </h2>
                                    <h4>followers <span> <%=num_fowl %></span></h4>
                                    <h4>Songs <span> <%=num_songs%> </span> </h4>
                                    <!-- <input type="submit" name="follow" value="Follow"> -->
                              </div>
                              <div class="about">
                                   <h4>About...</h4>
                                    </div>
                       </div>
                  </div>
                  <div class="profile_bottom">
                       <h2> Resent Added </h2> <br>
                       <div class="wreper">
                              <div class="line-2">
                              <h3> Playlists </h3>
                                    <%
                                          try{
                                                {\tt JOConnction.rs = JOConnction.st.executeQuery ("select TOP(5) * from Playlists where user\_name = ""+getusername+"" ORDER BY the properties of the proper
plist_id desc ");
                                                while(JOConnction.rs.next()){ %>
                                                      <div class="conteiner-2">
                                                            <div class="werper">
                                                                  <a href="playlist.jsp?getPlistname=<%=JOConnction.rs.getString("name")%>"><img
src="<%=JOConnction.rs.getString("img")%>" alt="">
                                                                        <h4> <%=JOConnction.rs.getString("name")%> </h4></a>
                                                            </div>
                                                      </div>
                                                <%}
                                          }catch (Exception ex){
                                                out.print("play list...:" + ex);
                                          }
                                    %>
                              </div>
                       </div>
                  </div>
                              <h3 style="margin: 0 0 0 20px;"> Songs </h3> <br>
```

```
<div class="bottum">
                  <%
                       JOConnction.rs = JOConnction.st.executeQuery("select * from songs where artistname = ""+getusername+"' ORDER BY song_id desc ");
                       while(JOConnction.rs.next()){%>
                            <div class="S_list" style="display: flex; margin-bottom:20px">
                                 <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
                                 <div class="detail">
                                     <h2> <%=JOConnction.rs.getString("name")%> </h2>
                                     @<%=getusername%>
                                 </div>
                                 <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
                                 < if rame\ src='like.jsp?song\_id=<\%=JOConnction.rs.getString("song\_id")\%>'\ style='border:\ 0px; height:\ 30px; width:\ 70px; position:\ 10px; position:\ 10p
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                 <iframe src='adddToPlist.jsp?song_id=<%=JOConnction.rs.getString("song_id")%>' style='border: 0px;height: 30px;width:
190px;position: relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                 <!--<img id="plist" src="assets/images/plistBTN.png" alt="" onclick="plistbtn()">-->
                            </div>
                       <%}
                  %>
              </div>
          </div>
    </div>
<jsp:include page="footer.jsp" />
<!-- ********** aRTIST MAIN HEADER ********** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
    String getusername = "";
    String print_img = "";
    String Fname = "";
    String Iname = "";
    int num_fowl = 0;
    int num_songs = 0;
// if(session.getAttribute("username") != null){ getusername = session.getAttribute("username").toString();}
    if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString();}
```

```
else{ response.sendRedirect("signin.jsp"); }
 try{
    \label{eq:joconnection} JOConnction.st.executeQuery("select* from artists where artistname = ""+getusername+"");
    while(JOConnction.rs.next()){
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="assets/fontawesome-free-5.15.1-web/css/all.css" type="text/css"/>
  <link rel="stylesheet" href="assets/css/footer_style.css">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
  <link rel="shortcut icon" href="assets/images/logo.png" type="image/x-icon">
  <title>MusicSpot</title>
  <script>
    function menuToggle(){
      const toggleMenu = document.querySelector('.menu');
      toggleMenu.classList.toggle('active');
    }
  </script>
  <style>
    .breadcrumbs {
      font-family: Helvetica, Arial, sans-serif;
      margin: 0;
      padding: 1em;
      background-color: rgba(227, 227, 227, 0);
      /* Regular breadcrumbs */
```

```
.breadcrumbs ul {
list-style-type: none;
margin: 0;
padding: 2em;
color: #333;
.breadcrumbs li {
display: inline-block;
position: relative;
padding-right: 2em;
margin: 0;
}
. breadcrumbs\ li: after\ \{
  content: '>';
  position: absolute;
  display: inline-block;
  right: 0;
  width: 2em;
  text-align: center;
. breadcrumbs\ li: last-child\ \{
font-weight: bold;
.breadcrumbs li:last-child:after {
  content: ";
}
.breadcrumbs a {
text-decoration: none;
display: inline-block;
color: #333;
white-space: nowrap;
. breadcrumbs\ a: hover\ \{
  text-decoration: underline;
.breadcrumbs .collapsed li {
overflow: hidden;
```

```
.breadcrumbs .collapsed li:after {
        background: rgb(227,227,227);
        background: linear-gradient(90deg, rgb(227 227 227 / 0%) 0%, rgb(86 86 86) 35%);
        padding-left: 1em;
      .breadcrumbs .collapsed a {
     max-width: 2em;
     transition: max-width 300ms ease-in-out;
      .breadcrumbs .collapsed a:hover,
      .breadcrumbs .collapsed a:focus,
      .breadcrumbs .collapsed li:hover a {
        max-width: 1000px;
     }
      .breadcrumbs .collapsed li:hover:after {
        padding-left: 0em;
        background: transparent;
     }
 </style>
</head>
<body>
  <div class="header">
    <div class="header_left">
     <a href="mainheader.html"><img src="assets/images/logo.png" alt="MusicSpot" height="40px" style="background-color: white;"></a>
    </div>
    <div class="search">
     <form action="searchResults.jsp">
        <input type="search" name="search_btn" placeholder="Search song...">
        <i class="fa fa-search"></i>
       </form>
    </div>
    <div class="header_right">
      <div class="inner"style="display: flex;">
        <div class="action">
          <div class="profile" onclick="menuToggle();">
            <img src="<%=print_img%>" alt="HEllo">
          </div>
          <div class="menu">
            <h3> <b><%=Fname%> <%=Iname%> </b> <br> <span> <%=getusername %> </span></h3>
```

```
        <a href="#"> <img src="assets/images/user.png" alt=""> My profile</a>
        <a href="update_profile.jsp"> <img src="assets/images/edit.png" alt=""> Edit Profile</a>
        <a href="upload_song_form.jsp"> <img src="assets/images/up-arrow.png" alt=""> Upload Song</a>

        </div></div></div></div></div></div></div></div></div>
```

```
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  String artist_name = "";
  String print_img = "";
  String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
  artist_name = request.getParameter("artist_name");
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  if (session.get Attribute ("artistname") != null) \{ get username = session.get Attribute ("artistname").to String (); \} \\
  if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
  try{
    JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+artist_name+""");
    while(JOConnction.rs.next()){
      num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
      num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
```

```
}
 }catch (Exception ex){
   out.print("artist qur error...:" + ex);
 }
%>
<% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%}%>
<div class="main_right" >
      <div class="breadcrumbs">
       <a href="home.jsp">Home</a>
         <%=artist_name%>
        </div>
      <div class="upper_wreper">
       <div class="profile_upper">
         <img src="<%=print_img%>" alt="">
         <div class="detail">
           <h2> <%=Fname%> <%=Iname%> </h2>
           <h4>followers <span> <%=num_fowl %></span></h4>
           <h4>Songs <span> <%=num_songs%> </span> </h4>
           <%
             String artist_names_from_users = "";
             String artist_names_comm = "";
             artist_names_comm = ","+artist_name+",";
             JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getusername+"" ");
             while(JOConnction.rs.next()){
              artist_names_from_users = JOConnction.rs.getString("flw_artist");
             if(artist_names_from_users.contains(artist_names_comm)){%>
              <form action="follow_artist.jsp?artist_name=<%=artist_name%>" method="POST">
                <input id="follow" type="submit" name="Unfollow" value="Unfollow" style="background: #FF8A65;">
              </form>
             <%}
             else{ %>
              <form action="follow_artist.jsp?artist_name=<%=artist_name%>" method="POST">
                <input id="follow" type="submit" name="follow" value="Follow">
              </form>
```

```
<%}%>
                                             </div>
                                              <div class="about">
                                                      <h4>About...</h4>
                                                      </div>
                                    </div>
                                    <div class="profile_bottom">
                                    <h2> Resent Added </h2> <br>
                                    <h3 style="margin: 0 0 0 20px;"> Songs </h3> <br>
                            <div class="bottum">
                                    <%
                                            JOConnction.rs = JOConnction.st.executeQuery("select * from songs where artistname = ""+artist_name+" ORDER BY song_id desc ");
                                             while(JOConnction.rs.next()){%>
                                                      <div class="S_list" style="display: flex; margin-bottom:20px">
                                                               <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
                                                               <div class="detail">
                                                                        <h2> <%=JOConnction.rs.getString("name")%> </h2>
                                                                        @<%=JOConnction.rs.getString("artistname")%>
                                                               </div>
                                                               <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
                                                               < if rame\ src='like.jsp?song\_id=<\%=JOConnction.rs.getString("song\_id")\%>'\ style='border:\ 0px; height:\ 30px; width:\ 70px; position:\ 10px; position:\ 10p
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                                               <\!iframe\ src='adddToPlist.jsp?song\_id=<\!\%=JOConnction.rs.getString("song\_id")\%''\ style='border:\ 0px;height:\ 30px;width:\ 10px;height:\ 1
190px;position: relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                                               <!--<img id="plist" src="assets/images/plistBTN.png" alt="" onclick="plistbtn()">-->
                                                      </div>
                                             <%}
                                   %>
                            </div>
                           </div>
                    </div>
         </body>
</html>
```

```
<jsp:include page="header.jsp" />
<center>
  <div class="form">
    <h1> Sign Up here for Artist... </h1><br> <br>
    <form action="artist_register.jsp" method="POST">
      <label for="fname">First Name</label>
      <input type="text" name="fname" class="text" required value="<% if (session.getAttribute("fname") != null ) {</pre>
out.print(session.getAttribute("fname")); } %>"> <br>
      <label for="Iname">Last Name</label>
      <input type="text" name="lname" class="text" required value="<% if (session.getAttribute("lname") != null ) {</pre>
out.print(session.getAttribute("Iname")); } %>"> <br>
      <label for="username">Artist Name</label>
      <input type="text" name="username" class="text" required value="<% if (session.getAttribute("uname") != null ) {</pre>
out.print(session.getAttribute("uname")); } %>"> <br>
      <label for="psws">Password</label>
      <input type="password" name="pswd" class="text" required value="<% if (session.getAttribute("pswd") != null ) {</pre>
out.print(session.getAttribute("pswd")); } %>"> <br>
      <label for="email">Email</label>
      <input type="email" name="email" class="text" required value="<% if (session.getAttribute("email") != null ) {</pre>
out.print(session.getAttribute("email")); } %>"> <br>
      <label for="DOB">Date of Birth</label>
      <input type="date" name="dob" id="dob" required value="<% if (session.getAttribute("dob") != null ) {</pre>
out.print(session.getAttribute("dob")); } %>"> <br>
      <label for="Gender">Gender</label>
      <input type="radio" name="gender" value="male" required> Male
      <input type="radio" name="gender" value="female" required> Female <Br>
      <input type="submit" value="signup" name="signup"><br>
      <% if(request.getParameter("signup") != null)
      {%>
        <@page import="java.util.ArrayList"%>
        <@page import="java.sql.*" %>
        <%@page import="DBConnect.JOConnction"%>
        <%
          String fname = request.getParameter("fname");
          session.setAttribute("fname", fname);
```

```
String Iname = request.getParameter("Iname");
           session.setAttribute("Iname", Iname);
           String uname = request.getParameter("username");
           session.setAttribute("uname", uname);
           String pswd = request.getParameter("pswd");
           session.setAttribute("pswd", pswd);
           String email = request.getParameter("email");
           session.setAttribute("email", email);
           String dob = request.getParameter("dob");
           session.setAttribute("dob", dob);
           String gender = request.getParameter("gender");
//
             String pro_pic = "";
           ArrayList error_array = new ArrayList();
           int ans = 0;
          try
          {
             JOConnction.JConnect();
             JOConnction.rs = JOConnction.st.executeQuery("select * from artists where email=""+email+""");
             if (JOConnction.rs.next() ) {%>
                  <Br><h4> <% out.print("Email already exist"); ans = 1; %> </h4> <%</pre>
             }
             JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname=""+uname+""");
             if (JOConnction.rs.next()) {%>
                  <Br><h4> <% out.print("Artist name already exist"); ans = 1; %> </h4> <%</pre>
             }
             if(uname.length() < 4 \mid \mid uname.length() > 20) \{\% >
                  <Br><h4> <% out.print("User Name Must be between 4 to 20 charectors"); ans = 1; %> </h4> <%</pre>
             }
             if(fname.length() < 4 | | fname.length() > 25){ %>
               <Br><h4> <% out.print("First Name Must be between 4 to 25 charactors"); ans = 1; %> </h4> <%</pre>
             }
             if(lname.length() < 4 \mid | lname.length() > 25){ %>
               <Br><h4> <% out.print("Last Name Must be between 4 to 25 charectors"); ans = 1; %> </h4> <%</pre>
             }
             if(pswd.length() < 4 \mid \mid pswd.length() > 45){\%}
               <Br><h4> <% out.print("Password Must be between 4 to 40 charectors"); ans = 1; %> </h4> <%</pre>
             }
             if(ans == 0){
               String pro_pic = "";
               if(gender.equals("male")){
```

```
pro_pic = "assets/images/male.png";
               if(gender.equals("female")){
                 pro_pic = "assets/images/female.png";
               }
               JOConnction.st.executeUpdate("insert into artists(artistname, password, Fname, Lname, img, email, dob, gender)
values(""+uname+"", ""+pswd+"", ""+fname+"", ""+lname+"", ""+pro_pic+"", ""+email+"", ""+dob+"", ""+gender+"")");
               out.print("hello Daan");
               session.setAttribute("artistname", uname);
               response.sendRedirect("artist_home.jsp");
               }catch (Exception ex){
                 out.print("error" + ex);
               }
           catch(Exception ex)
             System.out.println("Error :- " + ex);
          }
        %>
    </form>
  </div>
</center>
<jsp:include page="footer.jsp" />
```

```
<%@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
<%
    String getusername = "";
    String artist_name = "";
    String print_img = "";
    String Fname = "";
    String Iname = "";</pre>
```

```
String email = "";
  String dob = "";
  int num_fowl = 0;
  int num_songs = 0;
  if(session.getAttribute("username") != null){ getusername = session.getAttribute("username").toString();}
  if (session.get Attribute ("artistname") != null) \{ get username = session.get Attribute ("artistname").to String (); \} \\
  if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Update User details </title>
    <style>
      .block {
        height: 90vh;
        width: 97%;
        /* background: aqua; */
        padding: 20px;
        display: grid;
        color: white;
        place-content: center;
      .block_wr {
        background: #673ab7;
        height: 200px;
        width: 400px;
        display: grid;
        place-content: center;
        line-height: 40px;
        border: none;
        box-shadow: 10px 20px 30px #311b92;
        border-radius: 20px;
      input[type="password"] {
        height: 25px;
        padding: 5px;
```

```
border: none;
        border-radius: 5px;
      input.btns {
        height: 35px;
        border: none;
        border-radius: 5px;
        background: cornflowerblue;
        color: white;
      input.btns:hover {
        background: #2b73f3;
      }
    </style>
  </head>
  <body>
    <%
      try{
        String get_fname = "";
        String getUserName = "";
        get_fname = request.getParameter("firs_tname");
        if(request.getParameter("fname_btn") != null){
          if(session.getAttribute("artistname") != null){
            getUserName = session.getAttribute("artistname").toString();
            JOConnction.st.executeLargeUpdate("update artists set fname= ""+get_fname+"" where artistname = ""+getUserName+"" "); %>
            <script>
              alert("First name is updated to <%=get_fname%>");
              window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
            </script>
          <%}
          if(session.getAttribute("username") != null){
            getUserName = session.getAttribute("username").toString();
            JOConnction.st.executeLargeUpdate("update users set fname=
""+get_fname+"" where username = ""+getUserName+"" "); %>
            <script>
              alert("First name is updated to <%=get_fname%>");
              window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
            </script>
```

```
<%}
    }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
<%
 try{
    String get_Iname = "";
    String getUserName = "";
    get_Iname = request.getParameter("Iname");
    if(request.getParameter("Iname_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set lname= ""+get_lname+"" where artistname = ""+getUserName+"" "); %>
        <script>
          alert("Last name is updated to <%=get_Iname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
      <%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set Iname= ""+get_Iname+"" where username = ""+getUserName+"" "); %>
        <script>
          alert("Last name is updated to <%=get_Iname%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
      <%}
    }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
<%
 try{
    String get_email = "";
```

```
String getUserName = "";
    get_email = request.getParameter("email");
    if(request.getParameter("email_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set email= ""+get_email+"" where artistname = ""+getUserName+"" "); %>
          alert("Email address is updated to <%=get_email%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
      <%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set email= ""+get_email+"" where username = ""+getUserName+"" "); %>
          alert("Email address is updated to <%=get_email%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
      <%}
    }
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
 try{
    String get_dob = "";
    String getUserName = "";
    get_dob = request.getParameter("dob");
    if(request.getParameter("dob_btn") != null){
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.st.executeLargeUpdate("update artists set dob= ""+get_dob+"" where artistname = ""+getUserName+"" "); %>
          alert("Date of Birth is updated to <%=get_dob%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
```

```
<%}
      if(session.getAttribute("username") != null){
        getUserName = session.getAttribute("username").toString();
        JOConnction.st.executeLargeUpdate("update users set dob= "'+get_dob+"' where username = "'+getUserName+"' "); %>
        <script>
          alert("Date of Birth is updated to <%=get_dob%>");
          window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
        </script>
      <%}
 }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
<%
  try{
    if(request.getParameter("oldpswd_btn") != null){
      String getUserName = "";
      String getOldPswd = "";
      String setPSWD = "";
      String getPSWD = request.getParameter("oldpswd");
      out.print(getPSWD);
      setPSWD = request.getParameter("set_pswd");
      if(session.getAttribute("artistname") != null){
        getUserName = session.getAttribute("artistname").toString();
        JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getUserName+"" ");
        while(JOConnction.rs.next()){
          getOldPswd = JOConnction.rs.getString("password");
        if(getPSWD.equals(getOldPswd)){
          JOConnction.st.executeLargeUpdate("update artists set password= ""+setPSWD+"" where artistname = ""+getUserName+"" "); %>
          <script>
            alert("Password has changed to <%=setPSWD%>");
            window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
          </script>
        <%}
        else{ %>
        <script>
```

```
alter("Password Does not Metch...");
                      window.location.href = 'http://localhost:8084/MusicSpot/execude_update.jsp';
                 </script>
                <%}
            if(session.getAttribute("username") != null){
                 getUserName = session.getAttribute("username").toString();
                 \label{local_constraint} \mbox{JOConnction.rs} = \mbox{JOConnction.st.executeQuery("select * from users where username = ""+getUserName+"" ");}
                 while(JOConnction.rs.next()){
                       getOldPswd = JOConnction.rs.getString("password");
                 if(getPSWD.equals(getOldPswd)){
                       \label{localization} JOConnction.st. execute Large Update ("update users set password= ""+setPSWD+"" where username = ""+getUserName+"" "); %> 1.00 (""+setPSWD+""); %> 1
                      <script>
                           alert("Password has Changed to <%=setPSWD%>");
                           window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
                      </script>
                <%}
                else{ %>
                <script>
                      alter("Password Does not Metch...");
                      window.location.href = 'http://localhost:8084/MusicSpot/execude_update.jsp';
                </script>
                <%}
}catch (Exception ex){
      out.print("artist qur error...:" + ex);
try{
     String getUserName = "";
     String getPSWD1 = "";
      String getPSWD2 = "";
     if(request.getParameter("pswd_btn") != null){
           getPSWD1 = request.getParameter("pswd");
           getPSWD2 = request.getParameter("pswd2");
if(getPSWD1.equals(getPSWD2)){ %>
```

} %> <%

```
<div class="block">
       <div class="block wr">
         <form action="execude_update.jsp?set_pswd=<%=getPSWD1%>" method="POST">
           <label for="oldpswd"> Enter Your old Password to set new password </label> <br>
           <input type="password" name="oldpswd" placeholder="Enter Old Password....">
           <input type="submit" name="oldpswd_btn" class="btns" value="Change Password">
         </form>
       </div>
     </div>
         <%}
         else{ %>
         <script>
           alert("Password Does not Metch...");
           window.location.href = 'http://localhost:8084/MusicSpot/update_profile.jsp';
         </script>
          <%}
       }
     }catch (Exception ex){
       out.print("artist qur error...:" + ex);
     }
   %>
 </body>
</html>
  <@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
<%
 String getusername = "";
 String songs = "";
 String[] song_ary = {};
 if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
 if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString();}
```

```
if(session.getAttribute("username") == null && session.getAttribute("artistname") == null){    response.sendRedirect("signin.jsp"); }
 try{
   Statement st = JOConnction.conn.createStatement();
   ResultSet rs = st.executeQuery("select * from favorites where user_name = ""+getusername+""");
   while(rs.next()){
     songs = rs.getString("song_name");
     song_ary = srting_to_array.convertSTRtoARY(songs);
   }
 }catch (Exception ex){
   out.print("playlist qur error...:" + ex);
 }
%>
<div class="main_right" style="color: #FF8A65;">
     <div class="breadcrumbs">
       <a href="artist_home.jsp">Home</a>
        Favorite Songs
       </div>
     <div class="bottum">
       <%
        int i = 0;
        String song_name = "";
        try{
          for (i=0; i< song\_ary.length; i++)
            song_name = song_ary[i];
            JOConnction.rs = JOConnction.st.executeQuery("select * from songs where name = ""+song_name+""");
            while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
              <img id="simg" src="<%=JOConnction.rs.getString("img")%>" alt="">
              <div class="detail">
               <h2> <%=JOConnction.rs.getString("name")%> </h2>
               @<%=getusername%>
              </div>
              <audio src="<%=JOConnction.rs.getString("song_file")%>" controls></audio>
```

```
< if rame \ src='like.jsp? song\_id=<\%=JOConnction.rs.getString("song\_id")\%>' \ style='border: 0px; height: 30px; width: 70px; position: 10px; height: 30px; height: 30px; width: 70px; position: 10px; height: 30px; 
relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                                       <iframe src='adddToPlist.jsp?song_id=<%=JOConnction.rs.getString("song_id")%>' style='border: 0px;height: 30px;width:
190px;position: relative;top: 25px;' scrolling='no'></iframe> <!-- -->
                                                </div>
                                                <%}
                                 }catch (Exception ex){
                                 out.print("song print ...:" + ex);
                          }
                    </div>
             </div>
      </div>
<!-- ********* FOLLOW ARTIST PAGE ********** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%@page import="UserInfo.srting_to_array"%>
      String getusername = "";
      String artist_name = "";
      String print_img = "";
      String Fname = "";
      String Iname = "";
```

if(session.getAttribute("username") != null){ getusername = session.getAttribute("username").toString();}
if(session.getAttribute("artistname") != null){ getusername = session.getAttribute("artistname").toString();}

 $\label{eq:joint-substant-sub$

if(session.getAttribute("username") == null && session.getAttribute("artistname") ==

num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));

int num_fowl = 0; int num_songs = 0;

try{

null){ response.sendRedirect("signin.jsp"); }

while(JOConnction.rs.next()){

print_img = JOConnction.rs.getString("img");

```
Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
  }
%>
<% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%}%>
<\% if (session.getAttribute("username") != null) { %> < jsp:include page="user_main_left.jsp" /> < \%} \%> 
    <div class="main_right" style="color: #FF8A65;">
      <div class="breadcrumbs">
        \label{eq:constraint} $$ \le sin(session.getAttribute("artistname") != null) $$ $ \le href="artist_home.jsp">Home</a> 
             <% if(session.getAttribute("username") != null){ %> <a href="home.jsp">Home</a> <%}%>
           Artists you Follow 
          </div>
      <div class="line-3">
      <%
        try{
          String[] artist_ary = {};
          int i = 0;
          String artists = "";
          String one_artist = "";
          JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getusername+"" ");
           while(JOConnction.rs.next()){
             artists = JOConnction.rs.getString("flw_artist");
          artist_ary = srting_to_array.convertSTRtoARY(artists);
           for(i=0;i<artist_ary.length;i++)
             one_artist = artist_ary[i];
             JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+one_artist+"");
             while(JOConnction.rs.next()){ %>
                 <div class="conteiner-3">
                   <div class="werper">
                      <\!a href="artist\_profile.jsp?artist\_name=<\!\%=\! JOConnction.rs.getString("artistname")\%\!>"><\!img
src="<%=JOConnction.rs.getString("img")%>" alt=""></a>
```

```
<h4><%=JOConnction.rs.getString("fname")%> <%=JOConnction.rs.getString("lname")%></h4>
                   </div>
                 </div>
            <%}%>
        <% }
        }catch (Exception ex){
          out.print("artist qur error...:" + ex);
        }%>
      </div>
    </div>
  </body>
</html>
<!-- ********* FOLLOW ARTIST ********************************
<@page import="java.sql.ResultSet"%>
<@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  String artist_name = "";
  String print_img = "";
  String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
  artist_name = request.getParameter("artist_name");
  if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
  if (session.get Attribute ("artistname") != null) \{ get username = session.get Attribute ("artistname").to String (); \} \\
  if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
  try{
    {\sf JOConnction.rs = JOConnction.st.executeQuery("select * from artists where}
artistname = ""+artist_name+""");
    while(JOConnction.rs.next()){
      num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
```

num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));

```
print_img = JOConnction.rs.getString("img");
                Fname = JOConnction.rs.getString("fname");
                lname = JOConnction.rs.getString("Iname");
           }
     }catch (Exception ex){
           out.print("artist qur error...:" + ex);
     }
%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
     <head>
           <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
           <title>JSP Page</title>
     </head>
     <body>
            <%
                try{
                       if(request.getParameter("follow") != null){
                          String get_artist_name = request.getParameter("artist_name");
                           num_fowl++;
                           \label{lowers} {\sf JOConnction.st.executeUpdate("update artists set followers = CONCAT(followers, '"+getusername+",'), num\_followers = '"+num\_fowl+'''} \\ {\sf IOConnction.st.executeUpdate("update artists set followers = CONCAT(followers, '"+getusername+",'), num\_followers = '"+num\_fowl+'''} \\ {\sf IOConnction.st.executeUpdate("update artists set followers = CONCAT(followers, '"+getusername+",'), num\_followers = '"+num\_fowl+'''} \\ {\sf IOConnction.st.executeUpdate("update artists set followers = CONCAT(followers, '"+getusername+",'), num\_followers = '"+num\_fowl+'''} \\ {\sf IOConnction.st.executeUpdate("update artists set followers, update artists set followers, upda
where artistname = ""+artist_name+"" ");
                           JOConnction.st.executeUpdate("update users set flw_artist =
CONCAT(flw_artist, ""+artist_name+",") where username = ""+getusername+"" "); %>
                           <script>
                                alert("You Started Following '<%=Fname%> <%=Iname%>'...");
                                  window.location.href = 'http://localhost:8084/MusicSpot/artist\_profile.jsp?artist\_name = < \% = artist\_name \% >'; \\
                           </script>
                       <%}
                }catch (Exception ex){
                      out.print("artist follw error...:" + ex);
                }
           %>
            <%
                try{
                      String get_flws_name_from_artistT = "";
                      String get_artist_name_from_userT = "";
```

```
String remove_flw_name_from_artist = "";
                 String remove_artist_name_from_user = "";
                 String username_comm = "";
                 String artistName_comm = "";
                 if(request.getParameter("Unfollow") != null){
                    String get_artist_name = request.getParameter("artist_name");
                    JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+artist_name+"" ");
                    while(JOConnction.rs.next()){
                        get_flws_name_from_artistT = JOConnction.rs.getString("followers");
                    username_comm = ","+getusername+",";
                    remove_flw_name_from_artist = get_flws_name_from_artistT.replace(username_comm, ",");
                    \label{local_continuity} JOConnction.st. execute Update ("update artists set followers = ""+remove_flw_name_from_artist+"", num_followers = ""+num_fowl+"" ("update artists set followers = ""+remove_flw_name_from_artist+"", num_followers = ""+num_fowl+"" ("update artists set followers = ""+remove_flw_name_from_artist+"", num_followers = ""+num_fowl+"" ("update artists set followers = ""+remove_flw_name_from_artist+"", num_followers = ""+num_fowl+"" ("update artists set followers = ""+remove_flw_name_from_artist+""), num_followers = ""+num_fowl+" ("update artists set followers = ""+remove_flw_name_from_artist+""), num_followers = ""+num_fowl+" ("update artists set followers = ""+remove_flw_name_from_artist+""), num_followers = ""+num_fowl+" ("update artists set followers = ""+remove_flw_name_from_artist+" ("update artists set followers = ""+remove_flw_name_from_artist+"), num_followers = ""+num_fowl+" ("update artist+"), num_fowl+" (
where artistname = ""+artist_name+"" ");
                    JOConnction.rs = JOConnction.st.executeQuery("select * from users where username = ""+getusername+"" ");
                    while(JOConnction.rs.next()){
                        get_artist_name_from_userT = JOConnction.rs.getString("flw_artist");
                    artistName_comm = ","+artist_name+",";
                    remove_artist_name_from_user = get_artist_name_from_userT.replace(artistName_comm, ",");
                    ""+getusername+"" "); %>
                    <script>
                        alert("You just Unfollowed '<%=Fname%> <%=Iname%>'...");
                          window.location.href = 'http://localhost:8084/MusicSpot/artist_profile.jsp?artist_name<%=artist_name%>';
                    </script>
                <% }
            }catch (Exception ex){
                 out.print("artist Unfollow error...:" + ex);
            }
    </body>
</html>
            <footer>
            <div class="footer">
```

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%
 String getusername = "";
  String print_img = "";
 String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
  if(session.getAttribute("admin") != null){ getusername = session.getAttribute("admin").toString();}
  else{ response.sendRedirect("login.jsp"); }
  try{
    \label{eq:joconnction} JOConnction.st.executeQuery ("select* from admin where admin_username = ""+getusername + """); \\
    while(JOConnction.rs.next()){
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
 }
%>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="../assets/fontawesome-free-5.15.1-web/css/all.css" type="text/css"/>
  <link rel="stylesheet" href="../assets/css/footer_style.css">
  <link rel="stylesheet" href="../assets/css/style.css" type="text/css"/>
  <link rel="shortcut icon" href="../assets/images/logo.png" type="image/x-icon">
  <title>MusicSpot</title>
  <style>
    .breadcrumbs {
      font-family: Helvetica, Arial, sans-serif;
      margin: 0;
      padding: 1em;
      background-color: rgba(227, 227, 227, 0);
      }
      /* Regular breadcrumbs */
      .breadcrumbs ul {
      list-style-type: none;
      margin: 0;
      padding: 2em;
      color: #333;
      .breadcrumbs li {
      display: inline-block;
      position: relative;
      padding-right: 2em;
      margin: 0;
      .breadcrumbs li:after {
        content: '>';
        position: absolute;
        display: inline-block;
        right: 0;
        width: 2em;
        text-align: center;
```

```
}
.breadcrumbs li:last-child {
font-weight: bold;
}
.breadcrumbs li:last-child:after {
  content: ";
.breadcrumbs a {
text-decoration: none;
display: inline-block;
color: #333;
white-space: nowrap;
.breadcrumbs a:hover {
  text-decoration: underline;
/* Collapsed breadcrumbs */
.breadcrumbs .collapsed li {
overflow: hidden;
.breadcrumbs .collapsed li:after {
  background: rgb(227,227,227);
  background: linear-gradient(90deg, rgb(227 227 227 / 0%) 0%, rgb(86 86 86) 35%);
  padding-left: 1em;
.breadcrumbs .collapsed a {
max-width: 2em;
transition: max-width 300ms ease-in-out;
.breadcrumbs .collapsed a:hover,
.breadcrumbs .collapsed a:focus,
.breadcrumbs .collapsed li:hover a {
  max-width: 1000px;
}
. breadcrumbs\ . collapsed\ li:hover: after\ \{
  padding-left: 0em;
```

```
background: transparent;
      }
  </style>
</head>
<body>
  <div class="header">
    <div class="header_left">
      <a href="../mainheader.html"><img src="../assets/images/logo.png" alt="MusicSpot" height="40px" style="background-color: white;"></a>
    </div>
    <div class="right_portion" style="width: 70%; color: white;">
      <span style="float: right;margin: 5px 0;background: tomato;padding: 5px 10px;border: none;border-radius: 3px;"> <a href="../logout.jsp">
Logout </a> </span>
    </div>
  </div>
<!-- ********** HEADER ******************************
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome To MusicSpot</title>
  <link rel="stylesheet" href="assets/css/header_style.css">
  <link rel="stylesheet" href="assets/css/footer_style.css">
  <link rel="shortcut icon" href="assets/images/logo.png" type="image/x-icon">
  <link href="assets/css/signin_style.css" rel="stylesheet" type="text/css"/>
</head>
<body>
    <header>
      <div class="logo" style="float: left;">
        <img src="assets/images/logo.png" alt="MusicSpot" width="70px">
      </div>
      <div class="pages">
        <a href="index.jsp">Home</a> |
        <a href="signin.jsp">Sign In</a> |
        <a href="register.jsp">Sign Up</a> |
        <a href="#">About US</a> |
        <a href="#">feedback</a>
```

```
</div>
    </header>
<%@page import="javafx.scene.control.Alert"%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>LogOut</title>
  </head>
  <body>
    <%
     session.removeAttribute("username");
     session.removeAttribute("password");
     session.invalidate();
     response.sendRedirect("signin.jsp");
  </body>
</html>
<!-- ******** LEFT MENUBAAR (ARTIST) ********** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%
 String getusername = "";
 String print_img = "";
 String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
// if(session.getAttribute("username") != null){    getusername = session.getAttribute("username").toString();}
  if (session.get Attribute ("artistname") != null) \{ get username = session.get Attribute ("artistname").to String(); \} \\
  else{ response.sendRedirect("signin.jsp"); }
  try{
   JOConnction.rs = JOConnction.st.executeQuery("select * from artists where artistname = ""+getusername+""");
```

```
while(JOConnction.rs.next()){
                     print_img = JOConnction.rs.getString("img");
                    Fname = JOConnction.rs.getString("fname");
                    lname = JOConnction.rs.getString("Iname");
              }
       }catch (Exception ex){
              out.print("artist qur error...:" + ex);
      }
<\% if (session.getAttribute ("artistname") != null) { %> < jsp:include page="artist_mainHeader.jsp" /> < \%} %> < jsp:in
<% if(session.getAttribute("username") != null){ %> <jsp:include page="mainHeader.jsp" /> <%}%>
  <div class="main_part">
       <div class="main_left">
                            <div class="user_ing">
                                    <img src="<%=print_img%>" alt="User" style="max-height: 150px;">
                                    <h3> <b><%=Fname%> </b> <br><getusername%></span></h3>
                             </div>
                                    <% if(session.getAttribute("artistname") != null){ %>
                                    <div class="upload_action">
                                           <a href="upload_song_form.jsp"> Upload Song </a>
                                    </div>
                          <% } %>
                            <div class="playlists">
                                   <\!a\,href="createPlayList.jsp"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!Add\,playlist.jsp"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!h4\,style="\,margin-bottom:\,20px;"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!h4\,style="\,margin-bottom:\,20px;"><\!img\,src="assets/images/plus.png"\,height="20px"><\!img\,src="assets/images/plus.png"\,height="20px"><\!img\,src="assets/images/plus.png"\,height="20px"><\!img\,src="assets/images/plus.png"><\!img\,src="assets/images/plus.png"><\!img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</img\,src="assets/images/plus.png"><</a>>
</h4> </a>
                                    <a href="palylist_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/plistBTN.png" alt="Music albums"
style="max-height: 20px;"> Play lists </h4></a>
                                    <a href="favorites_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/favorite.png" alt="Favorites" style="max-</pre>
height: 20px;"> Favorites </h4> </a>
                                   <a href="flw_artists_page.jsp" ><h4 style=" margin-bottom: 20px;"><img src="assets/images/Artist 1.png" alt="Artists" style=" max-
height: 20px;"> Artists you Follow </h4> </a>
                             </div>
                      </div>
```

```
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<%@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
  String getusername = "";
  String print_img = "";
  String Fname = "";
  String Iname = "";
  int num_fowl = 0;
  int num_songs = 0;
  if(session.getAttribute("username") != null) \{ getusername = session.getAttribute("username").toString(); \} \\
  else{ response.sendRedirect("signin.jsp"); }
  try{
    \label{local_condition} JOConnction.st. execute Query ("select * from users where username = ""+getusername+"""); \\
    while(JOConnction.rs.next()){
      print_img = JOConnction.rs.getString("img");
      Fname = JOConnction.rs.getString("fname");
      lname = JOConnction.rs.getString("Iname");
    }
  }catch (Exception ex){
    out.print("artist qur error...:" + ex);
  }
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="assets/fontawesome-free-5.15.1-web/css/all.css" type="text/css"/>
  <link rel="stylesheet" href="assets/css/footer_style.css">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
  <link rel="shortcut icon" href="assets/images/logo.png" type="image/x-icon">
  <title>MusicSpot</title>
  <script>
    function menuToggle(){
      const toggleMenu = document.querySelector('.menu');
      toggleMenu.classList.toggle('active')
    }
```

```
</script>
<style>
  .breadcrumbs {
    font-family: Helvetica, Arial, sans-serif;
    margin: 0;
    padding: 1em;
    background-color: rgba(227, 227, 227, 0);
    /* Regular breadcrumbs */
    .breadcrumbs ul {
    list-style-type: none;
    margin: 0;
    padding: 2em;
    color: #333;
    .breadcrumbs li {
    display: inline-block;
    position: relative;
    padding-right: 2em;
    margin: 0;
    . breadcrumbs\ li: after\ \{
      content: '>';
      position: absolute;
      display: inline-block;
      right: 0;
      width: 2em;
      text-align: center;
    .breadcrumbs li:last-child {
    font-weight: bold;
    . breadcrumbs\ li: last-child: after\ \{
      content: ";
    .breadcrumbs a {
    text-decoration: none;
    display: inline-block;
```

```
color: #333;
      white-space: nowrap;
      .breadcrumbs a:hover {
        text-decoration: underline;
      .breadcrumbs .collapsed li {
      overflow: hidden;
      .breadcrumbs .collapsed li:after {
        background: rgb(227,227,227);
        background: linear-gradient(90deg, rgb(227 227 227 / 0%) 0%, rgb(86 86 86) 35%);
        padding-left: 1em;
      }
      .breadcrumbs .collapsed a {
      max-width: 2em;
      transition: max-width 300ms ease-in-out;
      .breadcrumbs .collapsed a:hover,
      .breadcrumbs .collapsed a:focus,
      .breadcrumbs .collapsed li:hover a {
        max-width: 1000px;
      .breadcrumbs .collapsed li:hover:after {
        padding-left: 0em;
        background: transparent;
      }
 </style>
</head>
<body>
  <div class="header">
    <div class="header_left">
      <\!\!a\,href="mainheader.html"><\!\!img\,src="assets/images/logo.png"\,alt="MusicSpot"\,height="40px"\,style="background-color:\,white;"></a>
    </div>
    <div class="search">
      <form action="searchResults.jsp">
        <input type="search" name="search_btn" placeholder="Search song...">
        <i class="fa fa-search"></i>
       </form>
```

```
</div>
    <div class="header_right">
      <div class="inner"style="display: flex;">
        <div class="action">
          <div class="profile" onclick="menuToggle();">
            <img src="<%=print_img%>" alt="HEllo">
          </div>
          <div class="menu">
            <h3> <b><%=Fname%> <%=Iname%> </b> <br> <span> <%=getusername %> </span></h3>
              <a href="#"> <img src="assets/images/user.png" alt=""> My profile</a>
              <a href="update_profile.jsp"> <img src="assets/images/edit.png" alt=""> Edit Profile</a>
              <a href="artist_register.jsp"> <img src="assets/images/microphone.png" alt=""> Became artist</a>
              <a href="logout.jsp"> <img src="assets/images/log-out.png" alt=""></a>
LogOut</a>
            </div>
        </div>
      </div>
    </div>
 </div>
<!-- ********** PLAYLIST PAGE ********** -->
<@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
<@page import="java.sql.*"%>
<@page import="UserInfo.user"%>
<%
 String getusername = "";
 int num_fowl = 0;
 int num_songs = 0;
 if (session.get Attribute ("username") != null) \{ get username = session.get Attribute ("username").to String (); \} \\
 if (session.get Attribute ("artistname") != null) \{ get username = session.get Attribute ("artistname").to String (); \} \\
 if(session.getAttribute("username") == null \&\& session.getAttribute("artistname") == null) \{ response.sendRedirect("signin.jsp"); \} \\
 try{
   \label{eq:joconnection} JOConnction.st.executeQuery("select* from artists where artistname = ""+getusername+"");
    while(JOConnction.rs.next()){
      num_fowl = Integer.parseInt(JOConnction.rs.getString("num_followers"));
```

```
num_songs = Integer.parseInt(JOConnction.rs.getString("num_songs"));
          }
     }catch (Exception ex){
          out.print("artist qur error...:" + ex);
     }
%>
<\% if(session.getAttribute("artistname") != null){ %> <jsp:include page="main_left.jsp" /> <%} %> <jsp:include page="main_left.jsp" /> <pr:include page="main_left.jsp" /> <
<% if(session.getAttribute("username") != null){ %> <jsp:include page="user_main_left.jsp" /> <%}%>
           <div class="main_right" style="color: #FF8A65;">
               <div class="page_main" style="height: 100vh">
                     <div class="wreper">
                           <div class="items" style="display: flex; flex-wrap: wrap; justify-content: flex-start; margin: 0 0 0 20px">
                                 <%
                                      try{
                                           JOConnction.rs = JOConnction.st.executeQuery("select * from Playlists where user_name = ""+getusername+""");
                                           while(JOConnction.rs.next()){ %>
                                            <div class="conteiner-2" style="width: 180px; height: 205px;">
                                                       <div class="werper">
                                                            <\!a\,href="playlist.jsp?getPlistname=<\!\%=\!JOConnction.rs.getString("name")\%\!>"><\!img
src="<%=JOConnction.rs.getString("img")%>" alt="">
                                                                  <h4> <%=JOConnction.rs.getString("name")%> </h4></a>
                                                       </div>
                                                 </div>
                                            <%}
                                      }catch (Exception ex){
                                           out.print("play list...:" + ex);
                                      }
                                 %>
                           </div>
                     </div>
                 </div>
<!-- *********** PLAY LIST (ADMIN) **************************
<%@page import="java.sql.ResultSet"%>
<%@page import="DBConnect.JOConnction"%>
```

```
<@page import="java.sql.*"%>
<%@page import="UserInfo.user"%>
<%
  String getusername = "";
  if (session.get Attribute ("admin") != null) \{ get username = session.get Attribute ("admin").to String (); \} \\
  else{ response.sendRedirect("login.jsp"); }
<jsp:include page="left.jsp" />
<style>
  input[type="submit"] {
    background: tomato;
    margin: 25px 10px;
    padding: 3px 10px;
    border: none;
    color: white;
    border-radius: 3px;
  .search_user {
    height: 80px;
    width: 100%;
  .form1 {
    height: 100%;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
  }
  input[type="search"] {
    height: 35px;
    width: 60%;
    padding: 5px;
    border: none;
    border-radius: 5px;
  .bottum .S_list {
    display: flex;
```

```
width: 100%;
    position: relative;
    align-content: center;
    margin: 0 0 20px 0;
   justify-content: center;
</style>
    <div class="main_right">
      <div class="werper">
        <div class="search_user">
          <form action="" class="form1" method="POST">
            <input type="search" name="search" placeholder="Search User...">
            <input type="submit" name="search_btn" value="Search" style="background: blueviolet; height: 35px;">
          </form>
        </div>
        <div class="bottum">
          JOConnction.rs = JOConnction.st.executeQuery("select * from playlists ORDER BY plist_id desc ");
          while(JOConnction.rs.next()){%>
            <div class="S_list" style="display: flex; margin-bottom:20px">
              <img id="simg" src="../<%=JOConnction.rs.getString("img")%>" alt="">
              <div class="detail">
                <h2> <%=JOConnction.rs.getString("name")%> </h2>
                <h5> @<%=JOConnction.rs.getString("user_name")%> </h5>
              </div>
              <form action="delete.jsp?pl_name=<%=JOConnction.rs.getString("name")%>" method="POST">
                <input type="submit" name="delete_btn" value="Delete Playlist" >
              </form>
              <form action="edit.jsp?pl_name=<%=JOConnction.rs.getString("name")%>" method="POST">
                <input type="submit" name="edit_btn_plist" value="Edit Playlist" style="background: blueviolet;">
              </form>
            </div>
          <%}
        %>
      </div>
      </div>
    </div>
 </body>
</html>
```

Bibliography

During the project we were getting help to our college faculties and we also referred few books and get help on search engines. The following books I refer to this project. The bibliography contains reference to all the documents that were used to develop the webapplication.

Books:

- ✓ JavaEEglashfish 3 application server
- **✓ J2EE Complete Reference**
- √ SQL for MYSQL Developers

Websites:

www.w3schools.com

www.stackoverflow.com

Conclusion

It was a grate learning experience for us. This project is very helpful in our life. After this project also we are very impress from Back-end Front-end used in website. This is useful for any one how wants to create a Social Media website.

We are really thankful to our faculties and assistance first for giving us chance to make a website and having a faith and supporting to us during whole website, without we are not able to make our website successfully.

We here by conclude this report, which gives information regarding the development and use of the application with an overview of different aspect us of it. Thus, at end of this we all would like to status this as fun with persistence and dedication.