

PIZZA SALES SQL QUERIES

1. Total Revenue

```
SELECT SUM(total_price) AS Total_Revenue  
FROM pizza_sales;
```

Results		Messages
Total_Revenue		
1	817860.05083847	

2. Average order value

```
select sum(total_price) / count(distinct order_id) as Average_Order_Value  
from pizza_sales;
```

Results		Messages
Average_Order_Value		
1	38.3072623343546	

3. Total pizza sold

```
select sum(quantity) as Total_Pizz_Sold  
from pizza_sales;
```

Results		Messages
Total_Pizz_Sold		
1	49574	

4. Total orders

```
select count(distinct order_id) AS Total_Orders  
FROM pizza_sales;
```

Results		Messages
Total_Orders		
1	21350	

5. Average pizzas per order

```
SELECT cast(cast(SUM(quantity) as decimal(10,2)) /
cast(COUNT(DISTINCT order_id) as decimal(10,2)) as decimal(10,2)) AS Average_Orders
FROM pizza_sales;
```

Results Messages	
	Average_Orders
1	2.32

6. Daily Trend for Total Orders

```
SELECT DATENAME(DW, order_date) as Order_day, COUNT(DISTINCT order_id) AS Total_orders
FROM pizza_sales
GROUP BY DATENAME(dw, order_date);
```

Results Messages		
	Order_day	Total_orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

7. Monthly Trend for Total Orders

```
SELECT DATENAME(month, order_date) AS Month_Name, COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY DATENAME(month, order_date)
ORDER BY Total_Orders DESC;
```

Results Messages		
	Month_Name	Total_Orders
1	July	1935
2	May	1853
3	January	1845
4	August	1841
5	March	1840
6	April	1799
7	November	1792
8	June	1773
9	February	1685
10	December	1680
11	September	1661
12	October	1646

8. Percentage of sales by Category

```
SELECT pizza_category, sum(total_price) as Total_Sales,
round(SUM(total_price) * 100 /
(select sum(total_price) from pizza_sales),2) AS sales_percentage
from pizza_sales
Group by pizza_category;
```

	pizza_category	Total_Sales	sales_percentage
1	Classic	220053.100021362	26.91
2	Chicken	195919.5	23.96
3	Veggie	193690.451004028	23.68
4	Supreme	208196.99981308	25.46

9. Percentage of sales by pizza size

```
SELECT pizza_size, cast(sum(total_price) as decimal(10,2)) as Total_Sales,
cast(SUM(total_price) * 100 /
(select sum(total_price) from pizza_sales where DATEPART(quarter, order_date) = 1) as decimal(10,2)) AS PCT
from pizza_sales
where DATEPART(quarter, order_date) = 1
Group by pizza_size
ORDER BY PCT desc;
```

	pizza_size	Total_Sales	PCT
1	L	95229.65	46.37
2	M	61159.00	29.78
3	S	45384.25	22.10
4	XL	3289.50	1.60
5	XXL	287.60	0.14

10. Top 5 pizza name by revenue

```
SELECT TOP 5 pizza_name, SUM(total_price) as Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue DESC;
```

	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

11. Low price top 5 pizzas by revenue

```
SELECT TOP 5 pizza_name, SUM(total_price) as Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue asc;
```

Results Messages		
	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

12. Best seller Pizza

```
SELECT TOP 5 pizza_name, SUM(quantity) as Total_quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_quantity DESC;
```

Results Messages		
	pizza_name	Total_quantity
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371