

```

<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="Site.master.cs"
Inherits="RainbowSchoolDbAzure.Site" %>

<!DOCTYPE html>

<html>
<head runat="server">
    <title></title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-C6RzsynM9kWDrmNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <asp:ContentPlaceHolder ID="head" runat="server">
    </asp:ContentPlaceHolder>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <nav class="navbar navbar-expand-lg bg-body-tertiary">
                <div class="container-fluid">

                    <asp:HyperLink ID="HyperLink1" runat="server" CssClass="navbar-brand"
NavigateUrl="~/Home.aspx">SMS</asp:HyperLink>
                    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
                        <span class="navbar-toggler-icon"></span>
                    </button>
                    <div class="collapse navbar-collapse" id="navbarNav">
                        <ul class="navbar-nav">
                            <li class="nav-item">
                                <asp:HyperLink ID="HyperLink2" runat="server" CssClass="navbar-brand"
NavigateUrl="~/Home.aspx">Home</asp:HyperLink>
                                </li>
                            <li class="nav-item">
                                <asp:HyperLink ID="HyperLink3" runat="server" CssClass="navbar-brand"
NavigateUrl="~/Student.aspx">Students Data</asp:HyperLink>
                                </li>
                            </ul>
                        </div>
                    </div>
                </nav>
            </div>
            <div>
                <asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">
                </asp:ContentPlaceHolder>
            </div>
        </form>
    </body>
</html>

```

```

<%@ Page Title="" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeBehind="Home.aspx.cs"
Inherits="RainbowSchoolDbAzure.Home" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
        .auto-style1{
            width:100%;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">
    <table class="auto-style1">
        <tr>
            <td><h2 class="text-center">Rainbow School Students Management web
form</h2></td>
        </tr>
        <tr>
            <td>&nbsp;</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
        </tr>
    </table>
</asp:Content>

<%@ Page Title="" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeBehind="Student.aspx.cs"
Inherits="RainbowSchoolDbAzure.Student" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    <style type="text/css">
        .auto-style1{
            width:100%;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
runat="server">

    <table class="w-100">
        <tr>
            <td><h2 class="text-center">Rainbow School Students Data</h2></td>
        </tr>
        <tr>
            <td>
                <asp:GridView ID="GDView" runat="server" CellPadding="4"
ForeColor="#333333" GridLines="None" AllowPaging="True" AllowSorting="True"
AutoGenerateColumns="False" DataKeyNames="Sid" DataSourceID="SqlDataSource1">
                    <AlternatingRowStyle BackColor="White" ForeColor="#284775" />
                    <Columns>
                        <asp:CommandField ShowSelectButton="True" />
                        <asp:BoundField DataField="Sid" HeaderText="Sid"
ReadOnly="True" SortExpression="Sid" />
                        <asp:BoundField DataField="Sname" HeaderText="Sname"
SortExpression="Sname" />
                        <asp:BoundField DataField="SClass" HeaderText="SClass"
SortExpression="SClass" />
                    </Columns>
                </td>
            </tr>
        </table>

```

```

                <asp:BoundField DataField="Smarks" HeaderText="Smarks"
SortExpression="Smarks" />
            </Columns>
            <EditRowStyle BackColor="#999999" />
            <FooterStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White" />
            <HeaderStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White" />
            <PagerStyle BackColor="#284775" ForeColor="White"
HorizontalAlign="Center" />
            <RowStyle BackColor="#F7F6F3" ForeColor="#333333" />
            <SelectedRowStyle BackColor="#E2DED6" Font-Bold="True"
ForeColor="#333333" />
            <SortedAscendingCellStyle BackColor="#E9E7E2" />
            <SortedAscendingHeaderStyle BackColor="#506C8C" />
            <SortedDescendingCellStyle BackColor="#FFFDF8" />
            <SortedDescendingHeaderStyle BackColor="#6F8DAE" />
        </asp:GridView>
        <asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionString="<%%$ ConnectionStrings:RainbowSchoolDbConnectionString %>"
ProviderName="<%%$ ConnectionStrings:RainbowSchoolDbConnectionString.ProviderName %>"
SelectCommand="SELECT * FROM [Students]"></asp:SqlDataSource>
    </td>
    <td>&nbsp;</td>
</tr>
</table>

</asp:Content>

```