Experiment-3

Write a Servlet program that prints "Hello, World!" when accessed through a browser.

AIM:

To write a basic Servlet program that demonstrates the use of Java Servlets by printing "Hello, World!" when accessed through a browser.

ALGORITHM:

1. Input:
- The user makes an HTTP request (usually by entering a URL) through a browser.

2. Servlet Program Flow:
1. **Create a Servlet Class:**
   - Define a Java class that extends the HttpServlet class.
   - Override the doGet() method, which handles HTTP GET requests from the client (browser).
2. **Handle HTTP Request:**
   - In the doGet() method:
     - Get the **PrintWriter** object to write the response to the browser.
     - Set the response content type to **text/html**.
     - Write the **"Hello, World!"** message to the response.
3. **Compile the Servlet Class:**
   - Compile the Java Servlet file using the javac command to generate a .class file.
4. **Deploy the Servlet:**
   - Place the compiled servlet class file in the appropriate directory of the web application (typically in the /WEB-INF/classes folder).
   - Configure the servlet in the web.xml file of the web application or use annotations.
5. **Access the Servlet via Browser:**
   - Start the **Apache Tomcat** or another servlet container.
   - Access the servlet by entering the appropriate URL (e.g., http://localhost:8080/your-webapp/hello).

Program:

Hello.java**:**

```
package WTMA;

import java.io.*;

import  jakarta.servlet.ServletException;
import  jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import jakarta.servlet.annotation.*;
import java.io.PrintWriter;
@WebServlet("/hello")
public class Hello extends HttpServlet{
       /**
        *
        */
       private static final long serialVersionUID = 1L;
```

```
	public void doGet(HttpServletRequest request,HttpServletResponse response) throws
ServletException,IOException{
		response.setContentType("text/html");
		PrintWriter pw=response.getWriter();
		pw.println("<h1>Hello World<h1>");
	}
}
```

OUTPUT:



RESULT:

The browser will display the message "Hello, World!" returned by the Servlet.