Ahsanullah University of Science & Technology

Department of Computer Science and Engineering

Course No : CSE 2214

Course Title : Assembly Language Programming Sessional

Assignment no : 09

Date of Performance : 26.08.20

Date of Submission : 01.09.20

Submitted To : Ms.Tahsin Aziz & Md.Siam Ansary

Submitted By:

Name : Mahin opu

ID : 17.02.04.006

Year : 2nd

Semester : 2nd

Group : A1

Section : A

Question 1:

Write a program that lets the user enter time in seconds, up to 65535 and outputs the time as hours, minutes, and seconds.

Answer:

```
.MODEL SMALL
 .STACK 100H

 .DATA
  PROMPT_1  DB  'Enter the time in seconds up to 65535 : $'
  PROMPT_2  DB  0DH,0AH,'The time in HH:MM:SS format is : $'
  SEPARATOR DB  ' : $'

 .CODE
    MAIN PROC
    MOV AX, @DATA
    MOV DS, AX
    LEA DX, PROMPT_1
    MOV AH, 9
    INT 21H
    CALL INDEC
    PUSH AX
```

```
LEA DX, PROMPT_2
MOV AH, 9
INT 21H
POP AX
XOR DX,DX
MOV CX,3600
DIV CX
CMP AX, 10
JGE @HOURS
PUSH AX
MOV AX, 0
CALL OUTDEC
POP AX
@HOURS:
CALL OUTDEC
MOV AX,DX
PUSH AX
LEA DX, SEPARATOR
MOV AH, 9
INT 21H
POP AX
XOR DX,DX
```

```
MOV CX, 60
DIV CX
CMP AX, 10
JGE @MINUTES
PUSH AX
MOV AX, 0
CALL OUTDEC
POP AX
@MINUTES:
CALL OUTDEC
MOV BX,DX
LEA DX, SEPARATOR
MOV AH, 9
INT 21H
MOV AX, BX
CMP AX, 10
JGE @SECONDS
PUSH AX
MOV AX, 0
CALL OUTDEC
POP AX
@SECONDS:
```

```
 CALL OUTDEC
 MOV AH, 4CH
 INT 21H
MAIN ENDP
INDEC PROC
PUSH BX
PUSH CX
PUSH DX
JMP @READ
@SKIP_BACKSPACE:
MOV AH, 2
MOV DL, 20H
INT 21H
@READ:
XOR BX,BX
XOR CX,CX
XOR DX,DX
MOV AH, 1
INT 21H
CMP AL, "-"
JE @MINUS
CMP AL, "+"
```

```
JE @PLUS
JMP @SKIP_INPUT
@MINUS:
MOV CH, 1
INC CL
JMP @INPUT
@PLUS:
MOV CH, 2
INC CL
@INPUT:
 MOV AH, 1
 INT 21H
 @SKIP_INPUT:
 CMP AL, 0DH
 JE @JUMP_TO_END_INPUT
 CMP AL, 8H
 JNE @NOT_BACKSPACE
 CMP CH, 0
 JNE @CHECK_REMOVE_MINUS
CMP CL, 0
JE @SKIP_BACKSPACE
JMP @MOVE_BACK
```

```
 @JUMP_TO_END_INPUT:
  JMP @END_INPUT
  @CHECK_REMOVE_MINUS:
  CMP CH, 1
  JNE @CHECK_REMOVE_PLUS
 CMP CL, 1
 JE @REMOVE_PLUS_MINUS
@CHECK_REMOVE_PLUS:
 CMP CL, 1
JE @REMOVE_PLUS_MINUS
JMP @MOVE_BACK
 @REMOVE_PLUS_MINUS:
  MOV AH, 2
  MOV DL, 20H
  INT 21H
 MOV DL, 8H
 INT 21H
 JMP @READ
@MOVE_BACK:
MOV AX, BX
MOV BX, 10
DIV BX
```

```
MOV BX, AX
MOV AH, 2
MOV DL, 20H
INT 21H
MOV DL, 8H
 INT 21H

XOR DX, DX
DEC CL
JMP @INPUT
@NOT_BACKSPACE:
 INC CL
 CMP AL, 30H
 JL @ERROR
 CMP AL, 39H
  JG @ERROR
  AND AX, 000FH
 PUSH AX
 MOV AX, 10
  MUL BX
  MOV BX, AX
 POP AX
```

```
 ADD BX, AX
 JC @ERROR
 CMP CL, 5
 JG @ERROR
 JMP @INPUT
@ERROR:
 MOV AH, 2
 MOV DL, 7H
 INT 21H
XOR CH, CH
@CLEAR:
 MOV DL, 8H
INT 21H
MOV DL, 20H
INT 21H
MOV DL, 8H
INT 21H
LOOP @CLEAR
JMP @READ
@END_INPUT:
CMP CH, 1
JNE @EXIT
```

```
NEG BX
@EXIT:
MOV AX, BX
 POP DX
 POP CX
 POP BX
 RET
 INDEC ENDP
 OUTDEC PROC
  PUSH BX
  PUSH CX
  PUSH DX
  CMP AX, 0
  JGE @START
  PUSH AX
  MOV AH, 2
  MOV DL, "-"
  INT 21H
  POP AX
  NEG AX
  @START:
  XOR CX, CX
```

```
 MOV BX, 10
 @OUTPUT:
   XOR DX, DX
   DIV BX
   PUSH DX
   INC CX
   OR AX, AX
 JNE @OUTPUT
 MOV AH, 2
@DISPLAY:
POP DX
OR DL, 30H
INT 21H
LOOP @DISPLAY
 POP DX
 POP CX
 POP BX
 RET
OUTDEC ENDP
END MAIN
```

Question 2:

Write a program to find the greatest common divisor (GCD) of two integers M and N, according to the following algorithm:

* **Divide M by N, getting quotient Q and remainder R.**
* **If R = 0 then stop. N is the GCD of M and N.**
* **If R <> 0 replace M by N, N by R, and repeat step 1**

Answer:

```
MODEL SMALL
.STACK 100H
.DATA
MSG DB "ENTER THE VALUE OF M:$"
MSG1 DB 0DH,0AH,"ENTER THE VALUE OF N:$"
MSG2 DB 0DH,0AH,"THE GCD OF M AND N IS=$"
COUNT DW 0;
.CODE
MAIN PROC
   MOV AX,@DATA
   MOV DS,AX

   LEA DX,MSG
   MOV AH,9
```

```
INT 21H

CALL INDEC

PUSH AX
LEA DX,MSG1
MOV AH,9
INT 21H
CALL INDEC
MOV BX,AX
POP AX

REPEAT:
   XOR DX,DX
   DIV BX

   CMP DX,0
   JE END_LOOP

   MOV AX,BX
   MOV BX,DX
   JMP REPEAT
```

```
END_LOOP:
    LEA DX,MSG2
    MOV AH,9
    INT 21H

    MOV AX,BX
    CALL OUTDEC

    MOV AH,4CH
    INT 21H
    MAIN ENDP

INDEC PROC

    PUSH BX
    PUSH CX
    PUSH DX
    JMP READ

SKIP_BACKSPACE:
```

```
    MOV AH,2
    MOV DL,20H
    INT 21H
READ:

    XOR BX,BX
    XOR CX,CX
    XOR DX,DX

    MOV AH,1
    INT 21H

    CMP AL,"-"
    JE MINUS

    CMP AL,"+"
    JE PLUS
    JMP SKIP_INPUT

 MINUS:
    MOV CH,2
    INC CL
```

```
  JMP INPUT
PLUS:

  MOV CH,2
  INC CL

INPUT:
  MOV AH,1
  INT 21H

SKIP_INPUT:


  CMP AL,0DH
  JE END_INPUT

  CMP AL,8H
  JNE NOT_BACKSPACE

  CMP CH,0
  JNE CHECK_REMOVE_MINUS
```

```
    CMP CL,0
    JE SKIP_BACKSPACE
    JMP MOVE_BACK

CHECK_REMOVE_MINUS:

    CMP CH,1
    JNE CHECK_REMOVE_PLUS

    CMP CH,1
    JE REMOVE_PLUS_MINUS

CHECK_REMOVE_PLUS:

    CMP CL,1
    JE REMOVE_PLUS_MINUS
    JMP MOVE_BACK

REMOVE_PLUS_MINUS:

    MOV AH,2
    MOV DL,20H
```

```
    INT 21H

    MOV DL,8H
    INT 21H

    JMP READ

MOVE_BACK:

    MOV AX,BX
    MOV BX,10
    DIV BX

    MOV BX,AX

    MOV AH,2
    MOV DL,20H
    INT 21H

    MOV DL,8H
    INT 21H
```

```
XOR DX,DX
DEC CL
JMP INPUT

NOT_BACKSPACE:

INC CL

CMP AL,30H
JL ERROR

CMP AL,39H
JG ERROR
AND AX,000FH
PUSH AX

MOV AX,10
MUL BX

MOV BX,AX
POP AX
```

```
    ADD BX,AX
    JS ERROR

    JMP INPUT

ERROR:

    MOV AH,2
    MOV DL,7H
    INT 21H

    XOR CH,CH

CLEAR:

    MOV DL,8H
    INT 21H

    MOV DL,20H
    INT 21H

    MOV DL,8H
```

```
    INT 21H

    LOOP CLEAR
    JMP READ

END_INPUT:
    CMP CH,1
    JNE EXIT
    NEG BX

EXIT:
    MOV AX,BX
    POP DX
    POP CX
    POP BX

    RET
    INDEC ENDP
    OUTDEC PROC

        PUSH BX
        PUSH CX
```

```
    PUSH DX

    CMP AX,0
    JGE START

    PUSH AX
    MOV AH,2

    MOV DL,"-"
    INT 21H
    POP AX
    NEG AX

START:
    XOR CX,CX
    MOV BX,10

OUTPUT:

    XOR DX,DX
    DIV BX
```

```
    PUSH DX
    INC CX

    OR AX,AX
    JNE OUTPUT
    MOV AH,2

DISPLAY:
    POP DX
    OR DL,30H

    INT 21H
    LOOP DISPLAY

    POP DX
    POP CX
    POP BX
    RET
    OUTDEC ENDP
  END MAIN
```