Live SQL

My Session ⓘ

[Actions ⌄] [↺ Reset Session] [🖫 Save]

Sort [most recent first]   View [Statements and Results]

Statement 100

[✎] [▷] [🗑]

```
UPDATE student
SET 'phoneNumber'=9728346544, 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

Statement 99

[✎] [▷] [🗑]

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Download CSV
8 rows selected.

Live SQL

My Session ⓘ

[Actions ∨]   [↺ Reset Session]   [🖫 Save]   ONDA'

ORA-01747: invalid user.table.column, table.column, or column specification

---

Statement 97

✎ ▷ 🗑

```
UPDATE student
SET 'mobileNumber'=9728346544, 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

---

Statement 96

✎ ▷ 🗑

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Live SQL

My Session ⓘ

Actions ⌄   ⟲ Reset Session   💾 Save

ONDA'

```
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

---

Statement 94

✎ ▷ 🗑

```
select name,age,gender from student
```

NAME	AGE	GENDER
mahi	18	male
srikar	18	male
abhi	18	male
kush	20	female
mahi	18	male
srikar	18	male
abhi	18	male
kush	20	female

Download CSV
8 rows selected.

Statement 93

✎ ▷ 🗑

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL

Live SQL

My Session (i)   Actions ⌄   ⟳ Reset Session   💾 Save

					skolluru3@gitam.in
				am	abhi@gitam.in
				aka	kushi@gitam.in
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Download CSV
8 rows selected.

Statement **92**

✏ ▷ 🗑

insert into student values('kush',20,'female',8814697214,'hanumathwaka','kushi@gitam.in')

1 row(s) inserted.

Statement **91**

✏ ▷ 🗑

insert into student values('abhi',18,'male',9709814756,'Simhachalam','abhi@gitam.in')

1 row(s) inserted.

Statement **90**

✏ ▷ 🗑

select * from student

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in

Live SQL

skolluru3@gitam.in

My Session ⓘ

Actions ⌄　　　↺ Reset Session　　　💾 Save

Statement 89

✏️ ▷ 🗑️

```
insert into student values('srikar',18,'male',9782635956,'MVP','skolluru3@gitam.in')
```

```
1 row(s) inserted.
```

Statement 88

✏️ ▷ 🗑️

```
insert into student values('mahi',18,'male',8294837923,'sagar nagar','mbobba@gitam.in')
```

```
1 row(s) inserted.
```

Statement 87

✏️ ▷ 🗑️

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Download CSV
```
4 rows selected.
```

Statement 86

✏️ ▷ 🗑️

```
create table student(name varchar(30), age number(3), gender char(6), phoneNumber number(10), Address varchar2(100), email varchar2(30))
```

Live SQL

My Session (i)

Actions ⌄   Reset Session   Save

er(3), gender char(6), phoneNumber int(10), Address varchar2(100), email varchar2(30))

ORA-00907: missing right parenthesis

Statement 84

```
create table student(name varchar(30), age int(3), gender char(6), phoneNumber int(10), Address varchar2(100), email varchar2(30))
```

ORA-00907: missing right parenthesis

Statement 83

```
SELECT * FROM sem
```

CCODE	CNAME	MARKS	GRADES
CLAD1001	Emotional Intelligence Reasoning Skills	93.5	-
CSEN1001	IT Productivity Tools	95	-
CSEN1011	Problem Solving and Programming in C	99.5	-
LANG1001	Communication Skills in English-Beginners	87	-
MATH1001	Single Variable Calculus	84	-
MATH1011	Several Variable Calculus	84	-
MECH1011	Engineering Visualization and Product Realization	95	-
PHYS1001	Physics	64	-
VEDC1001	Venture Development	87	-

Live SQL

		C	99.5	O
		inners	87	S
			84	A
MATH1011	Several Variable Calculus		84	A
MECH1011	Engineering Visualization and Product Realization		95	O
PHYS1001	Physics		64	B
VEDC1001	Venture Development		87	A+

Download CSV

18 rows selected.

Statement 82

```
insert into sem values('VEDC1001','Venture Development',87,'A+')
```

1 row(s) inserted.

Statement 81

```
insert into sem values('PHYS1001','Physics',64,'B')
```

1 row(s) inserted.

Statement 80

```
insert into sem values('MECH1011','Engineering Visualization and Product Realization',95,'O')
```

1 row(s) inserted.

Statement 79

```
insert into sem values('MATH1011','Several Variable Calculus',84,'A')
```

Live SQL

My Session ⓘ

Actions ∨   ↻ Reset Session   🖫 Save

ble Calculus',84,'A')

1 row(s) inserted.

Statement **77**

```
insert into sem values('LANG1001','Communication Skills in English-Beginners',87,'S')
```

1 row(s) inserted.

Statement **76**

```
insert into sem values('CSEN1011','Problem Solving and Programming in C',99.5,'O')
```

1 row(s) inserted.

Statement **75**

```
insert into sem values('CSEN1001','IT Productivity Tools',95,'S')
```

1 row(s) inserted.

Statement **74**

```
insert into sem values('CLAD1001','Emotional Intelligence Reasoning Skills',93.5,'O')
```

1 row(s) inserted.

Live SQL

My Session (i)

Actions ∨   Reset Session   Save

Statement **72**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",93,"O")
```

ORA-00984: column not allowed here

Statement **71**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",93.5,"O")
```

ORA-00984: column not allowed here

Statement **70**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence and Reasoning Skills",93.5,"O")
```

ORA-00984: column not allowed here

Statement **69**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94.5,"O")
```

ORA-00984: column not allowed here

Live SQL   Feedback   ⑦ Help   ⚲ mbobba@gitam.in ⌄

telligence and Reasoning Skills",94.5,"0")

My Session ⓘ   Actions ⌄   ↻ Reset Session   🖫 Save

ORA-00984: column not allowed here

Statement **67**

✎ ▷ 🗑

```
ALTER TABLE sem
DROP COLUMN grade
```

ORA-00904: "GRADE": invalid identifier

Statement **66**

✎ ▷ 🗑

```
insert into sem values("CLAD1001","EIRS",94,"0")
```

ORA-00984: column not allowed here

Statement **65**

✎ ▷ 🗑

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94,"0")
```

ORA-00984: column not allowed here

Statement **64**

✎ ▷ 🗑

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94,0)
```

Live SQL

My Session ⓘ   [Actions ⌄]   [↺ Reset Session]   [💾 Save]

✏️ ▷ 🗑

telligence Reasoning Skills",94.5,0)

ORA-00984: column not allowed here

Statement **62**

✏️ ▷ 🗑

insert into sem values(CLAD1001,Emotional Intelligence Reasoning Skills,94.5,0)

ORA-00917: missing comma

Statement **61**

✏️ ▷ 🗑

insert into sem values(CLAD1001,Emotional Intelligence and Reasoning Skills,94.5,0,)

ORA-00917: missing comma

Statement **60**

✏️ ▷ 🗑

insert into sem values(CLAD1001,Emotional Intelligence and Reasoning Skills,94.5,0)

ORA-00917: missing comma

Statement **59**

ALTER TABLE sem

Live SQL   💬 Feedback   ⑦ Help   👤 mbobba@gitam.in ⌄

My Session ⓘ | Actions ⌄ | ⟲ Reset Session | 💾 Save |

✎ ▷ 🗑
DROP COLUMN grades

Table altered.

Statement **57**

✎ ▷ 🗑

ALTER TABLE sem
DROP COLUMN credits

ORA-00904: "CREDITS": invalid identifier

Statement **56**

✎ ▷ 🗑

ALTER TABLE sem
DROP credits

ORA-00905: missing keyword

Statement **55**

✎ ▷ 🗑

ALTER TABLE sem
ADD marks float(10)

ORA-01430: column being added already exists in table

Live SQL

My Session (i)

Actions ∨   Reset Session   Save

Statement 53

✎ ▷ 🗑

```
create table sem(ccode varchar(15),cname char(100),credits number(1),grade varchar(2))
```

ORA-00955: name is already used by an existing object

Statement 52

✎ ▷ 🗑

```
create table semister(ccode varchar(15),cname char(100),credits number(1),grade varchar(2))
```

ORA-00955: name is already used by an existing object

Statement 51

✎ ▷ 🗑

```
create table semister(ccode varchar(15),cname char(10),credits number(1),grade varchar(2))
```

ORA-00955: name is already used by an existing object

Statement 50

✎ ▷ 🗑

```
UPDATE student
SET 'phoneNumber'=9728346544, 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

Live SQL

My Session ⓘ

Actions ∨   ↺ Reset Session   💾 Save

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Download CSV
4 rows selected.

Statement 48

✏ ▷ 🗑

```
UPDATE student
SET 'phoneNumber'=9728346544, 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

Statement 47

✏ ▷ 🗑

```
UPDATE student
SET 'mobileNumber'=9728346544, 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

Statement 46

select * from student

Live SQL

My Session ⓘ   [Actions ⌄]   [↺ Reset Session]   [💾 Save]

				EMAIL
			ar	mbobba@gitam.in
srikar	18	male	9702099990	skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

Download CSV
4 rows selected.

Statement **45**

[✎] [▷] [🗑]

```
UPDATE student
SET 'mobileNumber'=9728346544 'address'='RUSHIKONDA'
WHERE 'age'=20
```

ORA-01747: invalid user.table.column, table.column, or column specification

---

Statement **44**

[✎] [▷] [🗑]

```
select name,age,gender from student
```

NAME	AGE	GENDER
mahi	18	male
srikar	18	male
abhi	18	male
kush	20	female

Download CSV
4 rows selected.

Statement **43**

select * from student

Live SQL

				EMAIL
			ar	mbobba@gitam.in
				skolluru3@gitam.in
abhi	18	male	9709814756	Simhachalam	abhi@gitam.in
kush	20	female	8814697214	hanumathwaka	kushi@gitam.in

My Session ⓘ

Actions ⌄   Reset Session   Save

Download CSV
4 rows selected.

Statement 42

```
insert into student values('kush',20,'female',8814697214,'hanumathwaka','kushi@gitam.in')
```

1 row(s) inserted.

Statement 41

```
insert into student values('abhi',18,'male',9709814756,'Simhachalam','abhi@gitam.in')
```

1 row(s) inserted.

Statement 40

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADDRESS	EMAIL
mahi	18	male	8294837923	sagar nagar	mbobba@gitam.in
srikar	18	male	9782635956	MVP	skolluru3@gitam.in

Download CSV
2 rows selected.

Live SQL

My Session (i)

Actions ⌄   Reset Session   Save

Statement 38

✎ ▷ 🗑

```
insert into student values('mahi',18,'male',8294837923,'sagar nagar','mbobba@gitam.in')
```

1 row(s) inserted.

Statement 37

✎ ▷ 🗑

```
select * from student
```

no data found

Statement 36

✎ ▷ 🗑

```
create table student(name varchar(30), age number(3), gender char(6), phoneNumber number(10), Address varchar2(100), email varchar2(30))
```

Table created.

Statement 35

✎ ▷ 🗑

```
create table student(name varchar(30), age number(3), gender char(6), phoneNumber int(10), Address varchar2(100), email varchar2(30))
```

ORA-00907: missing right parenthesis

Statement 34

✎ ▷ 🗑

```
create table student(name varchar(30), age int(3), gender char(6), phoneNumber int(10), Address varchar2(100), email varchar2(30))
```

Live SQL   💬 Feedback   ❓ Help   👤 mbobba@gitam.in ⌄

My Session ⓘ   Actions ⌄   ↺ Reset Session   💾 Save

✏️ ▷ 🗑️

CCODE	CNAME	MARKS	GRADES
CLAD1001	Emotional Intelligence Reasoning Skills	93.5	O
CSEN1001	IT Productivity Tools	95	S
CSEN1011	Problem Solving and Programming in C	99.5	O
LANG1001	Communication Skills in English-Beginners	87	S
MATH1001	Single Variable Calculus	84	A
MATH1011	Several Variable Calculus	84	A
MECH1011	Engineering Visualization and Product Realization	95	O
PHYS1001	Physics	64	B
VEDC1001	Venture Development	87	A+

Download CSV
9 rows selected.

Statement **32**

✏️ ▷ 🗑️

```
insert into sem values('VEDC1001','Venture Development',87,'A+')
```

1 row(s) inserted.

Statement **31**

✏️ ▷ 🗑️

```
insert into sem values('PHYS1001','Physics',64,'B')
```

1 row(s) inserted.

Live SQL

My Session (i)   Actions ⌄   ⟲ Reset Session   🖫 Save

Visualization and Product Realization',95,'O')

1 row(s) inserted.

Statement 29

✎ ▷ 🗑

```
insert into sem values('MATH1011','Several Variable Calculus',84,'A')
```

1 row(s) inserted.

Statement 28

✎ ▷ 🗑

```
insert into sem values('MATH1001','Single Variable Calculus',84,'A')
```

1 row(s) inserted.

Statement 27

✎ ▷ 🗑

```
insert into sem values('LANG1001','Communication Skills in English-Beginners',87,'S')
```

1 row(s) inserted.

Statement 26

✎ ▷ 🗑

```
insert into sem values('CSEN1011','Problem Solving and Programming in C',99.5,'O')
```

1 row(s) inserted.

Statement 25

Live SQL

Feedback   Help   mbobba@gitam.in ∨

My Session   ⓘ   Actions ∨   ⟲ Reset Session   💾 Save

Statement **24**

✏️ ▷ 🗑️

```
insert into sem values('CLAD1001','Emotional Intelligence Reasoning Skills',93.5,'O')
```

1 row(s) inserted.

Statement **23**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",9,"O")
```

ORA-00984: column not allowed here

Statement **22**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",93,"O")
```

ORA-00984: column not allowed here

Statement **21**

✏️ ▷ 🗑️

```
insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",93.5,"O")
```

ORA-00984: column not allowed here

Statement **20**

```
insert into sem values("CLAD1001","Emotional Intelligence and Reasoning Skills",93.5,"O")
```

Live SQL   Feedback   Help   mbobba@gitam.in ∨

My Session (i)   Actions ∨   Reset Session   Save

Statement 19

insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94.5,"O")

ORA-00984: column not allowed here

Statement 18

insert into sem values("CLAD1001","Emotional Intelligence and Reasoning Skills",94.5,"O")

ORA-00984: column not allowed here

Statement 17

ALTER TABLE sem
DROP COLUMN grade

Table altered.

Statement 16

insert into sem values("CLAD1001","EIRS",94,"O")

ORA-00947: not enough values

Live SQL   Feedback   ? Help   mbobba@gitam.in ∨

My Session ⓘ   Actions ∨   ⟳ Reset Session   💾 Save

Statement **14**

✎ ▷ 🗑

insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94,0)

ORA-00947: not enough values

Statement **13**

✎ ▷ 🗑

insert into sem values("CLAD1001","Emotional Intelligence Reasoning Skills",94.5,0)

ORA-00947: not enough values

Statement **12**

✎ ▷ 🗑

insert into sem values(CLAD1001,Emotional Intelligence Reasoning Skills,94.5,0)

ORA-00917: missing comma

Statement **11**

✎ ▷ 🗑

insert into sem values(CLAD1001,Emotional Intelligence and Reasoning Skills,94.5,0,)

ORA-00917: missing comma

Live SQL

My Session   Actions ⌄   Reset Session   Save

ligence and Reasoning Skills,94.5,0)

ORA-00917: missing comma

Statement 9

```
ALTER TABLE sem
ADD grades varchar(2)
```

Table altered.

Statement 8

```
ALTER TABLE sem
DROP COLUMN grades
```

ORA-00904: "GRADES": invalid identifier

Statement 7

```
ALTER TABLE sem
DROP COLUMN credits
```

Table altered.

Statement 6

```
ALTER TABLE sem
DROP credits
```

My Session ⓘ   Actions ⌄   ↺ Reset Session   💾 Save

ADD marks float(10)

Table altered.

Statement **4**

insert into sem values(CLAD1001,Emotional Intelligence and Reasoning Skills ,1,0)

ORA-00917: missing comma

Statement **3**

create table sem(ccode varchar(15),cname char(100),credits number(1),grade varchar(2))

Table created.

Statement **2**

create table semister(ccode varchar(15),cname char(100),credits number(1),grade varchar(2))

ORA-00955: name is already used by an existing object

Statement **1**

create table semister(ccode varchar(15),cname char(10),credits number(1),grade varchar(2))

Live SQL

Feedback · Help · mbobba@gitam.in

My Session (i)

Actions · Reset Session · Save

.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with ❤ using Oracle APEX · Privacy · Terms of Use