Experiment 16
Cloning of a Virtual Machine

Aim

To create a clone of an existing Ubuntu virtual machine using VMware Workstation and verify that the cloned virtual machine is added to the Library with its own name and virtual hardware configuration.

Algorithm

1. Open VMware Workstation and locate the existing Ubuntu virtual machine in the Library.
2. Right-click the Ubuntu virtual machine and select the Clone option.
3. Choose the cloning method provided by the Clone Virtual Machine wizard.
4. Select the current state of the virtual machine or the required snapshot as the source.
5. Choose the option to create a full clone or linked clone as required.
6. Enter a name for the cloned virtual machine, such as Clone of Ubuntu.
7. Select the location where the cloned virtual machine files should be stored.
8. Review the clone settings and complete the cloning process.
9. Wait until VMware Workstation finishes creating the clone.
10. Verify that the cloned machine appears separately in the Library.
11. Check the cloned machine's hardware configuration before powering it on.

Implementation

Input




Figure 1: Cloned Ubuntu virtual machine displayed in VMware Workstation.

Output

The cloned virtual machine is displayed as a separate entry in the VMware Workstation Library under the name **Clone of Ubuntu**. The screenshot shows the following configuration:

Virtual machine name: Clone of Ubuntu

Memory: 4 GB

Processors: 2

Hard disk: 15 GB (SCSI)

CD/DVD drive: SATA – Auto detect

Network adapter: NAT

USB controller: Present

Sound card: Auto detect

Printer: Present

Display: Auto detect

VM state: Powered off (Power on option is displayed)

The screenshot confirms that the clone has been created and is listed independently from the original Ubuntu virtual machine. The cloned VM can be powered on separately after checking its settings.

Result

Thus, the Ubuntu virtual machine was cloned successfully using VMware Workstation, and the cloned virtual machine named “Clone of Ubuntu” was verified in the Library.