

Name: Mahinur Rahman Mahin

ID : 242014165

Tast 1:

```
Setting environment for using XAMPP for Windows.
Student@4-PB103-24 c:\xampp
# mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 20
Server version: 10.4.8-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database dbtest1 ;
Query OK, 1 row affected (0.002 sec)
```

Task 2 :

```
MariaDB [dbtest1]> create table Product (
-> ProductID int primary key ,
-> ProductName varchar (50) ,
-> Category varchar (30) ,
-> Price decimal (8,2) ,
-> Stock int
-> ) ;
Query OK, 0 rows affected (0.014 sec)

MariaDB [dbtest1]>
```

Task 3 :

```
MariaDB [dbtest1]> insert into Product
-> values
-> (101, 'Laptop', 'Electronics' , 65000, 15 ) ;
Query OK, 1 row affected (0.004 sec)

MariaDB [dbtest1]> insert into Product
-> values
-> (101, 'Laptop', 'Electronics' , 65000, 15 ) ;
ERROR 1062 (23000): Duplicate entry '101' for key 'PRIMARY'
MariaDB [dbtest1]> insert into Product
-> values
-> (102, 'Mouse' , 'Electronics', 800, 50 ) ,
-> ( 103 , 'Chair', 'Furniture' , 3500 , 20 ) ,
-> ( 104 , 'Notebook' , 'Stationery' , 120 , 100 ) ,
-> (105 , 'Printer' , 'Electronics' , 18000 , 8 ) ;
Query OK, 4 rows affected (0.003 sec)
Records: 4  Duplicates: 0  Warnings: 0
```

Task 4 :

a.

```
MariaDB [dbtest1]> select * from Product ;
```

ProductID	ProductName	Category	Price	Stock
101	Laptop	Electronics	65000.00	15
102	Mouse	Electronics	800.00	50
103	Chair	Furniture	3500.00	20
104	Notebook	Stationery	120.00	100
105	Printer	Electronics	18000.00	8

```
5 rows in set (0.000 sec)
```

b.

```
MariaDB [dbtest1]> select * from Product where ProductName like '%P' ;
+-----+-----+-----+-----+-----+
| ProductID | ProductName | Category | Price | Stock |
+-----+-----+-----+-----+-----+
| 101 | Laptop | Electronics | 65000.00 | 15 |
+-----+-----+-----+-----+-----+
1 row in set (0.001 sec)
```

```
MariaDB [dbtest1]> select * from Product where ProductName like 'P%r' ;
+-----+-----+-----+-----+-----+
| ProductID | ProductName | Category | Price | Stock |
+-----+-----+-----+-----+-----+
| 105 | Printer | Electronics | 18000.00 | 8 |
+-----+-----+-----+-----+-----+
1 row in set (0.000 sec)
```

g.

```
on for the right syntax to use near 'mouse' at line 1
MariaDB [dbtest1]> delete from Product where ProductName = 'Mouse' ;
Query OK, 1 row affected (0.004 sec)
```

h.

```
MariaDB [dbtest1]> select * from Product order by price desc ;
+-----+-----+-----+-----+-----+
| ProductID | ProductName | Category | Price | Stock |
+-----+-----+-----+-----+-----+
| 101 | Laptop | Electronics | 65000.00 | 15 |
| 105 | Printer | Electronics | 18000.00 | 8 |
| 103 | Chair | Furniture | 3500.00 | 20 |
| 104 | Notebook | Stationery | 120.00 | 100 |
+-----+-----+-----+-----+-----+
4 rows in set (0.000 sec)
```

```
MariaDB [dbtest1]> select * from Product order by price asc ;
+-----+-----+-----+-----+-----+
| ProductID | ProductName | Category | Price | Stock |
+-----+-----+-----+-----+-----+
| 104 | Notebook | Stationery | 120.00 | 100 |
| 103 | Chair | Furniture | 3500.00 | 20 |
| 105 | Printer | Electronics | 18000.00 | 8 |
| 101 | Laptop | Electronics | 65000.00 | 15 |
+-----+-----+-----+-----+-----+
4 rows in set (0.000 sec)
```

K

```
MariaDB [dbtest1]> select sum(Category) from Product group by Category ;
+-----+
| sum(Category) |
+-----+
| 0 |
| 0 |
| 0 |
+-----+
3 rows in set, 4 warnings (0.001 sec)
```