ScreenShot of sample Application


```
PROBLEMS  2    DEBUG CONSOLE    TERMINAL    OUTPUT    PORTS

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication
  ● $ git init
    Initialized empty Git repository in C:/Users/mahitha.bala/eclipse-workspace/StudentAttendanceApplication/.git/

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (master)
  ● $ git config user.name "Mahitha-bala"

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (master)
  ● $ git config user.email mahithabsm@gmail.com

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (master)
  ● $ git remote add origin https://github.com/Mahitha-bala/ACE12435.git

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (master)
  ● $ git checkout -b sample
    Switched to a new branch 'sample'

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (sample)
  ● $ git add .

    mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (sample)
  ● $ git commit -m "console application"
    [sample (root-commit) e44aebe] console application
     15 files changed, 230 insertions(+)
     create mode 100644 .classpath
     create mode 100644 .project
     create mode 100644 .settings/org.eclipse.core.resources.prefs
     create mode 100644 .settings/org.eclipse.jdt.core.prefs
     create mode 100644 bin/com/aspiresys/AbstractStudent.class
     create mode 100644 bin/com/aspiresys/Attendance.class
     create mode 100644 bin/com/aspiresys/AttendanceManagement.class
     create mode 100644 bin/com/aspiresys/AttendanceSystem.class
```

```
    create mode 100644 bin/com/aspiresys/Attendance.class
    create mode 100644 bin/com/aspiresys/AttendanceManagement.class
    create mode 100644 bin/com/aspiresys/AttendanceSystem.class
    create mode 100644 bin/com/aspiresys/Student.class
    create mode 100644 bin/module-info.class
    create mode 100644 src/com/aspiresys/AbstractStudent.java
    create mode 100644 src/com/aspiresys/Attendance.java
    create mode 100644 src/com/aspiresys/AttendanceManagement.java
    create mode 100644 src/com/aspiresys/AttendanceSystem.java
    create mode 100644 src/com/aspiresys/Student.java

mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (sample)
$ git push origin sample
Enumerating objects: 24, done.
Counting objects: 100% (24/24), done.
Delta compression using up to 4 threads
Compressing objects: 100% (21/21), done.
Writing objects: 100% (24/24), 7.75 KiB | 992.00 KiB/s, done.
Total 24 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'sample' on GitHub by visiting:
remote:      https://github.com/Mahitha-bala/ACE12435/pull/new/sample
remote:
To https://github.com/Mahitha-bala/ACE12435.git
 * [new branch]      sample -> sample

mahitha.bala@asplap1043 MINGW64 ~/eclipse-workspace/StudentAttendanceApplication (sample)
$ 
```