Change Theme Language Py

```python
from collections import defaultdict
n, m = map(int, input().split())
d = defaultdict(list)
for i in range(1, n + 1):
    word = input()
    d[word].append(i)
for _ in range(m):
    word = input()
    if word in d:
        print(" ".join(map(str, d[word])))
    else:
        print("-1")
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
5 2
a
a
b
a
b
a
b
```

Your Output (stdout)

```
1 2 4
3 5
```

```python
from collections import namedtuple
n = int(input())
columns = input().split()
Student = namedtuple('Student', columns)

total_marks = 0
for _ in range(n):
    data = input().split()
    student = Student(*data)
    total_marks += int(student.MARKS)
print(f"{total_marks / n:.2f}")
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

```
5
ID        MARKS     NAME      CLASS
1         97        Raymond   7
2         50        Steven    4
3         91        Adrian    9
4         72        Stewart   5
5         80        Peter     6
```

Your Output (stdout)

```
78.00
```

Expected Output

Download

```
78.00
```

```python
from collections import OrderedDict
n = int(input())
item_dict = OrderedDict()

for _ in range(n):
    data = input().split()
    item_name = " ".join(data[:-1])
    price = int(data[-1])
    if item_name in item_dict:
        item_dict[item_name] += price
    else:
        item_dict[item_name] = price
for item, net_price in item_dict.items():
    print(f"{item} {net_price}")

```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
9
BANANA FRIES 12
POTATO CHIPS 30
APPLE JUICE 10
CANDY 5
APPLE JUICE 10
CANDY 5
CANDY 5
CANDY 5
POTATO CHIPS 30
```

Change Theme Language Pypy 3

```python
import sys
def solve():
    t_str = sys.stdin.readline().strip()
    if not t_str: return
    t = int(t_str)
    for _ in range(t):
        n = int(sys.stdin.readline().strip())
        blocks = list(map(int, sys.stdin.readline().split()))
        left = 0
        right = n - 1
        last_picked = float('inf')
        possible = True
        while left <= right:
            if blocks[left] >= blocks[right]:
                current = blocks[left]
                left += 1
            else:
                current = blocks[right]
                right -= 1
            if current > last_picked:
                possible = False
                break
            last_picked = current

        print("Yes" if possible else "No")
if __name__ == "__main__":
    solve()

```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) Download

```
2
6
4 3 2 1 3 4
3
1 3 2
```

Your Output (stdout)

```
Yes
No
```

Expected Output Download

```
Yes
```

```
from collections import Counter

s = sorted(input())
counts = Counter(s)
for char, count in counts.most_common(3):
    print(f"{char} {count}")

```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
aabbbccde
```

Your Output (stdout)

```
b 3
a 2
c 2
```

Expected Output

Download

```
b 3
a 2
c 2
```

```python
import re

S = input()
k = input()
pattern = re.compile(f'(?=({k}))')
matches = list(pattern.finditer(S))

if not matches:
    print("(-1, -1)")
else:
    for m in matches:
        start = m.start()
        end = start + len(k) - 1
        print(f"({start}, {end})")
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) — Download

```
aaadaa
aa
```

Your Output (stdout)

```
(0, 1)
(1, 2)
(4, 5)
```

Expected Output — Download

```
(0, 1)
(1, 2)
(4, 5)
```