

# Cucumber Report

24 Sept 2025, 17:41:51

**Start : Sept 24, 5:41:45.415 pm**

**End : Sept 24, 5:41:51.425 pm**

**Duration : 6.010 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 16**

**FAILED - 1**

**SKIPPED - 2**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login validation</u>	2.596 s	1	1	0	0	7	7	0	0
<u>Device validation</u>	3.409 s	1	0	1	0	12	9	1	2

#	Feature Name	Scenario Name
1	<u>Device validation</u>	<u>As a user, I want to buy device(s) on the wizard page</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@validLogin	1	1	0	0	1	1	0	0
@validPhoneDetails	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login validation	1	1	0	0	2.596 s
2	Device validation	1	0	1	0	3.409 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login validation	As a user, I want to log in to access my account	7	7	0	0	2.594 s
2	Device validation	As a user, I want to buy device(s) on the wizard page	12	9	1	2	3.409 s

## Login validation



<b>PASSED</b>	DURATION - 2.596 s	Scenarios		Steps	
/ 5:41:45.415 pm // 5:41:48.011 pm /		Total - 1		Total - 7	
		Pass - 1		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## As a user, I want to log in to access my account



<div>PASSED</div>	<div>DURATION - 2.594 s</div>	<div></div>	Steps	<div></div>
<div>/ 5:41:45.417 pm // 5:41:48.011 pm /</div>			Total - 7	
<div>Login validation</div>			Pass - 7	
<div>@validLogin</div>			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the login page	PASSED	2.260 s
2	When User enters email testuser	PASSED	0.077 s
3	And User enters password password123	PASSED	0.023 s
4	And User clicks on the login button	PASSED	0.029 s
5	Then User should land on the landing page with Test displayed	PASSED	0.025 s
6	When User switches Tabs	PASSED	0.058 s
7	Then User should be logged out and redirected to the login page	PASSED	0.007 s

## Device validation

<b>FAILED</b>	DURATION - 3.409 s	Scenarios		Steps	
/ 5:41:48.016 pm // 5:41:51.425 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## As a user, I want to buy device(s) on the wizard page

<div><div>FAILED</div><div>DURATION - 3.409 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 12</div><div>Pass - 9</div><div>Fail - 1</div><div>Skip - 2</div></div>	<div></div>
/ 5:41:48.016 pm // 5:41:51.425 pm /				
Device validation				
@validPhoneDetails				

#	Step / Hook Details	Status	Duration
1	Given I am on Wizard page and there is no device selected	PASSED	1.602 s
2	When User selects a device Phone	PASSED	0.041 s
3	And User must select a brand Apple if there is no brand selected	PASSED	0.043 s
4	And User must select a storage 128GB if there is no storage selected	PASSED	0.041 s
5	And User must select a quantity 1 if there is no quantity selected	PASSED	0.007 s
6	And User must select a color Black if there is no colour selected	PASSED	0.020 s
7	And User must capture address 123 Main St if there is no address	PASSED	0.036 s
8	And Next button is clicked and all fields are filled	PASSED	0.034 s
9	Then User should be taken to the next step where pricing panel is displayed	PASSED	0.014 s
10	And Order total should be correctly calculated based on device unit price 400.00 storage price <storagePrice> and quantity 1"	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Could not convert arguments for step [Order total should be correctly calculated based on device unit price {} storage price {} and quantity {}] defined at 'StepDefinitions.PhoneSelectStepDefs. orderTotalOrderTotalShouldBeCorrectlyCalculatedBasedOnDeviceUnitPriceUnitPriceAndStoragePriceStoragePrice(double,double,int)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:111) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:55) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:86) at io.cucumber.core.runner.Runner.runPickle(Runner.java:77) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:687)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:995)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at org.testng.TestRunner.privateRun(TestRunner.java:741)  at org.testng.TestRunner.run(TestRunner.java:616)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)  at org.testng.SuiteRunner.run(SuiteRunner.java:312)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)  at org.testng.TestNG.runSuites(TestNG.java:1112)  at org.testng.TestNG.run(TestNG.java:1079)  at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)  at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)  Caused by: io.cucumber.cucumberexpressions.CucumberExpressionException: Failed to parse number  at io.cucumber.cucumberexpressions.NumberParser.parse(NumberParser.java:44)  at io.cucumber.cucumberexpressions.NumberParser.parseDouble(NumberParser.java:24)  at io.cucumber.cucumberexpressions.BuiltInParameterTransformer.doTransform(BuiltInParameterTransformer.java:80)  at io.cucumber.cucumberexpressions.BuiltInParameterTransformer.transform(BuiltInParameterTransformer.java:22)  at io.cucumber.cucumberexpressions.CucumberExpression.lambda\$match\$8(CucumberExpression.java:159)  at io.cucumber.cucumberexpressions.ParameterType\$TransformerAdaptor.transform(ParameterType.java:299)  at io.cucumber.cucumberexpressions.ParameterType.transform(ParameterType.java:259)  at io.cucumber.cucumberexpressions.Argument.getValue(Argument.java:42)  at io.cucumber.core.stepexpression.ExpressionArgument.getValue(ExpressionArgument.java:17)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:46)  ... 37 more Caused by: java.text.ParseException: Unparseable number: "&lt;storagePrice&gt;"  at java.base/java.text.NumberFormat.parse(NumberFormat.java:434)  at io.cucumber.cucumberexpressions.NumberParser.parse(NumberParser.java:42) </p>		

#	Step / Hook Details	Status	Duration
11	When User clears the device selection	SKIPPED	0.001 s
12	Then Pricing should be reset to R0.00	SKIPPED	0.000 s