

PMx Weekly Digest: June 01, 2026

Content Source: Full Text

Paper 1: A Model-Based Meta-Analysis Framework Quantifying Drivers of Placebo Response in

Bibliographic Information

- **Title:** A Model-Based Meta-Analysis Framework Quantifying Drivers of Placebo Response in Atopic Dermatitis Trials.
- **Authors:** Authors not extracted
- **Journal:** Unknown Journal
- **DOI:** Unknown DOI

Paper Type: POPK_PKPD

Quick Take

Analysis incomplete - JSON truncation occurred

Executive Summary

Not extracted - JSON truncation

Scientific Context & Motivation

Not extracted - JSON truncation

✂ Methodological Snapshot

Not extracted - JSON truncation

☒ Structural Model Breakdown

Not extracted

Detailed Methodological Analysis

Modeling Approach

Not extracted

Data Sources

Not extracted

Estimation Methods

Not extracted

Model Evaluation

Not extracted

Covariate Analysis

Not extracted

Statistical Rigor Assessment

Not extracted

☒ Key Findings

Not extracted - JSON truncation

🔗 Clinical & Regulatory Implications

Not extracted

Strengths & Limitations

Strengths

- Not extracted

Limitations (Acknowledged by Authors)

- Not extracted

Limitations (Expert Review)

- Not extracted

Generalizability

Not assessed

Future Directions

Not extracted

Expert Commentary

Not extracted

Bottom Line

Analysis incomplete due to response truncation

☒ Figures

Model-Based Meta-Analysis of Placebo Response in Atopic Dermatitis Trials






Figure 1: Figure 1



Treatment Group ■ No concomitant therapy ■ TCS concomitant therapy

B EASI-75 Placebo Response: Model Projections

At mean EASI score of 29



Treatment Group ■ No concomitant therapy ■ TCS concomitant therapy

C Longitudinal EASI-75 Placebo Response Ratio

(TCS versus No Concomitant Therapy)




Figure 2: TCS concomitant therapy is associated with higher placebo EASI-75 outcomes. (A) Raw data from included trials showing EASI-75 placebo rates color-stratified by c




Figure 3: Higher baseline disease severity of the study population correlates to lower EASI-75 placebo response. (A) Raw data from included trials without concomitant ther

EASI-75 Placebo Response Landscape

Model Projections by Trial Design and Study Population Parameters




Figure 4: MBMA framework enables AD trial design exploration. (A) Model-estimated EASI-75 placebo response rates for various study arm baseline EASI scores, assessment time