PMx Weekly Digest: February 10, 2026

Paper 1: Quantitative Evaluation of Model-Informed Drug Development Implementation in Chi

Bibliographic Information

- **Title**: Quantitative Evaluation of Model-Informed Drug Development Implementation in China's Approved Innovative Drugs: From Policy to Practice (2018–2024)
- **Authors**: Li J, et al.
- **Journal**: CPT: Pharmacometrics & Systems Pharmacology, 2026
- **DOI**: https://ascpt.onlinelibrary.wiley.com/doi/10.1002/psp4.70211?af=R

Quick Take

A definitive longitudinal analysis of how China's NMPA has integrated pharmacometrics into regulatory decision-making since 2018. Essential reading for regulatory affairs and pharmacometricians planning global submissions, confirming that MIDD is now a standard requirement for innovative drug approval in China.

Executive Summary

This study provides the first comprehensive quantitative evaluation of Model-Informed Drug Development (MIDD) adoption in China following the NMPA's pivotal 2020 technical guidelines. Analyzing 195 innovative drugs approved between 2018 and 2024, the authors document a dramatic paradigm shift: PopPK and Exposure-Response (E-R) analysis inclusion in submissions surged from ~22% in 2018 to nearly 90% in 2024. Furthermore, the translation of modeling results into drug labeling grew from 0% to ~80% in the same period. The findings confirm that China's regulatory environment has rapidly matured to align with global standards (FDA/EMA), making MIDD an indispensable component of the registration pathway for innovative therapeutics.

⚡ Methodological Snapshot

The authors conducted a retrospective, longitudinal bibliometric analysis of regulatory documents for all innovative drugs (Class 1 chemical entities and therapeutic biologics) approved by the NMPA between 2018 and 2024. Data were extracted from CDE annual review reports, technical review reports, and approved package inserts.

🏗 Structural Model Breakdown

As a regulatory survey, no new structural models were developed. However, the study classified the structural models found in submissions into three primary buckets: 1) Population PK (PopPK) for covariate analysis and special populations; 2) Exposure-Response (E-R) for dose justification; and 3) Physiologically Based PK (PBPK) primarily for enzyme-mediated DDI predictions.

Detailed Methodological Analysis

Modeling Approach

This is a regulatory landscape analysis rather than a modeling study. The authors categorized submissions based on the presence of PopPK, PBPK, PK/PD, Disease Progression, Model-Based Meta-Analysis (MBMA), and Exposure-Response (E-R) analyses.

Data Sources

NMPA Center for Drug Evaluation (CDE) annual reports (2018–2024) and public technical review dossiers for 195 approved innovative drugs. Vaccines and Traditional Chinese Medicines (TCM) were excluded.

Estimation Methods

Descriptive statistics were used to calculate the frequency and trends of MIDD adoption. Subgroup analyses compared chemical drugs vs. biologics and oncology vs. non-oncology indications.

Model Evaluation

The study evaluated the 'impact' of models by assessing whether modeling results were explicitly cited in the approved drug labeling (prescribing information).

Covariate Analysis

The study tracked which specific labeling sections were informed by modeling, specifically categorizing impacts on ADME descriptions, covariate effects (age, weight), organ impairment dosing, and drug-drug interactions.

Scientific Context & Motivation

Historically, the adoption of advanced quantitative methods in China's pharmaceutical sector lagged behind Western counterparts. While the US FDA and EMA have long established MIDD guidelines, China's NMPA only formalized this with the 2020 'Technical Guidelines for Model-Informed Drug Development.' This paper addresses the knowledge gap regarding the actual impact of this policy shift, investigating whether the guidelines merely encouraged submission or genuinely influenced regulatory decision-making and labeling language over a 7-year transitional period.

Statistical Rigor Assessment

The study represents a census of all approved innovative drugs in the specified timeframe (n=195), eliminating sampling bias for the 'approved' population. The categorization criteria were clearly defined based on specific keywords in regulatory dossiers. However, as a descriptive study, it does not employ complex statistical inference.

📊 Key Findings

The adoption of MIDD in China has reached saturation levels comparable to global standards. Submission rates for PopPK and E-R analyses rose from 22.2% (2018) to 88.1% and 85.7% (2024), respectively. Crucially, the impact on labeling followed a similar trajectory: 0% of 2018 approvals included MIDD data in labels, rising to ~80% by 2024. PBPK adoption emerged post-2020 but remains lower (<25%), primarily utilized for chemical drugs to address DDI questions. The Zanubrutinib case study highlighted the successful use of PopPK for hepatic impairment waivers and PBPK for DDI management.

💡 Clinical & Regulatory Implications

For clinicians in China, modern drug labels now increasingly contain dosing instructions derived from modeling rather than solely empirical studies. For developers, this confirms that omitting MIDD from a Chinese New Drug Application (NDA) is no longer a viable strategy. Specific dosing recommendations for organ impairment and DDIs are now expected to be supported by quantitative extrapolation.

Strengths & Limitations

Strengths

- Comprehensive dataset covering the entire population of approved innovative drugs (2018-2024).
- Clear distinction between 'submission of evidence' and 'acceptance in labeling'.
- Stratification by therapeutic area and molecule type (biologic vs. small molecule).

Limitations (Acknowledged by Authors)

- Cannot distinguish between the influence of NMPA guidelines vs. global trends (ICH E17).
- Excluded vaccines and TCMs, limiting scope to innovative chemicals/biologics.
- Limited to approved drugs; does not capture failed submissions where MIDD might have been poor or absent.

Limitations (Expert Review)

- Relies on public summaries which may vary in detail, potentially underestimating internal modeling work not mentioned in summaries.
- Does not assess the *quality* of the models submitted, only their presence.

Generalizability

Highly generalizable to the current regulatory climate for innovative drugs in China. Less applicable to generics or biosimilars which were not the focus.

Figures & Tables

- **Figure 1**: Bar charts showing the total number of innovative drug approvals (A) and the percentage of submissions containing PopPK, E-R, and PBPK analyses (B) from 2018-2024.
  - *Significance*: Visualizes the exponential growth of MIDD adoption, pinpointing the 2020 guideline release as the inflection point.
- **Figure 2**: Line graph of MIDD inclusion in drug labeling over time (A) and a breakdown of the specific label sections (ADME, DDI, Dosage) informed by these models (B).
  - *Significance*: Demonstrates that models are not just 'check-the-box' submissions but are actively driving regulatory language and prescribing instructions.
- **Table S1**: Subgroup analysis comparing MIDD utilization rates between chemical drugs and biologics.
  - *Significance*: Highlights that while PopPK/E-R usage is similar across modalities, PBPK remains predominantly a tool for small molecule DDI assessment.

Supplementary Materials

Includes Table S1 which provides the granular subgroup analysis of MIDD utilization rates stratified by drug type (chemical vs. biologic) and year.

Future Directions

The authors suggest future expansion of MIDD into vaccine development and the potential uptake of more complex methods like QSP and AI/ML, which are currently rarely submitted to NMPA despite industry use. The impact of the upcoming ICH M15 guideline on global harmonization is also a key area to watch.

Expert Commentary

This paper serves as a critical milestone marker. It effectively declares the 'catch-up' phase of Chinese pharmacometrics over. The data shows that NMPA review standards for clinical pharmacology have converged with FDA/EMA practices. Of note is the observation that while standard PopPK/ER is ubiquitous, complex QSP/AI models are still withheld from submissions due to perceived regulatory risk—a trend also seen in the West but perhaps more pronounced here. The high acceptance rate of submitted evidence into labels (nearly 100% conversion from submission to label in later years) suggests the CDE is highly receptive to well-conducted modeling.

Bottom Line

The NMPA has fully integrated Model-Informed Drug Development into its review process. If you are submitting an innovative drug in China, PopPK and E-R analyses are effectively mandatory, with PBPK highly recommended for small molecule DDI assessment. Expect these analyses to directly dictate the language in the approved package insert.

📊 Figures



Figure 1: FIGURE 1: Innovative drug approvals and MIDD utilization patterns in China. (A) Number and categories of innovative drugs approved by the NMPA of China from 2018 to 2024.



Figure 2: FIGURE 2: Integration of MIDD information in drug labeling in China. (A) Percentages of approved drugs with MIDD-derived data explicitly documented in labeling (2018–2024)