

Name: Mahmoud Mohammed Fathallah

ID: 19016582


Lab1 report


Main functions:

- getcomm(): function to get the command from user and parse it.
- setup_environment(): function to get current directory at the beginning of the program.
- execute_shell_builtin(): function to execute built in commands in shell like cd,exit and export.
- execute_command(): function to execute commands
 which are not built in like ls, mkdir....,etc.
- on_child_exit(): this function reaps the zombie processes and logs the terminated processes in the log file.
- shell(): this function is the main loop in the program which takes user input and parse it and execute it, it is an infinite loop that exits on the command exite.
- replacevar(): function to replace the variable with its value.

Test cases:

```
/home/mahmoud/Desktop/lab1/main — © Scurrent Directory: /home/mahmoud/Desktop/lab1 $ls
bin lab1.depend logfile.txt main.c obj
lab1.cbp lab1.layout main main.o test
current Directory: /home/mahmoud/Desktop/lab1 $
```





```
/home/mahmoud/Desktop/lab1/main
                                                                        current Directory: /home/mahmoud/Desktop/lab1 $ls
         lab1.depend logfile.txt main.c obj
                                  main.o test
lab1.cbp lab1.layout main
current Directory: /home/mahmoud/Desktop/lab1 $cd ..
current Directory: /home/mahmoud/Desktop $hey
command is not recognised!
current Directory: /home/mahmoud/Desktop $export x=-l
current Directory: /home/mahmoud/Desktop $1s $x
total 36
drwxr-xr-x 5 mahmoud mahmoud 4096 888 24 23:56 lab1
-rw-rw-r-- 1 mahmoud mahmoud 25226 888 24 23:37 lab1.zip
drwxr-xr-x 4 mahmoud mahmoud 4096 888 21 21:22 mm
current Directory: /home/mahmoud/Desktop $
```