

E-Commerce Website Development Report

Project: Style Spot E-commerce website

Supervision: Digital Egypt Pioneers Initiative (DEPI)

Tools: VS-Code, Chrome as an interpreter, Figma

Programming Languages and Frameworks: HTML, CSS, Typescript, Angular JS, Bootstrap


GitHub: <https://github.com/MH1581992/DEPI-project.git>

Team Members:

1. Mohamed Abdallah
2. Mahmoud ramadan
3. Ahmed Essam
4. Aya Sobhy
5. Hager Morad

Content: Images for each page/component and the Code

Header & Footer



Header HTML

```
<!-- mahmoud ramadan -->
<header>

<nav class="navbar navbar-expand-lg" >
  <div class="container-fluid nova">
    <a class="navbar-brand" href="#">
      
    </a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-expanded="false" aria-label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNavAltMarkup"
style="background-color: #F5F5F5;" >
  <!-- noncircle -->
  <div class="navbar-nav noncircle" >
    <a class="nav-link line" aria-current="page" routerLink="/home">Home</a>
    <a class="nav-link line" routerLink="/products">Shop</a>
    <a class="nav-link line" routerLink="/about">About Us</a>
    <a class="nav-link line" routerLink="/contact">Contact Us</a>
  </div>
  <!-- noncircle -->
  <!-- rightside -->
  <!-- <div class="rightside"> -->
    <!-- search -->
    <form class="d-flex search" role="search" >
      <input class="form-control me-2 search" type="search" placeholder="Search" aria-label="Search">
      <button class="btn btn-outline-secondary search tab"
type="submit">Search</button>
    </form>
    <!-- search -->
  <!-- circular btn -->
  <span class="circlebtns" >
    <button class="search-input" routerLink="/wishlist" >
      <span class="material-symbols-outlined">
        favorite
      </span>
    </button>
    <div class="dropdownn">
      <!-- <span>Mouse over me</span> -->
      <button class="search-input" ><span class="material-symbols-outlined" >
        shopping_cart_checkout
      </span></button>
      <div class="dropdown-content">
        <span>
```

```
        <a routerLink="cart">Cart</a>
      </span>
      <hr>
      <span style="display: block;">
        <a routerLink="checkout">Check Out</a>
      </span>
    </div>
  </div>
<div class="dropdownn">
  <!-- <span>Mouse over me</span> -->
  <button class="search-input"><span class="material-symbols-outlined">
    contacts_product
  </span>
  </button>
  <div class="dropdown-content">
    <span>
      <a routerLink="login">log-in
        <span class="material-symbols-outlined">
          login</span>
      </a>
    </span>
    <hr>
    <span style="display: block;">
      <a routerLink="register">sign up
        <span class="material-symbols-outlined">
          account_circle
        </span></a>
    </span>
  </div>
</div>
</span>
<!-- circular btn -->
<!-- </div> -->
<!-- rightside -->
</div>
</div>
</nav>
</header>
```

Header CSS

```
.search-input {  
    padding: 10px;  
    border-radius: 30px;  
    width: 50px;  
    height: 50px;  
    margin: 10px;  
    /* box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2); */  
    /* border-color: #ede3e3; */  
    border: none;  
}  
  
.a {  
    text-decoration: none;  
    color: rgb(51, 45, 45);  
}  
  
.a:active {  
    opacity: 0;  
}  
  
header {  
    position: sticky;  
    top: 0;  
    width: 100%;  
    /* height: 100px; */  
    background-color: #F5F5F5;  
    /* background-color: black; */  
    /* box-shadow: 0px 7px 15px 0px rgba(0,0,0,0.2); */  
    z-index: 50;  
    margin-top: 0px;  
}  
  
.dropdownn {  
    /* position: relative; */  
    display: inline-block;  
}  
  
.dropdown-content {  
    display: none;  
    position: absolute;  
    background-color: #f9f9f9;  
    min-width: 80px;
```

```
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    padding: 12px 16px;
    z-index: 1;
    font-size: 20px;
    right: 0;
    border-radius: 5px;
}
.dropdownn:hover .dropdown-content {
    display:block;
}
.input-wrapper {
    position: relative;
    display: inline-block;
}
.input-wrapper button {
    position: absolute;
    top: 15px;
    right: 2px;
    border: none;
    background-color: transparent;
    cursor: pointer;
}
.noncircle{
/* background-color: aqua; */
margin-left: 60px;
gap: 7px;
}
.line{
/* background-color: brown; */
font-size: 25px;
font-family: 'Gill Sans', 'Gill Sans MT', 'Trebuchet MS', sans-serif;
}
.line:hover{
background-color: #e7e7e7;
}
.circlebtns{
padding-left: 100px;
}
.search{
```

```

height: 40px;
margin-top: 0px;
padding-left: 20px;
color: #000;
}
.tab{
border-color: rgb(217, 219, 222);
}
.nova{
background-color: #F5F5F5;
height: 60px;
}

```

Footer HTML

```

<!--AyaHaggag-->
<section class = "footer_area footer-bg">
<div class = "footer_top pt-100 pb-60">
<div class = "container">
<div class = "row">
<div class = "col-xl-6 col-lg-6 col-md-6 col-12">
<div class = "footer_widged mb-30">
<div class = "footer_widged-title mb-25">
<a href = "#">
<img src = "/assets/images/favicon.png" alt = "LOGO">
</a>
</div>
<div class = "footer_widged-content">
<p>Certainly! Here's a concise sentence about an online store named “Style Spot”:</p>
“Style Spot: Where fashion meets individuality.”</p>
<div class = "footer_contact">
<ul>
<li>
<div class = "icon">
<!-- <i class = "fal fa-map-marker-alt">
</i> -->
<span class="material-symbols-outlined" style="color: rgb(199, 196, 196); margin-right:12px;">
location_on
</span>

```

```
</div>
<div class = "text">
    <span>Add: 1234 Heaven Stress, Beverly Hill, Melbourne, USA.</span>
</div>
</li>
<li>
    <div class = "icon">
        <!-- <i class = "fal fa-envelope-open-text">
        </i> -->
        <span class="material-symbols-outlined" style="color: rgb(199, 196, 196); margin-right:12px;">
            outgoing_mail
        </span>
    </div>
    <div class = "text">
        <span>Email: Contact/gmail.com</span>
    </div>
</li>
<li>
    <div class = "icon">
        <!-- <i class = "fal fa-phone-alt">
        </i> -->
        <span class="material-symbols-outlined" style="color: rgb(199, 196, 196); margin-right:12px;">
            call
        </span>
    </div>
    <div class = "text">
        <span>Phone Number: (800) 123 456 789</span>
    </div>
</li>
</ul>
</div>
</div>
</div>
</div>
<div class = "col-xl-3 col-lg-3 col-md-3 col-12">
    <div class = "footer_widged mb-30">
        <div class = "footer_widged-title">
```

```
<h5>information</h5>
</div>
<div class = "footer_widged-content">
<div class = "footer_links">
<ul>
<li>
<a routerLink="/about">
    About Us
</a>
</li>
<li>
<a href = "#">
    Careers
</a>
</li>
<li>
<a href = "#">
    Delivery Inforamtion
</a>
</li>
<li>
<a href = "#">
    Privacy Policy
</a>
</li>
<li>
<a href = "#">
    Terms & Condition
</a>
</li>
</ul>
</div>
</div>
</div>
</div>
<div class = "col-xl-3 col-lg-3 col-md-3 col-12">
<div class = "footer_widged mb-30">
<div class = "footer_widged-title mb-25">
<h5>Customer Service</h5>
```

```
</div>
<div class = "footer_widged-content">
  <div class = "footer_links">
    <ul>
      <li>
        <a href = "#">
          Shipping Policy
        </a>
      </li>
      <li>
        <a routerLink="/contact">
          Help & Contact Us
        </a>
      </li>
      <li>
        <a href = "#">
          Returns & Refunds
        </a>
      </li>
      <li>
        <a routerLink="/products">
          Online Stores
        </a>
      </li>
      <li>
        <a href = "#">
          Terms & Conditions
        </a>
      </li>
    </ul>
  </div>
</div>
</div>
</div>
</div>
<div class = "footer_bottom">
  <div class = "container">
```

```
<div class = "row">
<div class = "col-xl-6 col-lg-7">
<div class = "footer_copyright">
<p>Copyright ©
<a href = "#"> Style Spot </a>
all rights reserved.
<!-- <a routerLink="home"> Style Spot</a> -->
</p>
</div>
</div>
<div class = "col-xl-6 col-lg-5">
<div class = "footer_social f-right">
<ul>
<li>
<a terget = "blank" href = "http://facebook.com">
<i class = "fa-facebook-f fab">
</i>
</a>
</li>
<li>
<a terget = "blank" href = "http://twitter.com">
<i class = "fa-twitter fab">
</i>
</a>
</li>
<li>
<a terget = "blank" href = "https://www.behance.net/">
<i class = "fa-behance fab">
</i>
</a>
</li>
<li>
<a terget = "blank" href = "https://dribbble.com/">
<i class = "fa-dribbble fab">
</i>
</a>
</li>
</ul>
</div>
```

```
</div>
</div>
</div>
</div>
</section>
```

Footer CSS

```
/*
AyaHaggag
*/
*{
margin:0;
padding:0;
box-sizing:border-box;
}
.footer-bg{
background:#151616;
}
body {
font-family: Poppins, sans-serif;
font-size: 14px;
font-weight: 400;
color: #848b8a;
line-height: 24px;
}
.pb-60{
padding-bottom: 60px;
}
.pt-100{
padding-top: 100px;
}
.row {
--bs-gutter-x: 1.5rem;
--bs-gutter-y: 0;
display: flex;
flex-wrap: wrap;
margin-top: calc(-1* var(--bs-gutter-y));
margin-right: calc(-.5* var(--bs-gutter-x));
margin-left: calc(-.5* var(--bs-gutter-x));
}
```

```
.row>* {
  flex-shrink: 0;
/*width: 100%;*/
  max-width: 100%;
  padding-right: calc(var(--bs-gutter-x)* .5);
  padding-left: calc(var(--bs-gutter-x)* .5);
  margin-top: var(--bs-gutter-y);
}

.col-12 {
  flex: 0 0 auto;
  width: 100%;
}

.container{
  --bs-gutter-x: 1.5rem;
  --bs-gutter-y: 0;
  width: 100%;
  padding-right: calc(var(--bs-gutter-x)* .5);
  padding-left: calc(var(--bs-gutter-x)* .5);
  margin-right: auto;
  margin-left: auto;
}

.mb-30 {
  margin-bottom: 30px;
}

.mb-25 {
  margin-bottom: 25px;
}

a, button {
  color: inherit;
  outline: none;
  border: none;
}

.footer_widged-content p {
  color: #b4b3b3;
  margin-bottom: 25px;
}

p {
  font-family: Poppins, sans-serif;
  font-size: 14px;
```

```
    font-weight: 400;
    color: #848b8a;
    margin-bottom: 15px;
    line-height: 24px;
}
ul {
    margin: 0;
    padding: 0;
}
li {
    list-style: none;
}
.footer_contact ul li {
    margin-bottom: 5px;
    display: flex;
}
.footer_contact ul li .icon i {
    line-height: 27px;
    color: #b4b3b3;
    margin-right: 15px;
}
.fal {
    font-weight: 300;
}
.fa-map-marker-alt:before {
    content: "\f3c5";
}
.fal, .far {
    font-family: "Font Awesome 5 Pro";
}
.fa-envelope-open-text:before {
    content: "\f658";
}
.fa-phone-alt:before {
    content: "\f879";
}
.footer_contact ul li .text span {
    color: #b4b3b3;
}
```

```
.footer_widged-title h5 {
    color: #fff;
    margin-top: 10px;
    margin-bottom: 20px;
    text-transform: capitalize;
}

.footer_links ul li {
    margin-bottom: 10px;
    transition: all .3s ease-out 0s;
}

.footer_links ul li a {
    font-size: 14px;
    color: #b4b3b3;
    font-weight: 500;
    position: relative;
    text-decoration: none;
}

.footer_links ul li a:after {
    position: absolute;
    content: "";
    bottom: -6px;
    left: 0;
    width: 100%;
    height: 1px;
    background-color: #fff;
    visibility: hidden;
    opacity: 0;
    transition: all .3s ease-out 0s;
}

.footer_links ul li a:after:hover{
    visibility:visible;
}

.footer_bottom {
    border-top: 1px solid #383838;
    padding: 45px 0;
}

.footer_copyright p {
    margin-bottom: 0;
    color: #b4b3b3;
```

```
}

.footer_copyright p a {
  color: #bc8246;
  text-decoration: none;
}

.f-right {
  float: right;
}

.footer_social ul li {
  display: inline-block;
  margin-left: 40px;
}

.footer_social ul li a {
  color: #b4b3b3;
}

.fab {
  font-family: "Font Awesome 5 Brands";
  font-weight: 400;
}

.fa-facebook-f:before {
  content: "\f39e";
}

.fa-twitter:before {
  content: "\f099";
}

.fa-behance:before {
  content: "\f1b4";
}

.fa-dribbble:before {
  content: "\f17d";
}

@media screen and (min-width: 576px) {
  .container-sm, .container {
    max-width: 540px;
  }
}

@media screen and (min-width: 768px) {
  .container-md, .container-sm, .container {
    max-width: 720px;
}
```

```
}

}

@media screen and (min-width: 992px) {
  .container-lg, .container-md, .container-sm, .container {
    max-width: 960px;
  }
}

@media screen and (min-width: 1200px) {
  .container-xl, .container-lg, .container-md, .container-sm, .container {
    max-width: 1140px;
  }
}

@media screen and (min-width: 1400px) {
  .container-xxl, .container-xl, .container-lg, .container-md, .container-sm,
  .container {
    max-width: 1320px;
  }
}

@media screen and (min-width: 1200px) {
  .container, .container-lg, .container-md, .container-sm, .container-xl {
    max-width: 1140px;
  }
}

@media screen and (min-width: 768px) {
  .col-md-6 {
    flex: 0 0 auto;
    width: 50%;
  }
}

@media screen and (min-width: 992px) {
  .col-lg-6 {
    flex: 0 0 auto;
    width: 50%;
  }
}

@media screen and (min-width: 1200px) {
  .col-xl-6 {
    flex: 0 0 auto;
    width: 50%;
  }
}
```

```
}


}

@media screen and (min-width: 1200px) {
  .col-xl-3 {
    flex: 0 0 auto;
    width: 25%;
  }
}

@media screen and (min-width: 992px) {
  .col-lg-3 {
    flex: 0 0 auto;
    width: 25%;
  }
}

@media screen and (min-width: 768px) {
  .col-md-3 {
    flex: 0 0 auto;
    width: 25%;
  }
}
```

Home Page



Home page HTML

```
<!--AyaHaggag-->
<!--<div id="home">-->
<swiper-container style="--swiper-navigation-color:#000000;" navigation="true" space-between="10" loop="true" class="mySwiper1" thumbs-swiper=".mySwiper2">
  <swiper-slide>
    <div class="slide">
      
      <!-- <div id="home"></div> -->
      <div class="info">
        <div class="animation">
          <h2>welcome to our website </h2>
        </div>
      </div>
    </div>
  </swiper-slide>
  <swiper-slide>
    <div class="slide1">
      
      <div class="info">
        <div class="animation1">
          <h2>Women's Fashion: <br> Fresh Styles for Every Season</h2>
        </div>
      </div>
    </div>
  </swiper-slide>
  <swiper-slide>
    <div class="slide6">
      
      <div class="info">
        </div>
      </div>
    </swiper-slide>
    <swiper-slide>
      <div class="slide2">
        
        <div class="info">
          <div class="animation2">
```

```
<h2>Latest Trends: <br> Embrace the New Season</h2>
</div>
</div>
</div>
</swiper-slide>
<swiper-slide>
<div class="slide3">

<div class="info">
<div class="animation3">
<h2>New Arrival: <br> Trendy Looks for the Season </h2>
</div>
</div>
</div>
</swiper-slide>
...
</swiper-container>
<swiper-container class="mySwiper2" space-between="10" slides-per-view="5" free-mode="true">
<swiper-slide>

</swiper-slide>
<swiper-slide>

</swiper-slide>
<swiper-slide>

</swiper-slide>
<swiper-slide>

</swiper-slide>
<swiper-slide>

</swiper-slide>
...
</swiper-container>
<!--</div>-->
```

Home page CSS

```
/*AyaHaggag*/
html,
body{
  position: relative;
  height: 100%;
}
body{
  display: flex;
  background: #000;
  margin: 0;
  padding: 0;
}
swiper-container{
  height: 100%;
  width: 100%;
}
swiper-slide{
  position: relative;
  background-size: cover;
  background-position: center;
}
img{
  width: 100%;
  height: 100%;
}
swiper-slide .slide{
  z-index: 1;
  position: absolute;
}
swiper-slide .slide img{
  z-index: 1;
  width: 100%;
  height: 100%;
  object-fit: cover;
}
swiper-slide .slide .info{
  position: absolute;
```

```
right: 22%;  
top: 10%;  
padding: 15px 30px;  
font-family: 'Gill Sans', 'Gill Sans MT', 'Trebuchet MS', sans-serif;  
color: #323232;  
  
}  
  
swiper-slide .slide .info .animation{  
display: inline-block;  
text-align: center;  
}  
  
swiper-slide .slide .info .animation h2{  
margin: 10px;  
padding: 10px;  
text-align: center;  
font-size: 45px;  
text-transform: uppercase;  
font-weight: 800;  
letter-spacing: 10px;  
width: 100%;  
border-right: 5px solid;  
white-space: nowrap;  
overflow: hidden;  
animation:  
text 5s steps(19),  
cursor .4s step-end infinite alternate;  
}  
  
swiper-slide .slide .info p{  
font-size: 25px;  
width: 40%;  
}  
  
}
```

```
@keyframes cursor {  
50%{  
border-color: transparent;
```

```
}

}

@keyframes text {
  from{ width: 0;}
}

swiper-slide .slide1{
  z-index: 1;
  position: absolute;
}

swiper-slide .slide1 img{
  z-index: 1;
  width: 100%;
  height: 100%;
  object-fit: cover;
}

swiper-slide .slide1 .info{
  position: absolute;
  right: 11%;
  top: 10%;
  padding: 15px 30px;
  font-family: 'Gill Sans', 'Gill Sans MT','Trebuchet MS', sans-serif;
  color: #323232;

}

swiper-slide .slide1 .info .animation1{
  display: inline-block;
  text-align: center;
}

swiper-slide .slide1 .info .animation1 h2{
  margin: 10px;
  padding: 10px;
  text-align: center;
  font-size: 40px;
  text-transform: uppercase;
```

```
font-weight: 800;
letter-spacing: 10px;
width: 100%;
border-right: 5px solid;
white-space: nowrap;
overflow: hidden;
animation:
text1 5s steps(46),
cursor1 .4s step-end infinite alternate;
}

swiper-slide .slide1 .info p{
font-size: 25px;
width: 40%;
}
```

```
@keyframes cursor1 {
50%{
border-color: transparent;
}
```

```
}
```

```
@keyframes text1 {
from{ width: 0;}
}

swiper-slide .slide2{
z-index: 1;
position: absolute;
}

swiper-slide .slide2 img{
z-index: 1;
width: 100%;
height: 100%;
object-fit: cover;
}

swiper-slide .slide2 .info{
position: absolute;
```

```
right: 20%;  
top: 5%;  
padding: 15px 30px;  
font-family: 'Gill Sans', 'Gill Sans MT', 'Trebuchet MS', sans-serif;  
color: #323232;  
  
}  
swiper-slide .slide2 .info .animation2{  
display: inline-block;  
text-align: center;  
}  
swiper-slide .slide2 .info .animation2 h2{  
margin: 10px;  
padding: 10px;  
text-align: center;  
font-size: 40px;  
text-transform: uppercase;  
font-weight: 800;  
letter-spacing: 10px;  
width: 100%;  
border-right: 5px solid;  
white-space: nowrap;  
overflow: hidden;  
animation:  
text2 5s steps(32),  
cursor2 .4s step-end infinite alternate;  
}  
swiper-slide .slide2 .info p{  
font-size: 25px;  
width: 40%;  
}  
@keyframes cursor2 {  
50%{  
border-color: transparent;  
}  
}
```

```
@keyframes text2 {
  from{ width: 0;}
}

swiper-slide .slide3{
  z-index: 1;
  position: absolute;
}

swiper-slide .slide3 img{
  z-index: 1;
  width: 100%;
  height: 100%;
  object-fit: cover;
}

swiper-slide .slide3 .info{
  position: absolute;
  right: 14%;
  top: 35%;
  padding: 15px 30px;
  font-family: 'Gill Sans', 'Gill Sans MT','Trebuchet MS', sans-serif;
  color: #323232;
}

swiper-slide .slide3 .info .animation3{
  display: inline-block;
  text-align: center;
}

swiper-slide .slide3 .info .animation3 h2{
  margin: 10px;
  padding: 10px;
  text-align: center;
  font-size: 40px;
  text-transform: uppercase;
  font-weight: 800;
  letter-spacing: 10px;
  width: 100%;
  border-right: 5px solid;
  white-space: nowrap;
  overflow: hidden;
  animation:
```

```
text3 5s steps(35),
cursor3 .4s step-end infinite alternate;
}

swiper-slide .slide3 .info p{
  font-size: 25px;
  width: 40%;
}
```

```
@keyframes cursor3 {
  50%{
    border-color: transparent;
  }
}

@keyframes text3 {
  from{ width: 0; }
}

.mySwiper1{
  height: 80%;
  width: 100%;
}

.mySwiper2{
  height: 20%;
  box-sizing: border-box;
  padding: 10px 0;
}

.mySwiper2 swiper-slide{
  width: 25px;
  height: 100%;
  opacity: 0.4;
}

.mySwiper2 .swiper-slide-thumb-active {
  opacity: 1;
}
```

Products Page

The screenshot shows a website layout for 'THE STYLE SPOT'. At the top, there is a navigation bar with links for Home, Shop, About Us, and Contact Us. A search bar with a magnifying glass icon and a user account icon are also present. Below the navigation, a sidebar titled 'Product Categories' lists four items: Shirts, T-shirts, Hoodies, and Trousers, each with a double arrow icon indicating more options. The main content area displays three product cards. The first card features a man in a light blue checkered shirt with the brand name 'Valantino' and price '5000 \$'. The second card shows a man in a similar shirt with the brand name 'Nike' and price '5000 \$'. The third card shows a man in black trousers with the brand name 'bolo' and price '5000 \$'. Each card includes 'Details' and 'Cart' buttons and a heart icon for favoriting.

Product HTML

```
<div class="container-head">
  <h1>Shop</h1>
</div>

<div class="container new">
  <div class="row">
    <!-- side navbar -->
    <div class="col-md-3 one">
      <h3>Product Categories</h3>
      <div class="sidebar">
        <a (click)="filterProductsByCategory(4)">Shirts
          <span class="material-symbols-outlined">
            double_arrow
          </span>
        </a>
        <a (click)="filterProductsByCategory(3)">T-shirts
          <span class="material-symbols-outlined">
            double_arrow
          </span>
        </a>
        <a (click)="filterProductsByCategory(2)">Hoodies
          <span class="material-symbols-outlined">
            double_arrow
          </span>
        </a>
      </div>
    </div>
    <div class="col-md-9 two">
      <div class="row">
        <div class="col-md-4">
          <img alt="Man in a light blue checkered shirt" data-bbox="348 175 478 291"/>
          <div>
            <b>Valantino</b>
            5000 $
            <button>Details</button>
            <button>Cart</button>
            <span>♡</span>
          </div>
        </div>
        <div class="col-md-4">
          <img alt="Man in a light blue checkered shirt" data-bbox="521 175 651 291"/>
          <div>
            <b>Nike</b>
            5000 $
            <button>Details</button>
            <button>Cart</button>
            <span>♡</span>
          </div>
        </div>
        <div class="col-md-4">
          <img alt="Man in black trousers" data-bbox="694 175 824 311"/>
          <div>
            <b>bolo</b>
            5000 $
            <button>Details</button>
            <button>Cart</button>
            <span>♡</span>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
        </span>
    </a>
    <a (click)="filterProductsByCategory(1)" >Trousers
        <span class="material-symbols-outlined">
            double_arrow
        </span>
    </a>
</div>

<div class="content">
    <p>This is the main content area.</p>
</div>
</div>
<!-- side navbar -->
<div class="col-6 col-md-9 two">
    @for (pro of filteredproducts; track pro.id) {
        <!-- card -->
        <div class="card" style="width: 18rem;">
            <img [src]="pro.imgurl" class="card-img-top" alt="...">
            <div class="card-body">
                <h5 class="card-title">{{pro.name}} </h5>
                <p class="card-text">{{pro.price}} $ </p>
                <a [routerLink]="/singepage" class="btn btn-dark btncard" style="margin-right: 2px;">Details</a>
                <a (click)="sendproidfromcart(pro.id)" class="btn btn-dark btncard">Cart</a>
                <label>
                    <input type="checkbox">
                    <span class="search-input fav" (click)="sendproidfromfav(pro.id)" >
                        <span class="material-symbols-outlined ">
                            favorite
                        </span></span></label>
                </div>
            </div>
        <!-- card -->
    }
</div>
</div>
<!-- pigination -->
```

```

<nav aria-label="...">
  <ul class="pagination" >
    <li class="page-item disabled">
      <a class="page-link">Previous</a>
    </li>
    <li class="page-item"><a class="page-link" href="/singepage">1</a></li>
    <li class="page-item active" aria-current="page">
      <a class="page-link" href="#">2</a>
    </li>
    <li class="page-item"><a class="page-link" href="#">3</a></li>
    <li class="page-item">
      <a class="page-link" href="#">Next</a>
    </li>
  </ul>
</nav>
<!-- pigination --&gt;
&lt;/div&gt;
</pre>

```

Product CSS

```

.container-head h1{
  background-image: url("/assets/images/checkoutback.jpg");
  width: 100%;
  height: 300px;
  background-color: aqua;
  background-repeat: no-repeat;
  background-size: 100% 100%;
  align-items: center;
  display: flex;
  justify-content: center;
}

.sidebar {
  background-color: #999933;
  padding-top: 20px;
}

.sidebar a {
  padding: 15px 20px;
  text-decoration: none;
  border: none;
  background-color: transparent;
  font-size: 18px;
}

```

```
color: white;
display: block; /* يجعل الروابط تظهر بشكل عمودي */
}

.sidebar a:hover {
background-color: #575757;
color: white;}
.material-symbols-outlined{
float: right;}
.fav{
border: none;
background-color: white;
}
input[type="checkbox"] {
display: none; /* إخفاء الـ checkbox */
}
input[type="checkbox"]:checked + .fav {
color: #bc8246; /* اللون عند الضغط */
}
.btnCard{
background-color: #201f1f;
}
.btnCard:hover{
background-color: #bc8246;
}
.new {
margin-top: 80px;
margin-bottom: 80px;
}
/* .one { */
/* background-color: aquamarine; */
/* height: 500px; */
/* } */
.two {
/* background-color: bisque; */
display: flex;
flex-wrap: wrap;
gap: 10px;
/* height: 500px; */
}
```

```

.card {
    flex: 1 1 calc(33.33% - 10px); /* عرض كل بطاقة يكون حوالي ثلث العرض مع مراعاة المسافات */
    box-sizing: border-box; /* لضمان الحساب الصحيح لعرض البطاقات */
    border: 1px solid #ccc;
    padding: 30px;
    text-align: center;
}

.pagination {
    display: flex;
    justify-content: center;
    margin-top: 20px;
}

.pagination a {
    margin: 0 5px;
    padding: 5px 10px;
    border: 1px solid #ccc;
    text-decoration: none;
    color: black;
}

.pagination a.active {
    background-color: #007bff;
    color: white;
}

```

Products Details Page



The screenshot shows a product details page for a men's shirt. At the top, there is a navigation bar with links for Home, Shop, About Us, and Contact Us. There are also search input fields and icons for a heart (wishlist), a shopping cart, and a user profile.

Product Information:

- Title :** Brands
- Category :** Shirts
- Description :** Valantino
- Rate :** 3.5
- Count :** 120
- Price :** 155 LE

A large image of a man wearing the shirt is displayed on the left side of the page. At the bottom right, there is a "Add To Cart" button.

Product Details page HTML

```

<div class="box">
    <div class="row">

```

```

<div class="col-md-5 col-sm-12">
    
</div>
<div class="col-md-7 col-sm-12">
    <div class="info">
        <ul class="list-unstyled">
            <li><strong>Title : </strong>Brands</li>
            <li><strong>Category : </strong>Shirts</li>
            <li><strong>Description : </strong>Valantino</li>
            <li><strong>Rate : </strong>3.5</li>
            <li><strong>Count : </strong>120</li>
            <li><strong>Price : </strong>155 LE</li>
        </ul>
    </div>
    <div>
        <button type="submit" class="addtocart form-control">Add To Cart</button>
    </div>
</div>
</div>

```

Product Details page CSS

```

.box{
    width: 90%;
    margin: 100px auto;
    height: 500px;
    ul{
        font-size: 22px;
        margin: 20px 0;
    }
    img{
        width: 100%;
        max-height: 500px;
        min-height: 500px;
    }
}
.addtocart{
    background-color: #323232;

```

```
border-color: #323232;  
color: #fff;  
}  
.addtocart:hover{  
background-color: #bc8246;  
}
```

About us Page

The screenshot shows the 'About Us' page of a website. At the top, there's a navigation bar with links for 'Home', 'Shop', 'About Us', and 'Contact Us'. Below the navigation is a search bar with two input fields and a magnifying glass icon. To the right of the search bar are icons for a heart, a shopping cart, and a user profile. The main content area has a dark background. On the left, there's a large white text block that reads: "Welcome to Style Spot! At Style Spot, we're passionate about keeping you fashion-forward. Our mission is to curate the latest trends and must-have styles, making you feel confident and stylish every day. Whether you're seeking wardrobe essentials or statement pieces, Style Spot is your go-to destination for all things chic. Join us on this fashionable journey, and let's redefine style together!" On the right side of the content area, there's a large photograph of a man with a beard, wearing an orange button-down shirt, standing outdoors in front of a brick building.

About us page HTML

```
<div id="about"></div>  
<h1 style="background-color:rgb(47, 44, 44); color:aliceblue; margin-bottom:0px;">“Welcome to Style Spot!”</h1>  
<div id="about2">  
    <br>  
    <h2>  
        <br>  
        At Style Spot, we're passionate about keeping you fashion-forward.  
        Our mission is to curate the latest trends and must-have styles,  
        making you feel confident and stylish every day.  
        Whether you're seeking wardrobe essentials or statement pieces,  
        Style Spot is your go-to destination for all things chic.  
        Join us on this fashionable journey, and let's redefine style together!  
    <br><br>  
    At Style Spot, we strive to curate the latest trends and must-have styles,  
    ensuring you feel confident and stylish every day.  
    Whether you're seeking wardrobe essentials or statement pieces,
```

Style Spot is your go-to destination for all things chic.


```
</h2>

</div>
```

About us page CSS

```
#about {
    background-image: url("/assets/images/ab.jpg");
    background-color: #cccccc;
    height: 90vh;
    background-repeat: no-repeat;
    background-size: 100% 100%;
    object-fit: fill;}
#about2 { /* background-image: url("/assets/images/ab.jpg"); */
    display: flex;
    background-color: rgb(47, 44, 44);
    height: 90vh;
    background-repeat: no-repeat;
    color: aliceblue;
    background-size: 100% 100%;
    object-fit: fill;}
h2, h1{ font-weight: bolder;
    font-family: 'Gill Sans', 'Gill Sans MT', 'Trebuchet MS', sans-serif;}
```

Contact us Page



Find Us Here

- Address:
1234 Heaven Stress, Beverly Hill, Melbourne, USA.
- Email:
Contact.erentheme.com
- Phone Number:
(800) 123 456 789, (800) 987 654 321



Contact Us

Name *	<input type="text"/>
Email *	<input type="text"/>
Subject *	<input type="text"/>
Message	<input type="text"/>
<input type="button" value="Send Message"/>	

Contact us page HTML

```
<section class="pagetitle">
  <div class="container">
    <div class="row">
      <div class="col-12">
        <h1>Contact Us</h1>
        <div class="nnn">
          <a href="/products">Shop </a>
          <span> / Contact</span>
        </div>
      </div>
    </div>
  </div>
</section>
<section>
  <div style="margin: 30px;" class="container row">
    <div class="fush col-6">
      <h3>Find Us Here</h3>
      <ul>
        <li>
          <div>
            </div>
          <div>
            <h6>Address:</h6>
            <p>1234 Heaven Stress, Beverly Hill, Melbourne, USA.</p>
          </div>
        </li>
        <li>
          <div>
            </div>
          <div>
            <h6>Email:</h6>
            <p>Contact.erentheme.com</p>
          </div>
        </li>
        <li>
          <div>
```

```

        </div>
        <div>
            <h6>Phone Number:</h6>
            <p>(800) 123 456 789, (800) 987 654 321</p>
        </div>
    </li>
</ul>

</div>
<div class="contactinfo col-6">
    <h3>Contact Us</h3>
    <div>
        <label>Name <span required>*</span></label>
        <input class="form-control">
    </div>
    <div>
        <label>Email <span required>*</span></label>
        <input class="form-control">
    </div>
    <div>
        <label>Subject <span required>*</span></label>
        <input class="form-control">
    </div>
    <div>
        <label>Message</label>
        <textarea class="form-control"></textarea>
    </div>
    <div class="container" style="margin: 20px;">
        <button class="sendmss">Send Message</button>
    </div>
</div>
</div>
</section>

```

Contact us page CSS

```

.pagetitle{
    background-image: url("../../assets/images/contback.jpg");
    width: 100%;
    height: 300px;
}

```

```

background-repeat: no-repeat;
background-size: 100% 100%;

}


.container, .nnn{
  display: flex;
  justify-content: center;
  margin: auto;
}

.sendmss{
  background-color: #323232;
  border-color: #323232;
  color: #fff;
}

.sendmss:hover{
  background-color: #bc8246;
}

```

Wishlist Page



Wishlist page HTML

```

<div class="container-head">
  <h1>Wishlist</h1>
</div>
<section class="container" id="big-con">
  <div class="table-content table-responsive">
    <table class="table">
      <thead >
        <tr>

```

```

<th class="product-thumbnail">Images</th>
<th class="cart-product-name">Product</th>
<th class="product-price">Add to cart</th>
<th class="product-quantity">unit Price</th>
<th class="product-remove">Remove</th>
</tr>
</thead>
<tbody >
  @for (pro of myfavourites; track pro.id) {
    <tr class="ng-star-inserted" >
      <td class="product-thumbnail">
        <a routerLink="/singepage">
          <!-- / لازم اضع -->
          <img alt="product-img" [src]="pro.imgurl">
        </a>
      </td>
      <td class="product-name">
        <a routerLink="/singepage">
          {{pro.name}}
        </a>
      </td>

      <td class="product-quantity">
        <div class="cart-plus-minus">
          <button class="vfg">Add to cart</button>
        </div>
      </td>
      <td class="product-subtotal">
        <span class="amount"> {{pro.price}} $ </span>
      </td>
      <td class="product-remove">
        <a class="cursor-pointer" (click)="">
          <i class="fa fa-times"></i>
        </a>
      </td>
    </tr>
  }
</tbody>
</table>

```

```
</div>
</section>
Wishlist page CSS
.container-head h1{
    background-image: url("/assets/images/checkoutback.jpg");
    width: 100%;
    height: 300px;
    background-color: aqua;
    background-repeat: no-repeat;
    background-size: 100% 100%;
    align-items: center;
    display: flex;
    justify-content: center;
}
#big-con {
    margin-top: 100px;
    margin-bottom: 100px;
}
table, th, td {
    border: 1px solid rgb(161, 155, 155);
}
td {
    text-align: center; /* لتوسيط النص أفقياً */
    vertical-align: middle; /* لتوسيط النص عمودياً */
    height: 100px; /* يمكنك تعديل هذا الرقم لضبط ارتفاع الخلايا */
}
a {
    text-decoration: none;
    color: #000;
    cursor: pointer;
}
.table {
    margin-left: auto;
    margin-right: auto;
    max-width: 80%;
}
```

```
.cart-plus-minus {  
    display: inline-block;  
    position: relative;  
    float: none;  
    margin: 0px auto;  
}  
.cart-plus-minus .qtybutton {  
    font-size: 20px;  
    color: #201f1f;  
    display: inline-block;  
    position: absolute;  
    top: 15px;  
    height: 22px;  
    width: 22px;  
    background: transparent;  
    line-height: 1;  
    cursor: pointer;  
    text-align: center;  
    border-radius: 0;  
}  
.product-quantity input {  
    color: #000;  
    font-size: 14px;  
    font-weight: 400;  
    border: 1px solid #dcdcdc;  
    display: inline-block;  
    padding: 0px 20px;  
    height: 50px;  
    width: 110px;  
    text-align: center;  
}  
.dec{  
    left: 7px;  
}  
.inc {  
    right: 7px;  
}  
.table-content table {  
    text-align: center;
```

```

}

img {
  width: 125px;
}

.vfg {
  background-color: #323232;
  color: white;
  border-radius: 0px;
  height: 50px;
}

.vfg:hover {
  background-color: #bc8246;
}

```

Cart Page

The screenshot displays a web page for a shopping cart. At the top, there's a header bar with a logo on the left, followed by navigation links: Home, Shop, About Us, and Contact Us. To the right of these are search fields and user-related icons (heart, cart, profile). Below the header is a table with columns: Images, Product, Unit Price, Quantity, Total, and Remove. Underneath the table is a row with a 'coupon code' input field, an 'Apply Coupon' button, and a 'Clear Cart' button. At the bottom, a section titled 'Cart Totals' shows a table with a single row containing 'Total' and '\$0.00'. A large 'Proceed to Checkout' button is centered below this.

Cart page HTML

```

<div class="container-head">
  <h1>Cart</h1>
</div>

<section class="container" id="big-con">
  <div class="table-content table-responsive">
    <table class="table">
      <thead >
        <tr>
          <th class="product-thumbnail">Images</th>
          <th class="cart-product-name">Product</th>
          <th class="product-price">Unit Price</th>
          <th class="product-quantity">Quantity</th>
        </tr>
      <tbody>
        <tr>
          <td><img alt="Product thumbnail" /></td>
          <td>Product Name</td>
          <td>$12.99</td>
          <td>1</td>
        </tr>
      </tbody>
    </table>
  </div>
</section>

```

```

<th class="product-subtotal">Total</th>
<th class="product-remove">Remove</th>
</tr>
</thead>
<tbody >
  @for (pro of listpro; track pro.id) {
    <tr class="ng-star-inserted" >
      <td class="product-thumbnail">
        <a routerLink="/singepage">
          <!-- / لازم اضع -->
          <img alt="product-img" [src]="pro.imgurl">
        </a>
      </td>
      <td class="product-name">
        <a routerLink="/singepage">
          {{pro.name}}
        </a>
      </td>
      <td class="product-price">
        <span class="amount">
          {{pro.price}}
        </span>
      </td>
      <td class="product-quantity" >
        <div class="cart-plus-minus" >
          <input type="text" readonly="">
          <div class="dec qtybutton">-</div>
          <div class="inc qtybutton">+</div>
        </div>
      </td>
      <td class="product-subtotal">
        <span class="amount"> {{pro.price}} </span>
      </td>
      <td class="product-remove">
        <a class="cursor-pointer" (click)="">
          <i class="fa fa-times"></i>
        </a>
      </td>
    </tr>
  
```

```

        }

    <!-- row -->
    </tbody>
</table>
</div>

<div class="cpn">
    <input class="cpon" type="text" placeholder="coupon code">
    <button class="cpon1 vfg btn ">Apply Coupon</button>
    <button class="cpon2 vfg btn ">Clear Cart</button>
</div>
<div class="cart-total">
    <h2>Cart Totals</h2>
    <ul>
        <!-- <li class="lii ">
            Subtotal
            <span class="mon">$480.00</span>
        </li> -->
        <li class="lii ">
            Total
            <span class="mon">{{totalprice | currency}}</span>
        </li>
    </ul>
    <button class="vfg btn" routerLink="/checkout">Proceed to Checkout</button>
</div>
</section>

```

Cart page CSS

```

.container-head h1{
    background-image: url("/assets/images/checkoutback.jpg");
    width: 100%;
    height: 300px;
    background-color: aqua;
    background-repeat: no-repeat;
    background-size: 100% 100%;
    align-items: center;
    display: flex;
    justify-content: center;
}

#big-con {
    margin-top: 100px;

```

```
margin-bottom: 100px;
}

table, th, td {
    border: 1px solid #839999;
}

td {
    text-align: center; /* لتوسيط النص أفقياً */
    vertical-align: middle; /* لتوسيط النص عمودياً */
    height: 100px; /* يمكنك تعديل هذا الرقم لضبط ارتفاع الخلايا */
}

a {
    text-decoration: none;
    color: #000;
    cursor: pointer;
}

.table {
    margin-left: auto;
    margin-right: auto;
    max-width: 80%;
}

.cart-plus-minus {
    display: inline-block;
    position: relative;
    float: none;
    margin: 0px auto;
}

.cart-plus-minus .qtybutton {
    font-size: 20px;
    color: #201f1f;
    display: inline-block;
    position: absolute;
    top: 15px;
    height: 22px;
    width: 22px;
    background: transparent;
    line-height: 1;
    cursor: pointer;
    text-align: center;
    border-radius: 0;
}
```

```
.product-quantity input {
    color: #000;
    font-size: 14px;
    font-weight: 400;
    border: 1px solid #dcdcdc;
    display: inline-block;
    padding: 0px 20px;
    height: 50px;
    width: 110px;
    text-align: center;
}
.dec{
    left: 7px;
}
.inc {
    right: 7px;
}
.table-content table {
    text-align: center;
}
img {
    width: 125px;
}
.cpn {
    max-width: 80%;
    text-align: center;
    margin: auto;
}
.cpon {
    height: 50px;
    border: 2px solid #c8c8cd;
    padding: 0 15px;
    margin-right: 10px;
    float: left;
}
.cpon1 {
    float: left;
}
.cpon2 {
```

```

    float: right;
}

.vfg {background-color: #323232;
color: white;
border-radius: 0px;
height: 50px; }

.vfg:hover {
background-color: #bc8246; }

.cart-total {
margin-top: 100px;
margin-left: 10%;
/* background-color: aqua; */
max-width: 80%; }

.lii {width: 400px;
height: 50px;
list-style: none;
font-size: 15px;
color: #6f7172;
padding: 10px 30px;
border: 1px solid #eaedff;
font-weight: 400;
margin: 0; }

.mon { float: right; }

```

Checkout Page


[Home](#) [Shop](#) [About Us](#) [Contact Us](#)

Search
Search

Shipping Detail

Country *

...
...
Egypt
America
Australia
Armania
Suadi
Oman
UAE
town / City

Town / City

State / Country *

Postcode / Zip *

My Order

Product	Quantity	Total
Euvira Rocking Chair	1	\$ 85
Wooden container Bowl	1	\$ 70
Cart Subtotal		\$ 155
Shipping	<input type="radio"/> Free Shipping	<input type="radio"/> Flat Rate: \$ 7
Order Total		\$ 155

Direct Bank Transfer

Make your payment directly into our bank account. Please use your Order ID as the payment reference. Your order won't be shipped until the funds have cleared in our account.

PAYPAL

Pav via PayPal: you can pay with your credit card if you don't have a PayPal

Checkout page HTML

```
<div class="container-head ">
  <h1>Checkout</h1>
</div>
<section class="container row">
  <div class="col-lg-6">
    <h2>Shipping Detail</h2>
    <form>
      <div class="country-select">
        <label>Country <span class="required text-danger">*</span></label>
        <select class="form-control">
          <option *ngFor="let x of Country">{{x}}</option>
        </select>
      </div>
      <div>
        <label>First Name <span class="text-danger">*</span></label>
        <input class="form-control">
      </div>
      <div>
        <label>Last Name <span class="text-danger">*</span></label>
        <input class="form-control">
      </div>
      <div>
        <label>Address <span class="text-danger">*</span></label>
        <input class="form-control">
        <input class="form-control">
      </div>
      <div>
        <label>Town / City <span class="text-danger">*</span></label>
        <input class="form-control">
      </div>
      <div>
        <label>State / Country <span class="text-danger">*</span></label>
        <input class="form-control">
      </div>
      <div>
        <label>Postcode / Zip <span class="text-danger">*</span></label>
        <input class="form-control">
      </div>
```

```
<div>
  <label>Email Address <span class="text-danger">*</span></label>
  <input class="form-control">
</div>
<div>
  <label>Phone <span class="text-danger">*</span></label>
  <input class="form-control">
</div>
<div>
  <label>Order Notes</label>
  <textarea class="form-control"></textarea>
</div>
</form>
</div>
```

```
<div class="col-6">
  <h2>My Order</h2>
  <div class="">
    <table class="table table-bordered">
      <thead>
        <tr>
          <th class="col-4">Product</th>
          <th class="col-4">Quantity</th>
          <th class="col-4">Total</th>
        </tr>
      </thead>
      <tbody>
        <tr>
          <td>Euvira Rocking Chair</td>
          <td>1</td>
          <td>$ 85</td>
        </tr>
        <tr>
          <td>Wooden container Bowl</td>
          <td>1</td>
          <td>$ 70</td>
        </tr>
      </tbody>
```

```
<tfoot>
  <tr>
    <th>Cart Subtotal</th>
    <td></td>
    <td>$ 155</td>
  </tr>
  <tr>
    <th>Shipping</th>
    <td>
      <input type="radio">
      <label>Free Shipping</label>
    </td>
    <td>
      <input type="radio">
      <label>Flat Rate: <span>$ 7</span></label>
    </td>
  </tr>
  <tr>
    <th>Order Total</th>
    <td></td>
    <td>$ 155</td>
  </tr>
</tfoot>
</table>
</div>
<div>
  <button type="button" class="collapsible card">Direct Bank Transfer</button>
  <div class="content">
    <p>Make your payment directly into our bank account. Please use your Order ID as the payment reference. Your order won't be shipped until the funds have cleared in our account.</p>
  </div>
</div>
<div>
  <button type="button" class="collapsible card">PAYPAL</button>
  <div class="content">
    <p>Pay via PayPal; you can pay with your credit card if you don't have a PayPal account.</p>
  </div>
</div>
```

```

        </p>
    </div>
</div>
<div>
    <button type="submit" class="os-btn btnplaceorder form-control">Place
Order</button>
</div>
</div>
</section>

```

Checkout page CSS

```

.container-head h1{background-image: url("/assets/images/checkoutback.jpg");
width: 100%;
height: 300px;
background-color: aqua;
background-repeat: no-repeat;
background-size: 100% 100%;
align-items: center;
display: flex;
justify-content: center;}
.container{
margin: auto;
padding: 20px;}
.btnplaceorder, .collapsible{background-color: #323232;
border-color: #323232;
color: #fff;}
.btnplaceorder:hover, .collapsible:hover{background-color: #bc8246;}

```

Login Page

The screenshot shows a login interface. At the top is a header bar with a logo on the left, followed by navigation links: Home, Shop, About Us, Contact Us, and a search bar with a placeholder "Search". To the right of the search bar are icons for a heart, a shopping cart, and a user profile. Below the header is a login form. It has two input fields: "Username" and "Password", each with a placeholder text ("Enter Username" and "Enter Password" respectively). Below the password field is a "Remember me" checkbox. In the center is a large orange "Login" button. At the bottom of the form are three links: "Cancel" (in a red box), "Forget Password" (in blue), and "Do not have an account? [Sign up](#)".

Login page HTML

```
<form #userForm="ngForm">
  <div class="maincontainer">
    <div class="container">
      <label for="username"><b>Username</b></label><br>
      <input #name="ngModel" required [class.is-invalid]="name.invalid && name.touched" class="upbtn form-control" type="text" placeholder="Enter Username" name="username" [(ngModel)]="userModel.name" >
    </div>
    <div class="container">
      <label for="password"><b>Password</b></label><br>
      <input class="upbtn form-control" required #password="ngModel" [class.is-invalid]="password.invalid && password.touched" type="text" placeholder="Enter Password" name="password" [(ngModel)]="userModel.password" >
      <small class="text-danger" [class.d-none]="password.valid || password.unouched">Password is required</small>
    </div>
    <div class="container">
      <label for="remember" id="chbox">
        <input type="checkbox" checked="checked" name="remember" [(ngModel)]="userModel.remember">Remember me
      </label>
    </div>
    <button id="loginbtn" type="submit" [disabled]="userForm.form.invalid" class="btn btn-primary">Login</button><hr>

    <div class="containera">
      <button id="cancelbtn" type="button" class="btn btn-primary"><a href="/app1/src/app/home">Cancel</a></button>
      <span class="psw"><a href="#">Forgot Password</a></span>
    </div>
    <div class="container signup">
      <p>Do not have an account? <a href="/register">Sign up</a></p>
    </div>
  </div>
</form>
```

Login page CSS

```
.maincontainer{
  margin: 20px auto 20px auto;
```

```
padding: 20px;
width: 30%;
height: auto;
position: relative;
/* position: relative; */
display: flex;
flex-direction: column;
}

#loginbtn{
font-size: larger;
margin-top: 20px;
border-radius: 10px;
cursor: pointer;
width: 100px;
left: 30%;
position: relative;
}

#loginbtn:hover{
opacity: 4;
background-color: burlywood;
}

.upbtn{
width: 100%;
border-radius: 5px;
border-width: 5px;
}

.upbtn:hover{
border-color: burlywood;
}

.container{
margin-bottom: 10px;
}

.btn{
background-color: rgb(205, 147, 48);
font-size: medium;
border-radius: 10%;
}

#cancelbtn a{
text-decoration: none;
```

```

    color: white;
}

#cancelbtn:hover{
    opacity: 4;
    background-color: burlywood;
}

.psw{
    float: right;
}

```

Register Page

Email is required

Username

Password

Repeat Password

```

Register page HTML
<form #userForm="ngForm">

  <div class="maincontainer">
    <div class="container">
      <label for="email"><p class="labeltext">E-mail</p></label>
      <input name="email" #email="ngModel" [class.is-invalid]="email.invalid &&
email.touched" [(ngModel)]="userModel.email" class="form-control upbtn"
type="text" placeholder="Enter E-mail" required>
        <small class="text-danger" [class.d-none]="email.valid &&
email.unouched">Email is required</small>
    </div>
    <div class="container">
      <label for="username" class="labeltext"><p>Username</p></label>
      <input #username="ngModel" [class.is-invalid]="username.invalid &&
username.touched" [(ngModel)]="userModel.username" class="form-control upbtn"

```

```

type="text" name="username" placeholder="Choose Username" required>
</div>
<!-- <div class="container">
    <label for="country"><p>Country</p></label>
    <input class="upbtn" type="text" name="country" placeholder="Your country"
required>
</div> -->
<div class="container">
    <label for="password" class="labeltext"><p>Password</p></label>
    <input #password="ngModel" [class.is-invalid]="password.invalid &&
password.touched" [(ngModel)]="userModel.password" class="form-control upbtn"
type="text" name="password" placeholder="Enter Password" required>
</div>
<div class="container">
    <label for="repeatpassword" class="labeltext"><p>Repeat Password</p></label>
    <input #repeatpassword="ngModel" [class.is-invalid]="repeatpassword.invalid
&& repeatpassword.touched" [(ngModel)]="userModel.repeatpassword" class="form-
control upbtn" type="text" name="repeatpassword" placeholder="Repeat Password"
required>
</div>
<p>By creating an account you agree to our <a href="#">Terms &
Privacy</a>.</p>
<button type="submit" class="btn btn-primary"
id="registerbtn">Register</button>
<div class="container signin">
    <p>Already have an account? <a href="/login">Sign in</a></p>
</div>
</div>
</form>

```

Register page CSS

```

.maincontainer{
    margin: 20px auto 20px auto;
    padding: 20px;
    width: 40%;
    height: auto;
    position: relative;
    /* position: relative; */
    display: flex;
    flex-direction: column;

```

```
}

.upbtn{
    width: 100%;
    border-radius: 5px;
    border-width: 5px;
}

.upbtn:hover{
    border-color: burlywood;
}

.labeltext{
    font-weight: bold;
}

.container{
    margin-bottom: 20px;
}

#registerbtn{
    margin-bottom: 20px;
    cursor: pointer;
    border-radius: 10px;
    background-color: rgb(205, 147, 48);
    width: 100px;
    left: 35%;
    position: relative;
}

#registerbtn:hover{
    opacity: 4;
    background-color: burlywood;}
```